Numatto















Performance You Can Trust

2025 PRODUCT CATALOGUE UK EDITION

Making better products in better ways.

- We select materials and processes that are more sustainable, and manufacturing that has less impact.
- Our products are designed to be more efficient, reducing energy use and carbon impact.
- We make products that are reliable, serviceable and built to last.



an array of complex and urgent challenges. Key priorities such as elevating cleaning and hygiene standards, optimising productivity and advancing sustainability remain at the forefront of our customers agendas. Addressing today's demands while preparing for the challenges of tomorrow requires professional cleaning solutions that deliver

Performance You Can Trust.

In 2025, our customers continue to face



Head Office Numatic International Limited

Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: +44 (0)1460 68600 numatic.com

| Sustainability | |
|--|------------|
| Sustainability Formula Net Zero by 2035 Sustainability in Action: ReFlo Technology, charity: water | 4 4-5 |
| C Level Offsetting Our Services | 6-7 |
| ServiceCare Digital Services: Nu-Assist, | 8 |
| Nu-Design, Nu-Track The Complete Cleaning Solution | 9 10-11 |
| | |

CleanCare

Contents

| Bringing power, performance | |
|-----------------------------------|-------|
| and reliability to our commercial | |
| cleaning product range. | 12-37 |
| CleanCare Kits | 38-39 |

ProCare

| Advanced, professional cleaning i | IOI |
|------------------------------------|------|
| the collection and control of dust | and |
| hazardous substances. | 40-4 |
| ProCare Kits | 4 |

FloorCare

| Providing innovative, reliable and effe | ective |
|---|--------|
| floorcare solutions, even in the most | |
| demanding environments. | 50-6 |
| FloorCare Brushes/Pads | |
| 8. Accossorios | 66_6 |

VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality are at the core of our janitorial cleaning systems.

Sustainability Sustainability

SUSTAINABILITY

Sustainability Formula

The Numatic Sustainability Formula is the foundation to all our product development and sustainable initiatives.

Our products are built to last with tried, tested and trusted designs, ongoing innovations and a commitment to developing sustainable cleaning solutions.

Built to Last

We ensure our products are the most efficient for every user; from water and detergent usage to electricity consumption.

Efficiency

Our products are designed to be easily and economically serviced throughout their lifecycle. We commit to support every product we have ever made, since day one.

Serviceability

We are committed to developing products using high-quality, recycled plastic. Right from their initial design, our products are manufactured to be easily recycled at the end of their life.

Recycling

We work hard to ensure zero waste goes to landfill and have achieved this since 2017.


Disposal

Integrated Sustainability

We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.







Zero Waste to Landfill



LED Lighting

Product Lifecycle

Carbon Neutral

From 2024 Numatic has reached carbon neutrality for Scope 1 and 2 emissions, marking a significant milestone in our commitment to sustainability.

We support the following **Sustainable Development Goals (SDGs)** of the United Nations:



















Sustainability Roadmap

and carbon footprint

2020-2023 Collection of data surrounding our operations

and long-term goals for sustainability. In 2023, Numatic committed to the Science Based Targets initiatives (SBTi)

2023-2026

PHASE

Launch key initiatives

Scale up initiatives and begin hitting some major targets

2026-2029

Continue driving down emissions, auditing and **PHASE** reviewing 42% emissions reduction across all scopes by 2030

2029-2032

PHASE

Ensure that all possible reductions have been made to secure Net Zero for Scope 1 and 2

2032-2035

Scope 1 & 2 Net Zero Scope 3 50% reduction

Scope 1, 2, & 3

2035

2045 Scope 3

75% reduction

To reach Net Zero with

90% emissions reduction

across all scopes, in line

reduction pathway

with SBTi 1.5°c emissions

2050+

Scope 1

Direct emissions produced by our company facilities and our company vehicles.

Scope 2

Indirect emissions from purchased electricity, steam, heating and cooling used for our own use.

Scope 3

Emissions covered by Scope 3 include our upstream and downstream operations.

Sustainability Sustainability

Sustainability in Action

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.

Sustainability is broader than just reducing our carbon footprint. True sustainability is helping others to be sustainable in their everyday practices. ensuring the earth and its communities are cared for.





Echarity: water



numatic.com/sustainability



ReFlo Technology

Many of our products are made using ReFlo recycling plastic reducing the use of virgin plastic wherever possible, whilst maintaining the same quality and durability in our products. ReFlo Technology uses high-quality, post-industrial and post-consumer plastics across the Numatic range.

Following extensive research and testing, we have introduced **ReFlo Technology to our** FloorCare range, joining our **VersaCare Janitorial and** CleanCare Vacuum ranges.

Made from the highest quality, recycled plastic.





The Bigger Picture

We've partnered with charity: water to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water. Nepal, Piped system tap stand

Working in partnership with:

🔣 charity: water

Our most recent completed project took place In Nepal, positively impacting a total of 596 people.

> Over 100 MILLION Litres of water funded since launch in 2021.





Not Just Any Offsetting

We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level.

TARGETS AND INITIATIVES

We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

This includes becoming Net Zero by 2035 (for Scope 1 and 2), setting incremental targets to keep us on track. Numatic has joined the Science Based Targets Initiative (SBTi), setting ambitious emissions reduction targets in line with the latest climate science.

While we work on reducing our emissions, we have taken additional measures to reduce our impact on the planet by carbon balancing our Scope 1 and 2 emissions through our trusted offsetting partner, C Level.



Net Zero

by 2035



Our Services Our Services

SERVICECARE

We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.

Numatio ServiceCare

Cleaning Productivity Made Simple

We work with you at every turn, equipping you with all you need to maintain the highest cleaning standards.

For extra peace of mind, our full-service contracts cover you for any accidental damage or breakdowns, including two visits every year to service your machine.

- Servicing, Breakdown and Health Checks
- Digital Training, Maintenance and Guides
- Site Survey
- On-site Demo
- Refresher Operator Training
- Installation and Training

Get in touch... numatic.com/uk/servicecare



Numatio Hire

Simplicity & Performance

The latest in professional cleaning equipment when you need it, direct from UK manufacturer.

Why Hire?

Hiring provides the ultimate flexibility with the latest cleaning equipment when you need it. Whether you need equipment for a week, 6 months or longer, we can flex around you.


- The Kit You Need, from Vacuums to Scrubber Dryers
- Short to Long-term Hire
- Switch Equipment if Needed
- ServiceCare Hire Cover Included
- Online and In-person Training*
- Option to Extend or Purchase

*In-person training for floor machines and scrubber dryers only.

For more information visit: numatic.com/uk/numatic-hire

DIGITAL SERVICES

"Increase cleaning productivity with training and support at your fingertips."



Bespoke Trolley Configurator

Nu-Design guides you through the product to configuration process, providing a visual output and configuration breakdown at each selection. The result; a reliable, functional and innovative cleaning system that meets your needs precisely.







Nu-Track

Intelligent Fleet Management

Understand how, when and where your cleaning fleet is operating. Each asset automatically uploads status, location and usage reports to portal.





THE COMPLETE **CLEANING SOLUTION**



Healthcare

Working closely with the Healthcare industry, raising cleaning standards and productivity.

Maintaining the highest standard of cleanliness and hygiene can be challenging, when working against the demands and pressures of a busy and diverse hospital, clinic or care home. You need cleaning equipment that meets your needs completely.





Education

Creating clean environments to work, learn and play.

Clean environments don't only deliver increased hygiene and safety, but also more positive, creative and comfortable environments for their users.





🚍 🖒 Logistics & Handling

Increasing cleaning performance and productivity for the Logistics & Handling industry around the clock.



The UK's most comprehensive range of cleaning solutions, serving customers in all industries.





Hospitality





Construction

Robust and reliable equipment that has the power and performance to tackle whatever you throw at it.

advanced filtration to H-Class and equipment for every eventuality, ready to withstand the drops, bangs and scrapes that can happen frequently in the professional trade environment.





Facilities Management

Collaborating with the Facilities Management industry delivering on high-quality, bespoke cleaning equipment for every sector.

Customers are seeking to overcome to clean large shopping centres, busy supermarkets, compact store floors or open office spaces, our cleaning solutions deliver advanced cleaning results with maximum cleaning productivity.



CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

Contents

| Eco ReFlo Range | 14-15 |
|------------------------------|-------|
| ProLine Range | 16-17 |
| Numatic Quick | 18-19 |
| NX300 Pro Cordless Network | 20-27 |
| Mains Cable Backpacks | 28 |
| Steel Tops | 29 |
| MicroLine | 29 |
| Aircraft Line | 30 |
| Dry Big Capacity Vacuums | 31 |
| Wet or Dry Vacuums | 32 |
| Wet Vacuums | 33 |
| Wet & Dry Vacuums | 34 |
| Carpet Extraction Vacuums | 35-37 |
| CleanCare Kits & Accessories | 38-39 |







"Quality and cleaning innovation from the global leading professional vacuum brand."



ECO REFLO **30% Energy Saving Vacuums**

Works Harder, Lasts Longer, Built Smarter

Made using ReFlo recycled plastic, reducing the use of virgin plastic wherever possible, whilst maintaining quality and durability in our products.

ERP180

Made using **45% Recycled Plastic**



- □ High-efficiency, economical cleaning
- Sustainably engineered using a minimum
 45% recycled plastic, including accessories
 Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storagePlugged cable

| 8L Capacity | 420W Motor | | 6KG Weight |
|-------------------------|----------------------|----------------------|------------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.4m | |
| Power Cord 10m | | Suct | ion H ₂ 0 1750mm |
| 340x360x360mm (WxLxH) | | Kit A | S0 (see page 38) |

*45% / 25% represents the minimum use of recycled plastic content, including accessories.

EPR170

Made using 25% Recycled Plastic



- □ Equipped with our highest efficiency motor yet
- □ Carpets, hard-floors, cars, stairs, DÍY
 □ Extra reach 12.5m cable with trouble-free rewind
- and additional on-board tool storage
- Sustainably engineered using a minimum 25% recycled plastic, including accessories Plugged cable

420W

Motor

7.2L

Capacity

Emptying with no dust and no mess

Power **230V / AC 50/60Hz**

Power Cord 12.5m

360x370x390mm (WxLxH)


| EPR ⁴ | 170 HEPA |
|------------------|----------|
| Made | using |




- □ Equipped with our highest efficiency motor yet
- Carpets, hard-floors, cars, stairs, DIY
 Certified HEPA13 filtration down to
- 0.3 microns at 99.95% efficiency
- Sustainably engineered using a minimum 25% recycled plastic, including accessories Plugged cable
- Emptying with no dust and no mess

| W or | 8.1KG Weight | 7.2L Capacity | | OW otor | 8.3KG Weight |
|----------------|----------------------------------|------------------------------|--|----------------------|----------------------------------|
| Cleanir | ng Range 31.4m | Power 230V / AC 50/60Hz | | Cleaning Range 31.4m | |
| Suctio | n H ₂ 0 1750mm | Power Cord 12.5m | | Suctio | n H ₂ 0 1750mm |
| Kit AS | 0 (see page 38) | 360x370x390mm (WxLxH) | | Kit AS | 0 (see page 38) |


*Note: Not standard UK model, please contact your Numatic representative for information.



the **highest** quality recycled plastic."



1 Long-reach Hi-Vis 10m Cable 2 Powerful Cleaning on Carpets & Hard-floors 3 Cable Tidy & Carry Handle (ERP180)



Calculate Your Savings

Find out how much money you could save every year by switching to an Eco ReFlo Vacuum by visiting numatic.com/ERP180 or scanning the QR Code

*1 Potential savings provided for guidance only, actual savings may differ dependent on usage and energy cost. Based on using 4 hours per day, over 260 days and £0.245 kWh (as of 10/24 UK).



Annual Energy Usage

£229.32

£107.02

900 Watts

620 Watts 420 Watts

PROLINE

Powerful Professional Cleaning

The ProLine Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of sizes.



PSP180 / PSP240 / PSP370

Cable Management & Plugged Cable







Contractors'

- Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- Plugged cable
- Bumper for wall and door protection (240/370 models)

| 8L / 9L / 15L Capacity | 620W Motor | | | 6KG / 8KG / 9KG Weight | |
|---|----------------------|--|----------|---------------------------|--|
| Power 230V / AC 50/60Hz | Power Cord 10m | | Cleaning | Range 26.4m | Suction H ₂ 0 2300mm |
| 340x360x360mm (180), 360x370x415mm (240), 360x370x510mm (370) (WxLxH) Kit AS0 (see page 38) | | | | | Kit AS0 (see page 38) |

PRP180



Made using **45% Recycled Plastic**



- Sustainably engineered from a minimum 45% recycled plastic, including accessories
- Carpets, hard-floors, cars, stairs, DIY
 Handy on-board tool storage
- Professional accessory kit
- Plugged cable

| 8L Capacity | | | 6KG Weight |
|--------------------------------|---------|---------------|-----------------------------------|
| Power 230V / AC 50/60Hz | | Cleani | ng Range 26.4m |
| Power Cord 1 | 0m | Suction | on H ₂ 0 2300mm |
| 340x360x360mm (| (WxLxH) | Kit AS | 50 (see page 38) |

PPR170* PPR170 HEPA*

- Easy replacement plugged cable systemBumper for wall and door protection
- Compact and convenientEmptying with no dust and no mess

- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (PPR170H Only)

| 7.2L 620W Motor | | 8.1KG / 8.3KG Weight |
|-----------------------|-----------|--|
| Power 230V / A | C 50/60Hz | Cleaning Range 31.4m |
| Power Cord 12.5m | | Suction H ₂ 0 2300mm |
| 360x370x390m | m (WxLxH) | Kit AS0 (see page 38) |

| L icity | Motor | 8.1KG / 8.3KG Weight |
|------------------------|-------|---------------------------------|
| 230V / AC 50/60Hz | | Cleaning Range 31.4m |
| wer Cord 12.5m | | Suction H ₂ 0 2300mm |
| 0x390mm (WxLxH) | | Kit AS0 (see page 38) |

^{*}Note: Not standard UK model, please contact your Numatic representative for information.

PPR170* PPR170 HEPA*



- Easy replacement plugged cable system Bumper for wall and door protection
- Compact and convenientEmptying with no dust and no mess
- Certified HEPA13 filtration down to
 0.3 microns at 99.95% efficiency (PPR170H Only)

| 7.2L Capacity | 620W Motor | 8.1KG / 8.3KG Weight | | |
|--------------------------------|----------------------|---------------------------------|--|--|
| Power 230V / AC 50/60Hz | | Cleaning Range 31.4m | | |
| Power Cord 12.5m | | Suction H ₂ 0 2300mm | | |
| 360x370x390m | ım (WxLxH) | Kit AS0 (see page 38) | | |



Contractors' Choice



- □ Carpets, hard-floors, cars, stairs, DIY
- Bumper for wall and door protection
 Handy on-board tool storage
- Emptying with no dust and no mess

| 9L Capacity | 620 Mo | | 9KG Weight |
|--------------------------------|------------------|----------------------|-----------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 31.8m | |
| Power Cord 12.5m | | Suction | on H ₂ 0 2300mm |
| 360x370x415mm (WxLxH) | | Kit N S | S1 (see page 38) |

Contractors' Choice



- Professional accessory kit
- Bumper for wall and door protection
- Long cleaning reach
 Emptying with no dust and no mess Plugged cable rewind
- 9L / 15L | 620W 9KG / 10KG Capacity Motor Weight Cleaning Range 31.4m Power 230V / AC 50/60Hz Suction H₂0 2300mm Power Cord 12.5m 360x370x415mm (WxLxH) Kit AS0 (see page 38)

PPT390

Handy Trolley Design



- □ Convenient, lift-off storage caddy
- Telescopic handle for ease of transit and storage
 Large rear wheels for ease of use on stairways
- Plugged cable rewind


| 9L / 15L 620W Motor | | 12.3KG / 12.6KG Weight | |
|--|--|--|--|
| Power 230V / AC 50/60Hz | | Cleaning Range 31.4m | |
| Power Cord 12.5m | | Suction H ₂ 0 2300mm | |
| 355x355x615mm (WxLxH) 355x355x655mm (WxLxH) | | Kit AS0 (see page 38) | |

QUICK


Powerful, Cordless, Dust-Free

"All the benefits of cordless

NUMATIC QUICK NQ100




- Advanced user-comfort
 Interchangeable Lithium-lon battery
 Dust-free emptying





- 1 & 4 Motorised Brush Head 2 Ergonomic Handle for Extra Comfort
- 3 Handy Tools





Compacts dust inside the pod for more capacity than most leading stick vacuums.

Figures displayed are with Brush Head off. Run and recharge times may vary dependent on ambient temperature and expected battery ageing.





Pro Cordless Network Increases Productivity

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.



Visit: numatic.com/uk/NX300-pro-cordless

Why use NX300 Pro Cordless Network?







Maintenance



No Cable Lower Noise

Trips



Energy Cost



Cleaning



300Wh 1hr 80% / 2hrs 100% **Up to 2500** Charge Cycles **Battery Capacity**

Note: Higher ambient temperatures may increase charge time.





Tackle hard-to-reach areas; clean, scrub and dry floors with the all-in-one solution. With precision spray; scrub, extract and dry heavily soiled areas, emergency spills, corners, edges, and around obstacles.

Eliminate the risk of slips, trips and falls with no cable, perfect for all-hours cleaning in high-traffic areas.






| 1 WOOD 1 TO COTAICSS NEEWORK | | | | | | |
|--|--|--|--|--|--|--|
| 6L 9L Clean Recovery Capacity Capacity | | 38 MINS Runtime 36V Lithium Battery | | | | |
| Max Airflow 49L/sec | | Motor 400W | | | | |
| Flow Rate 350ml/min | | Recharge Time 1hr 80% / 2hr 100% | | | | |
| CTB Weight (with Battery) 9.7kg | | X-tract Weight (with Trigger Bend) 2kg | | | | |
| 480x360x375mm (WxLxH) | | | | | | |

- 1 Pick-up Floor Tool
- 2 & 3 X-tract Scrub Brush









CleanCare CleanCare

WET

Cordless, Clean, Safe





NBV190NX

Cordless Vacuums



Eliminate the risk of slips, trips and falls with no cable, perfect for cleaning up spills in high-traffic areas.

> Numatic Nex

- Quick Spill Clean-Ups
- Emergency Leaks
- Entrance Lobbies

WBV470NX

Perfect for high-traffic areas All-hours cleaning
1-hour fast charge
NX300 Pro Cordless Network

Motor 400W

Runtime 40mins

Max Pump Pressure 145mBar

Suction H₂0 2200mm

9L/20L

Wet Capacity

Washrooms & Toilets



- High-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge

| 8L Capacity | 350W Motor | | 7.7KG Weight |
|--------------------------------------|----------------------|--|------------------------|
| Power Lithium Battery 36V | | Runtime Hi 50 / Lo 80min | |
| Recharge Time 1hr 80% / 2hrs 100% | | Suction H ₂ 0 1896mm | |
| 340x340x340mm (WxLxH) | | Kit AS55 (see page 38) | |



- High-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge

- Bumper for wall and door protection
 Certified HEPA14 filtration down to 0.3 microns at 99.995% efficiency (HEPA model only)

| 9L Capacity | 350W Motor | 8.1/8.5KG Weight 240NX/NXH | |
|--------------------------------------|---------------|--|--|
| Power Lithium Battery 36V | | Runtime Hi 50 / Lo 80mins | |
| Recharge Time 1hr 80% / 2hrs 100% | | Suction H ₂ 0 1896mm | |
| 360x340x415mm (WxLxH) | | Kit AS55 (see page 38) | |



- High-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge
 Convenient lift-off storage caddy
 Telescopic handle for ease of transit and storage

| | 9L Capacity | 350W Motor | | 10.5KG Weight | |
|---|--------------------------------------|------------------------|--|---------------------------|--|
| 5 | Power Lithium Batt | er Lithium Battery 36V | | Runtime Hi 50 / Lo 80mins | |
| | Recharge Time 1hr 80% / 2hrs 100% | | Suction H ₂ 0 1896mm | | |
| | 400x450x615mm (WxLxH) | | Kit AS55 (see page 38) | | |



15L/27L

9.3/11.9KG

Weight

Max Airflow 49L/Sec

Recharge Time 1hr 80% / 2hr 100%







- 1 MultiFlo Wet Floor Tool
- 2 Easy Battery Change
- 3 Battery Level Indicator



- 1 Easy Battery Change
- 2 Convenient Lift-off Storage Caddy





CleanCare CleanCare

SANITISE

High-Pressure Misting Disinfection System

The Sanitise Pro Sprayers deliver 99.999%* efficiency in inactivating and destroying pathogens.



- □ Simple to use with high-pressure quick drying mist
- Effective results every time by every user,
- across a wide range of environments

 Part of NX300 Pro Cordless Network
- High-performance pump and


| | large capacity for extended use | | | | | | | |
|--|--|-----------------|-------------------------------------|----------------|--|--|--|--|
| | 5L Capacity | 6HRS Runtime | | 13KG Weight | | | | |
| | Optimum Spray Distance / Max 1-2m Droplet Size 60-70Microns | | Max Pump Pressure 15Bar / 217PSI | | | | | |
| | | | Tank Empty 31mins | | | | | |
| | Flow 140ml/min | | Hose | Length 1.5m | | | | |
| | Recharge Time 1hr 80% / 2hrs 100% | | | | | | | |
| | 330x330x570mm (WxLxH) | | | | | | | |


Whilst we recommend using TECcare® Control, the Sanitise Pro System is fully compatible with disinfectant solutions based on Quaternary Ammonium Salts or Hypochlorous Acid using appropriate dilution levels. Use of other chemical / disinfectant solutions may invalidate warranty.*

*99.999% effective in inactivating and destroying pathogens when using complete Sanitise Pro System.

System comprises RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution.

Please note: Do not spray electrical items such as computers, monitors or electrical sockets at close distances.







RUCSAC **Ergonomic Harness**













- 1 Adjustable Cushioned Shoulder Straps
- 2 Adjustable Cushioned Waist Strap
- 3 Breathable Mesh Back-Support System
- 4 Supportive Adjustable Chest Strap






- Newly developed, high-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge

- User comfort with ergonomic harness
 Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (HEPA model only)

| 5L Capacity | 350W Motor | 8.2/8.6KG Weight 150NX/NXH | |
|--------------------------------------|----------------------|--|--|
| Power Lithium Battery 36V | | Runtime Hi 50 / Lo 80mins | |
| Recharge Time 1hr 80% / 2hrs 100% | | Suction H ₂ 0 1896mm | |
| 330x330x570mm (WxLxH) | | Kit AAT30E (see page 39) | |



1 & 2 Precision High-Pressure Misting System 3 Stay Cleaning for Longer with 6hrs Runtime Numa

MAINS CABLE

Backpacks

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.



RSV150 / RSV150 HEPA

Increase Cleaning Productivity



- Compact, comfortable and convenient design
 Generous 5L capacity
 Extra-long 15m cable
 User comfort with ergonomic harness


- Emptying with no dust and no mess
 Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (HEPA model only)

| 5L Capacity | 620W Motor | | 7.4/7.8KG Weight 150/150H | |
|-----------------------|----------------------|--|--|--|
| Power 230V / A | C 50/60Hz | | Cleaning Range 36.4m | |
| Power Cor | d 15m | | Suction H ₂ 0 2300mm | |
| | | | | |

330x330x570mm (WxLxH) Kit AAT30E (see page 39)







- Available as a standard on HEPA model
- 1 Breathable Mesh Panel
- 2 Integrated Hand Control
- 3 Adjustable Cushioned Shoulder Straps

Steel Tops

NQS250 / NQS250B

ALL-STEEL



- All-steel construction, tough and hard-wearing
 Blower facility and diffuser attachment (NQS250B)
- Quick and easy cable replacement
- Plugged cable

| 9L Capacity | 780W Motor | | 10KG Weight |
|---------------------------------|----------------------|----------------------|----------------------------------|
| Power 230V / AC 50/60 Hz | | Cleaning Range 26.4m | |
| Power Cord 10m | | Suctio | n H ₂ 0 2350mm |
| 340x340x395mm (| WxLxH) | Kit AS | 60 (see page 38) |

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.

NVQ240 / NVQ370 / NVQ380







- Heavy-duty, all-steel power headQuick and easy cable replacement

- Tough Structofoam drum construction (NVQ380 Only)

| 9L / 15L / 15L Capacity | | 780W Motor | | 9.65KG / | 10KG / 11.35KG Weight |
|--|---|-------------------------|--|------------------------------|--|
| Power 230V / AC 50/60Hz | F | Power Cord 10m Cleaning | | aning Range 26.4m | Suction H ₂ 0 2300mm |
| 360x370x415mm (240), 355x355x485mm (370), 355x355x485mm (380) (WxLxH) | | | | Kit AS0 (see page 38) | |

MicroLine Advanced Filtration

High-efficiency 5-stage pre and post-motor HEPA13 filtration conforming to ISO 14644-1 Class 5 cleanroom classification.

PPH320

HEPA **Filtration**





- □ Certified HEPA13 filtration down to
- 0.3 microns at 99.95% efficiency
 Emptying with no dust and no mess
- Quick and easy cable replacement
- Plugged cable rewind

| 12L Capacity | | OW otor | 10KG Weight |
|--------------------------|---------|---------------------------------|------------------------|
| Power 230V / AC 5 | 0/60 Hz | Cleaning Range 31.4m | |
| Power Cord 12 | .5m | Suction H ₂ 0 2300mm | |
| 355x355x465mm (| WxLxH) | Kit AS | 0 (see page 38) |

CRQ370

Clean Room Filtration





- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- Advanced 5-Stage filtration system
 Conforms to ISO 14644-1 Class 5 classification
- Quick and easy cable replacement Emptying with no dust and no mess

355x355x485mm (WxLxH)

10L 960W 11.5KG Capacity Power 230V / AC 50/60 Hz Cleaning Range 26.4m Suction H₂0 2300mm Power Cord 10m

Kit A1 (see page 38)



CleanCare CleanCare

AIRCRAFT

The Pro Harness offers enhanced operator comfort, productivity, without any uncomfortable distractions.

increasing cleaning efficiency, capability and

RSAV130 Enhanced Harness




- User comfort with ergonomically designed harness
- High-efficiency filtration

| 6L Capacity | 960W Motor | | 7.3KG Weight |
|------------------------------|---------------|----------------------|----------------------------------|
| Power 110V / AC 400Hz | | Cleaning Range 43.2m | |
| Power Cord 18.2m | | Suctio | n H ₂ 0 2400mm |
| 250x360x440mm (WxLxH) | | Kit A30 | A (see page 39) |







AVQ250 ALL-STEEL



- All-steel construction, tough and hard-wearing
 Patented MicroTec noise reduction system
- Aircraft specification
- Plugged cable
- 10.6KG 9L 960W Weight Capacity Power 110V / AC 400Hz Cleaning Range 43.2m Power Cord 18.2m Suction H₂0 2500mm 340x340x395mm (WxLxH) Kit AS4 (see page 38)

AVQ380

Tough Structofoam



- Heavy-duty, all-steel power headPatented MicroTec noise reduction system
- Aircraft specification
- Plugged cable

| 15L Capacity | 960W Motor | | 11.8KG Weight |
|------------------------|---------------|--|------------------|
| Power 110V / AC | 400Hz | Cleaning Range 43.2m | |
| Power Cord 18.2m | | Suction H ₂ 0 2500mm | |
| 355x355x485mm (| WxLxH) | Kit AS | 64 (see page 38) |

DRY **Big Capacity**

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

NVQ570/ NVDQ570




- □ Tough Structofoam construction
- Directional castors for ease of transit Quick and easy cable replacement

| 23L Capacity | 960W Motor (NVQ) | | 960Wx2 Motor (NVDQ) | |
|------------------------|------------------------|--|--------------------------|--|
| Power 230V / AC | wer 230V / AC 50/60 Hz | | Cleaning Range 26.8m | |
| Weight 16.5kg (NVQ) | | Weight 18.7kg (NVDQ) | | |
| Power Cord 10m | | Suction H ₂ 0 2300mm | | |
| 415x415x645mm (WxLxH) | | Kit | BS2 (see page 39) | |




- Tough Structofoam construction
- Pull handle for ease of transit
- Large rear wheels provide excellent mobility
 Quick and easy cable replacement

| 40L Capacity | 960W Motor (NVQ) | | 960Wx2 Motor (NVDQ) |
|------------------------------|---------------------|--|--------------------------|
| Power 230V / AC | 50/60 Hz | Cleaning Range 26.8m | |
| Weight 25.2kg (NVQ) | | Weight 27.7kg (NVDQ) | |
| Power Cord 10m | | Suction H ₂ 0 2300mm | |
| 490x800x880mm (WxLxH) | | Kit I | 3S2 (see page 39) |









1 High-efficiency Hard Floor Tool 2 Easily Remove Bags & Filters

WET or DRY

Professional power and performance in either mode.

- Switch Kits for Wet or Dry
- Built to Last
- Powerful & Professional Performance

WV370



- Wet or dryCompact and easy to store
- Lightweight with easy carry handle
 Convenient emptying

| | 15L/9L Capacity Dry/Wet | 1000W Motor | | 9KG Weight |
|---|----------------------------|-----------------|--|----------------------|
| | Power 230V / AC 50/60H | lz | Cleaning Range 26.8m | |
| | Power Cord 10m | | Suction H ₂ 0 2400mm | |
| Ì | 360x370x510mm (WxLxI | - I) | Kit A11 | (see page 39) |



- Compact and capable
- Convenient folding transit handle
- Large rear wheels for ease of movement

| 27L/ 20L Capacity Dry/Wet | 1000W Motor | | 9.6KG Weight |
|------------------------------|----------------|--|-----------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Suction H ₂ 0 2400mm | |
| 360v370v710mm (M/v) | ~Π/ | L∕i+ Λ11 | L (coo pago 30) |



WV570/ WVD570



- Wet or dry
 Easy emptying
 Heavy-duty Structofoam construction
- Convenient cable replacement system 1000W 1000Wy2 231 /151

| Capacity Dry/Wet | | or (WV) | Motor (WVD) |
|----------------------|------------|---------------------|-----------------------------------|
| Power 230V / AC 50/6 | 60Hz Clear | | ing Range 26.8m |
| Weight 16.3kg (WV) | | Weight 18.5kg (WVD) | |
| Power Cord 10m | | Sucti | on H ₂ 0 2400mm |
| 415x415x645mm (Wx | LxH) | Kit B | S8 (see page 39) |




- □ Easv emptv tip handle

| 40L/32L Capacity Dry/Wet | | 00W or (WV) | 1000Wx2 Motor (WVD) |
|-----------------------------|--|--|-------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Weight 25.2kg (WV) | | Wei | ght 28kg (WVD) |
| Power Cord 10m | | Suction H ₂ 0 2400mm | |
| 490x800x880mm (WxLxH) | | Kit B | S8 (see page 39) |

WET

Enhanced with increased efficiency in wet pick-up.

- Unrivalled Performance
- Huge Capacity
- Easy, Clean & Safe Emptying



WVD1800AP

WV1800DH /

WVD1800DH /



- Wet use onlyEasy emptying with rear dump hose
- Heavy-duty Structofoam construction
 Rear Auto Pump for continuous water extraction
- (AP model only)

 Convenient cable replacement system

| 70L Capacity | 1000 Motor (| | 1000Wx2 Motor (WVD) | |
|----------------------------|-------------------------|-------------------------|----------------------------|--|
| | Power 230V / AC 50/60Hz | | | |
| Power Core | d 10m Weight | | t 31.5kg (WV1800DH) | |
| Cleaning Rang | ge 26.8m | Weight 34kg (WVD1800DH) | | |
| Suction H ₂ 0 2 | 2400mm | Weight | 40.4kg (WVD1800AP) | |
| 684x785x935mi | m (Wyl yH) | Kit | RS7 (see nage 39) | |

- 1 Auto Pump for Continuous Water Extraction
- 2 High-efficiency ProFlo Wet Floor Tool

WVD2000DH / WVD2000AP



- Wet use only
 Robust steel chassis for ease of transit
 Easy emptying with rear dump hose
- Heavy-duty Structofoam head constructionConvenient cable replacement system
- Rear Auto Pump for continuous water extraction
 (AP model only)
- 70L 1000Wx2 Capacity Motor Power 230V / AC 50/60Hz Weight 28.9kg (WVD2000DH) Power Cord 10m Weight 36.4kg (WVD2000AP) Suction H₂0 2400mm Cleaning Range 26.8m 640x530x970mm (WxLxH) Kit BS7 (see page 39)



32

CleanCare CleanCare

WET & DRY

Effortlessly switch from dry to wet with no hassle.

- Wet & Dry System
- High-efficiency
- A Tool for Every Job

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.

CV570/ **CVD570**



- Wet and dry pick-upWashable filter system
- Heavy-duty Structofoam construction

| 13L Capacity | 1000W Motor (CV) | | 1000Wx2 Motor (CVD) |
|--|---------------------|----------------------|--------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Weight 16.3kg (CV) | |
| Suction H ₂ 0 2400mm | | Weight 18.5kg (CVD) | |
| 415x415x645mm (WxLxH) | | Kit | BS8 (see page 39) |

CV900 / **CVD900**




Tipping Handle for Easy Emptying (900 model only)

- Wet and dry pick-up
- Washable filter system
 Heavy-duty Structofoam construction

| 30L Capacity | 1000W Motor (CV) | | 1000Wx2 Motor (CVD) |
|--|---------------------|----------------------|---------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | W | /eight 25.2kg (CV) |
| Suction H ₂ 0 2400mm | | Weight 27.7kg (CVD) | |
| 490x800x880mm (WxLxH) | | Kit | BS8 (see page 39) |





- 1 Dry Floor Tool Pick-up
- 2 Clean, Dry Floors Again & Again
- 3 Wet & Dry System
- 4 Easy Emptying

EXTRACTION

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.

CT370



- Wet, spray extraction carpet cleaning,
- upholstery cleaning and car valeting Compact and easy to store

| . , 0 | | | |
|----------------------------|---|----------------------|--------------------------------|
| 15L/9L Capacity Dry/Wet | - | 000W Motor | 11.2KG Weight |
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Suction | H ₂ 0 2400mm |
| 360x370x510mm (WxLxH) | | Kit A40A | (see page 39) |

CT470



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- Compact and easy to store
- Large rear wheels and folding handle for ease of transit

| 27L/20L Capacity Dry/Wet | | 000W Motor | 14.4KG Weight | |
|-----------------------------|-----|----------------------|--------------------------------|--|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | | |
| Power Cord 10m | | Suction | H ₂ 0 2400mm | |
| 360x370x710mm (WxLx | (H) | Kit A40A | (see page 39) | |

Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.



1 Upholstery Extraction Tool 2 Fishtail Extraction Tool 3 Convenient Carry Handle











CleanCare CleanCare

EXTRACTION

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

CT570 / CTD570



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
 Heavy-duty Structofoam construction
 Convenient cable replacement system

| 23L/15L Capacity Dry/Wet | | 00W or (CT) | 1000Wx2 Motor (CTD) |
|--|--|-------------------------------|------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Weight 18.9kg (CT) | |
| Suction H ₂ 0 2400mm | | Weight 20kg (CTD) | |
| 415x415x645mm (WxLxH) | | Kit A41A (see page 39) | |

CT900 / **CTD900**



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting

 Easy emptying with tip handle
- Heavy-duty Structofoam construction

| 40L/32L Capacity Dry/Wet | | 00W or (CT) | 1000Wx2 Motor (CTD) |
|--|--|----------------------|------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Wei | ght 25.2kg (CT) |
| Suction H ₂ 0 2400mm | | Weight 27.7kg (CTD) | |
| 490x800x880mm (WxLxH) | | Kit A4 | 11A (see page 39) |



"The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle."

> 1 Ideal for Car Valeting 2 Upholstery Extraction Tool





TriJet Carpet Cleaning

- Uniform fluid distribution
- Easy pull-back movement
- Heavy-duty, Aluminium construction

NHL15



- Carpet cleaning and upholstery / spot cleaning tools
 Uniform fluid distribution with TriJet carpet extraction
 Hi-Lo system for pressure when you need it

| 15L Capacity | 100 0 Mot | | 35KG Weight |
|-------------------------|---------------------|----------------------|-----------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Suction | on H ₂ 0 2400mm |
| 435x425x725mm (WxLxH) | | Kit BS | 27 (see page 39) |





1 & 2 High-performance, TriJet Carpet Extraction Tool 3 Upholstery & Spot Cleaning Extraction Tool

CLEANCARE KITS

DRY KITS



| 601008 | 601008 Stainless Steel Extension Tube (x2) | |
|---|---|--|
| 601052 | 601052 Stainless Steel Tube Bend with NPC Volume Control | |
| 915909 | 915909 2.2m FloMax Conical Hose | |
| 912358 | 912358 280mm ProFlo Combination Floor Tool | |
| 601141 | 601141 Double Taper Hose / Tool Adaptor | |
| 601142 240mm Crevice Tool | | |
| 601144 | 601144 65mm Soft Dusting Tool | |
| 601145 150mm Upholstery Tool | | |
| 601146 150mm Slide-on Brush for Upholstery Tool | | |

NS1 - 607365



| 601008 | Stainless Steel Extension Tube (x2) |
|--------|--|
| 601052 | Stainless Steel Tube Bend with NPC Volume Contro |
| 914761 | 1.9m NuFlex Threaded Hose |
| 902071 | 300mm Combination Floor Tool |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Soft Dusting Brush |
| | |

A1 - 607301



| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 915907 | 2.2m Parallel Hose |
| 902071 | 300mm Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Soft Dusting Brush |
| 601145 | 150mm Upholstery Tool |
| 601146 | 150mm Slide-on Brush for Upholstery Tool |

NUMATIC QUICK BOXED ACCESSORIES

| 915242 | UK Plug and Cable | 915170 | 9150 | 352 | | | 9150 |
|--------|---------------------------------------|--------|------------|--------|--------------|------|-------|
| 915243 | EURO Plug and Cable | 430 | | 11/1 | 91 | 5356 | |
| 915170 | Quick Battery | 4 | | 11.69 | | | 200 |
| 915351 | Wall Mount | | | - OA | | | |
| 915353 | Extended-Use Handle | 915358 | | | (Posts | | |
| 917409 | Floor Tool | 1 | | 8 | Bir Jakes | | A |
| 915352 | Crevice & Combi Tool Pack | - | 180 | 7 | DI SE | 1 | - |
| 915358 | Brush Bar | 915527 | 915243 | / | 0 | | - 40 |
| 915527 | Mini Motorised Tool | 010021 | 04504 | | The state of | | AND |
| 915356 | Wand | CARL. | 915242 | | 915269 | | |
| 915632 | Handheld Unit | | | 8 | 310203 | 9 | 17409 |
| 915269 | Quick Pods (Pack of 10 WW) | 1 | | | | G | |
| 914593 | Vanilla Scent Pods (Pack of 10) | | Scent Pods | - | | | |
| 915350 | Passion Fruit Scent Pods (Pack of 10) | 915357 | -0 | | | | |
| 915674 | Rose Scent Pods (Pack of 10) | | | | - | IL | - |
| 915357 | Scent Pod Cap | | | 915353 | | | 15632 |

HEPAFLO FILTER BAGS



| | 604011 | 10 x (NVM-1AH) HepaFlo Dust Bags |
|--|--------|----------------------------------|
| | 604048 | Master Carton 16 x 10 (NVM-1AH) |
| | 604015 | 10 x (NVM-1CH) HepaFlo Dust Bags |
| | 604016 | 10 x (NVM-2BH) HepaFlo Dust Bags |
| | 604816 | Master Carton 16 x 10 (NVM-2BH) |
| | 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags |
| | 604819 | Master Carton 6 x 10 (NVM-4BH) |

All Numatic vacuum bags are 100% carbon balanced.

SPECIALISED KITS



| 914979 | 1.2m RSAV Threaded Hose |
|--------|---|
| 601008 | Stainless Steel Extension Tube (x2) |
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 902071 | 300mm Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601144 | 65mm Soft Dusting Brush |

AAT30E - 919897

| 914980 | 1.2m RSB / RSV150 Hose |
|--------|---|
| 915195 | Aluminium Tube Bend with NPC Volume Control |
| 914759 | Aluminium Telescopic Wand |
| 902923 | 270mm ProFlo Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601144 | 65mm Soft Dusting Brush |



| 602102 | 2.4m NuFlex Threaded Hose |
|--------|--|
| 602931 | Stainless Steel Tube Bend |
| 602920 | Stainless Steel Extension Tube (x2) |
| 602384 | 400mm ProFlo Brush / Rubber Floor Tool |
| 601144 | 65mm Soft Dusting Brush |
| 602359 | 38/32mm Adaptor |
| 602160 | 305mm ABS Crevice Tool |
| | |

WET KITS





| 915907 | 2.2m Parallel Hose | | | |
|---|---------------------------------|--|--|--|
| 601027 Stainless Steel Bend with Volume Control | | | | |
| 601008 Stainless Steel Extension Tube (x2) | | | | |
| 900954 | 300mm MultiFlo Wet Pick-up Tool | | | |
| 900918 | 300mm MultiFlo Dry Brush Tool | | | |

BS7 - 607249



| 602102 | 2.4m NuFlex Threaded Hose | | | |
|--|-------------------------------------|--|--|--|
| 602919 Stainless Steel Tube Bend | | | | |
| 602920 | Stainless Steel Extension Tube (x2) | | | |
| 602380 400mm ProFlo Wet Pick-up Floor Tool | | | | |



| 602102 2.4m NuFlex Threaded Hose | | | | | |
|--|--|--|--|--|--|
| 602919 Stainless Steel Tube Bend | | | | | |
| 602920 Stainless Steel Extension Tube (x2) | | | | | |
| 400mm ProFlo Wet Pick-up Floor Tool | | | | | |
| 400mm ProFlo Dry Pick-up Floor Tool | | | | | |
| | | | | | |

NX300

NX300 ACCESSORIES

| 913000 | NA300 Ballery | |
|---------|-------------------------------|------------------|
| 911334 | NX300 Charging Dock | |
| 910820 | NX300 Dual Charging Dock | -20 |
| NX300 M | ains Cable for Charging Docks | |
| 912365 | UK | |
| 912361 | EURO | - |
| 912364 | SWISS | NX300 Battery |
| 912360 | AUS/NZ | |
| 912362 | USA | |
| 912363 | S.AFRICA | |
| 913041 | JPN | |
| NX300 D | ual Charging Dock | NX300 Charging D |
| | | |



SPECIALISED KITS



| | • | | | |
|---|---|--------|--|--|
| 914413 | 08 Stainless Steel Extension Tube (x2) 52 Stainless Steel Tube Bend with NPC Volume Control | | | |
| 601008 | | | | |
| 601052 | | | | |
| 912358 | | | | |
| 601141 | Double Taper Hose / Tool Adaptor | | | |
| 601142 | 240mm Crevice Tool | | | |
| 601144 65mm Soft Dusting Brush 601145 150mm Upholstery Tool | | | | |
| | | 601146 | 150mm Slide-on Brush for Upholstery Tool | |

AS4 - 900961



| 601008 | Stainless Steel Extension Tube (x2) | | | |
|--------|---|--|--|--|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control | | | |
| 914411 | 2.2m FloMax Conical Hose | | | |
| 601430 | 290mm FreeFlo Floor Tool | | | |
| 601141 | Double Taper Hose / Tool Adaptor | | | |
| 601142 | 240mm Crevice Tool | | | |
| 601144 | 65mm Soft Dusting Tool | | | |
| 601145 | 150mm Upholstery Tool | | | |
| 601146 | 150mm Slide-on Brush for Upholstery Tool | | | |

EXTRACTION KITS



| | 601968 | | |
|--------|--|--|--|
| | 601126 | | |
| 601399 | 4m CleanTec Extraction Hose | | |
| 601009 | Stainless Steel Extraction Trigger Bend Tube | | |
| 601006 | Stainless Steel Lower Tool Extraction Tube | | |
| 601008 | Stainless Steel Extension Tube | | |
| 601126 | 275mm Fishtail Extraction Tool | | |
| 601225 | 100mm Upholstery Extraction Tool | | |
| 601968 | CleanTec Trigger Valve and Spray Tube | | |

A41A - 607148



| 4m CleanTec Extraction Hose | | | |
|--|--|--|--|
| Stainless Steel Extraction Trigger Bend Tube | | | |
| Stainless Steel Lower Tool Extraction Tube | | | |
| Stainless Steel Extension Tube | | | |
| 275mm Aluminium Extraction Tool | | | |
| 1225 100mm Upholstery Extraction Tool | | | |
| CleanTec Trigger Valve and Spray Tube | | | |
| | | | |

BS27 - 607248



| 602399 | 4m HiLo CleanTec Extraction Hose | | | |
|--------|--|--|--|--|
| 602922 | Stainless Steel Extraction Tube Bend | | | |
| 602920 | Stainless Steel Extension Tube (x2) | | | |
| 602937 | 145mm Stainless Steel Extension Tube | | | |
| 602200 | CleanTec TriJet Extraction Floor Tool | | | |
| 602300 | 602300 CleanTec TriJet Trigger and Solution Tube | | | |
| 602225 | 100mm Upholstery Extraction Tool | | | |

ProCare

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

Contents

NuTec Industrial 42 Anti-Static 42 Dustcare 42 M-Class 43 TradeLine 44-45, 49 H-Class 46-47 ProCare Kits 48



"Delivering enhanced filtration where it is needed most."





INDUSTRIAL VACUUMS

NuTec Industrial

NTD750





NTD2003







- TwinFlo 2-motor Structofoam power head
 Industrial vacuum suitable for many applications
- including; boiler cleaning, floor cleaning, metalworking, dirt, dust or debris, and more

| 35L Capacity | 1000Wx2 Motor | | 20.8KG Weight |
|--------------------------------|------------------|----------------------|----------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | Suctio | n H ₂ 0 2400mm |
| 510x510x960mm (WxLxH) | | Kit BS | 5 (see page 48) |

- □ Big capacity machine with TwinFlo 2-motor
- Structofoam power head

 Stainless Steel container with heavy-duty chassis

| | 60L Capacity | 1000 | | 30.2KG Weight |
|---|-------------------------|-------------|----------------------|-----------------------------------|
| Ì | Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| ĺ | Power Cord 10m | | Suctio | on H ₂ 0 2400mm |
| ĺ | 560v660v1145mm (Wyl yH) | | ⊬i+ BC | E (coo page 48) |

- □ Triplex power head in all-steel construction
- Mounted on an all-steel heavy-duty chassis, easily demounted for emptying

| 80L Capacity | |)Wx3 otor | 36KG Weight |
|------------------------|------------------------|--------------|--------------------------------|
| Power 230V / AC | ower 230V / AC 50/60Hz | | g Range 31.8m |
| Power Cord 12.5m | | Suction | H ₂ 0 2400mm |
| 560x660x1075mm (WxLxH) | | Kit BS5 | (see page 48) |

Anti-Static

HAS750





the static build up during use

Power Cord 8.5m

510x510x960mm (WxLxH)

- Full anti-static specification in machine and accessories □ The non-conductive specification continually discharges
- 35L 960W **23KG** Capacity Motor Weight Power 230V / AC 50/60Hz Cleaning Range 25.6m

Suction H₂0 2500mm

Kit **HAS** (see page 48)

Dustcare

NED570



 Low flow and full bag indicator High-efficiency internal AirFlo system

| 620Wx2 Motor | | 20KG Weight | |
|-----------------------|-------------------|-----------------------------------|--|
| wer 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| Power Cord 10m | | on H ₂ 0 2300mm | |
| 415x415x645mm (WxLxH) | | S5 (see page 48) | |
| | Moto C 50/60Hz | Motor C 50/60Hz Clean 1 10m Sucti | |

NES900A / NED900/A



- Optional Auto Operation Power Outlet Socket
- Low flow and full bag indicator
 High-efficiency internal AirFlo system

| 40L Capacity | 620W Motor (NES) | | 620Wx2 Motor (NED) |
|------------------------|--|-------|-----------------------------------|
| | Power Outlet Socket ptional (NES900A/NED900A) | | Weight 19kg (NES/NED) |
| Power 230V / A | Power 230V / AC 50/60Hz | | ing Range 26.8m |
| Power Cord 10m | | Sucti | on H ₂ 0 2300mm |
| 490x800x880mm (WxLxH) | | Kit B | S5 (see page 48) |

M-Class

□ M-Class Compliant – IEC/EN 60335-2-69

High-efficiency internal AirFlo system with low flow and full bag indicator
 TriTex filtration and HepaFlo filter bag
 Plugged easy cable replacement system

620W

Motor (MES)

Power Outlet Socket Optional (MES570A/MED570A)

Optional Auto Operation Power Outlet Socket



23L

Capacity

Weight 19.2/20.8kg

(MFS/MFD)

Power 230V / AC 50/60Hz

Power Cord 10m

415x415x780mm (WxLxH)



620Wx2

Motor (MED)

Weight 19.3/20.9kg

(MES(A)/MED(A)

Cleaning Range 30m

Suction H₂0 2300mm

Kit BS5 (see page 48)





- □ M-Class Compliant IEC/EN 60335-2-69
- High-efficiency internal AirFlo system with low flow and full bag indicator
- TriTex filtration and HepaFlo filter bag
 Plugged easy cable replacement system
- Optional Auto Operation Power Outlet Socket

| . <u> </u> | | | | | |
|--|--|---------------------------------|---|--|--|
| 40L Capacity | 620 Motor | | 620Wx2 Motor (MED) | | |
| Power Outlet Socket Optional (MES900A/MED900A) | | | | | |
| " | Weight 25.1/27.6kg (MES/MED) | | Weight 25.2/27.7kg (MES(A)/MED(A) | | |
| Power 230V / AC 50/60Hz | | Clean | ing Range 30m | | |
| Power Cord 10m | | Suction H ₂ 0 2300mm | | | |
| 490x800x945mm | (WxLxH) | Kit BS | 5 (see page 48) | | |







L, M, & H-Class What type of vacuum extractor do you need?



General dust, mixed dust, gypsum



Soft / hardwood, silica, masonry, paint, plastic, ceramic



Asbestos

For guidance only. Find out more at hse.gov.uk/construction

Around 12,000 workers die from illnesses caused by inhaling hazardous dust particles each year in the UK. Construction workers are at higher risk from the dust particles they breathe in. **Protect DON'T Neglect.**

ProCare ProCare







COMPLIANCE Meets Clean


Delivering outstanding performance, value and reliability with M-Class filtration.

The NEW TRM240 joins the TradeLine range, offering M-Class compliant cleaning in a compact, affordable design. It's ideal for construction and industrial environments with medium hazard dust such as soft/hardwood, silica, masonry, paint, plastic, ceramic, brick dust, and concrete. This durable Numatic vacuum ensures high-performance and user-safety.











1 TradeLine TRM240 2 Safety Cap 3 10m Hi-Vis Cable

4 Easy, Clean & Safe Emptying 5 On-board Tool Storage

Watch the full video here:



1 Plugged Cable for Easy Replacement (TRM240P)





- □ M-Class Compliant IEC/EN 60335-2-69
- Lightweight and easy to usePowerful and efficient
- Washable H14 filter

| 9L Capacity | 620W Motor | | 8.1KG Weight |
|-------------------------|----------------------|--------------------|--------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 32m | |
| Power Cord 10m | | Suction | H ₂ 0 2300mm |
| 360x360x390mm (WxLxH) | | Kit AS7 | 6 (see page 48) |

3 Levels of Filtration





Certified HEPA14 filtration down to 0.3 microns at 99.995% efficiency. Our most advanced filtration in the Numatic vacuum series.

High-efficiency TriTex Filter

high-efficiency, triple-layer membrane.

Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.





TRM240P



- □ M-Class Compliant IEC/EN 60335-2-69
- Lightweight and easy to usePowerful and efficient
- Washable H14 filter
- Plugged easy cable replacement system

| 9L Capacity | 620W Motor | | 8.2KG Weight |
|-------------------------|----------------------|--------------------|----------------------------------|
| Power 230V / AC 50/60Hz | | Cleaning Range 37m | |
| Power Cord 12.5m | | Suction | n H ₂ 0 2300mm |
| 360x360x390mm (WxLxH) | | Kit AS1 | 0 (see page 48) |

*Note: Not standard UK model, please contact your



Traps fine dust within its



Built for the Tough Stuff

Compact, tough, and highly mobile, the TradeLine 390 vacuums combine a specialist on-tool extractor with a big clean-up machine to cover almost any application.





- □ L-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.8m hose
 Large rear wheels for ease of transit
- Tough, durable and built to last

| 18L Capacity | 62 0 | | 10.8KG Weight | | |
|--------------------------|-------------------------|--------|----------------------------------|--|--|
| Power 230V / AC 5 | Power 230V / AC 50/60Hz | | Cleaning Range 28m | | |
| Power Cord 10m | | Suctio | n H ₂ 0 2500mm | | |
| 400x450x600mm (WxLxH) | | Kit AS | 10 (see page 48) | | |

TEM390A



- □ M-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.8m hose
 Large rear wheels and extending pull handle
- for ease of transit
- 2200W Automatic power take-off

| 18L Capacity | | OW otor | 14.3KG Weight |
|--------------------------------|--|-------------------|----------------------------------|
| Power 230V / AC 50/60Hz | | Clean | ing Range 28m |
| Power Cord 10.0m | | Suctio | n H ₂ 0 2500mm |
| 400x450x1010mm (WxLxH) | | Kit AS | 10 (see page 48) |

ProCare ProCare

H-CLASS

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous dusts and materials, including asbestos.

HZ370



- □ H-Class Compliant IEC/EN 60335-2-69
- TriTex filtration and HepaFlo filter bags
 Compact and ready to go
- Powerful, long-life 960W motor

| | 15L Capacity | 960W Motor | | 11KG Weight |
|---|-------------------------|---------------|----------------------|--------------------------------|
| | Power 230V / AC 50/60Hz | | Cleaning Range 26.8m | |
| ĺ | Power Cord 10m | | Suction | H ₂ 0 2500mm |
| ĺ | 355x355x570mm (WxLxH) | | Kit AA1 | 8 (see page 48) |

HZ570/ **HZD570**



- □ H-Class Compliant IEC/EN 60335-2-69
- All-steel head construction
- Plugged easy cable replacement system

| 23L Capacity | 960W Motor (HZ) | | 960Wx2 Motor (HZD) | |
|------------------------|------------------------|--|------------------------|--|
| Power Cord | | Suction H ₂ 0 2500mm | | |
| HZ570 | HZ570 | | HZD570 | |
| Weight 18kg | | Weight 20kg | | |
| Cleaning Range | Cleaning Range 26.8m | | ing Range 26.8m | |
| Kit AA19 (see page 54) | | Kit BE | 319 (see page 48) | |
| 415x415x746mm (WxLxH) | | | | |





- □ H-Class Compliant IEC/EN 60335-2-69
 □ TriTex filtration and HepaFlo filter bags

- Compact and ready to goLarge rear wheels and pull handle

| 18L Capacity | 960W Motor | 11.2/12.6KG Weight (S/L) |
|--|---------------------|---------------------------------|
| | Power 230V / | AC 50/60Hz |
| Power Cord 10m | | Cleaning Range 26.8m |
| Suction H ₂ 0 2500mm | | Kit AA18 (see page 48) |
| 400x450x600mm (S) (WxLxH) | | 400x450x1010mm (L) (WxLxH) |

HZ900 / **HZD900**



- All-steel head construction
- Plugged easy cable replacement system

| | 40L Capacity | 960W Motor (HZ) | | 960Wx2 Motor (HZD) |
|---|-------------------------------|--------------------|----------------------|------------------------------------|
| | Po | wer 230V / |)Hz | |
| Γ | Power Cord 1 | 10m Suct | | ion H ₂ 0 2500mm |
| | HZ900 | | | HZD900 |
| | Weight 28k | g | Weight 30kg | |
| | Cleaning Range 26.8m | | Cleaning Range 26.8m | |
| | Kit AA20 (see page 54) | | Kit BI | 320 (see page 48) |
| Г | 490x800x880mm (WxLxH) | | | xH) |





1 Easy, Clean & Safe Emptying 2 All-terrain Large Rear Wheels 3 Stainless Steel Gulper / Scraper Tool 4 Transit Safety Cap

Designed, engineered and built with the tradesman in mind, the HZC390 offers a safe and convenient solution for those whose work brings them into infrequent contact with hazardous dusts and materials.



- H-Class Compliant IEC/EN 60335-2-69Disposable filter cartridge
- Quick, simple and safe emptyingCompact and ready to go

| 13L Capacity | 1000W Motor | 12.2/13KG Weight (S/L) | |
|--|----------------|-------------------------------|--|
| Power 230V / AC 50/60Hz | | | |
| Power Cord 10m | | Cleaning Range 26.8m | |
| Suction H ₂ 0 2500mm | | Kit AA16 (see page 48) | |
| 400x450x600mm (S) (WxLxH) | | 400x450x1010mm (L) (WxLxH) | |

HZC Cartridge

Watch the full video here:





1 All-Steel Head Heavy-duty power head.

HZC Disposable Cartridge HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

3 Robust Drum Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

HZC DISPOSABLE CARTRIDGE



| 13L Capacity | 2.9KG Weight | | |
|------------------------------------|------------------------------|--|--|
| HEPA H13 Filter Conforms to EN1822 | | | |
| 330x330x390mm (WxLxH) | Fits all HZC machines | | |

1 Easy, Clean & Safe Cartridge Disposal

PROCARE KITS

AA18 - 902756

AA16 - 909539



| 601917 | 601142 | |
|--------|--------|------------------|
| 601141 | | 915907 |
| 602159 | 602161 | 601144 908229 |

| 6 | 601144 | | | 908229 | |
|--------|--|--|--------|--|--|
| 915907 | 2.2m Parallel Hose | | 915907 | 2.2m Parallel Hose | |
| 601142 | 240mm Crevice Tool | | 601142 | 240mm Crevice Tool | |
| 602161 | 152mm Rubber Brush with Soft Bristles | | 602161 | 152mm Rubber Brush with Soft Bristles | |
| 602159 | 38 / 32mm Adaptor | | 602159 | 38 / 32mm Adaptor | |
| 601144 | 65mm Soft Dusting Brush | | 601144 | 65mm Soft Dusting Brush | |
| 601141 | Double Taper Hose / Tool Adaptor | | 601141 | Double Taper Hose / Tool Adaptor | |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) | | 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) | |

908229 Roll of 10 x 120L Waste Bags

AS10 - 908283

| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 914762 | 2.8m Parallel Hose |
| 900918 | 300mm MultiFlo Dry Brush Tool |
| 601430 | 290mm FreeFlo Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Soft Dusting Brush |
| 601145 | 150mm Upholstery Tool |
| 601146 | 150mm Slide-on Brush for Upholstery Tool |
| 601176 | Multi Size Power Tool Adaptor |

AS76 - 919148



| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 900918 | 300mm MultiFlo Dry Brush Tool |
| 914762 | 2.8m Parallel Hose |
| 601176 | Multi Size Power Tool Adaptor |
| 601144 | 65mm Soft Dusting Brush |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |

BB5 - 607335

HAS - 607661



| | - | | |
|---|--|--|--|
| | 602102 | 2.4m NuFlex Threaded Hose | |
| | 602919 Stainless Steel Tube Bend | | |
| | 602920 Stainless Steel Extension Tube (x2) | | |
| | 602381 | 400mm ProFlo Brush Tool | |
| 602162 152mm Rubber Brush with Stiff Bristles | | 152mm Rubber Brush with Stiff Bristles | |
| | | | |

AA19 - 902757 / AA20 - 902758




| 915907 | 2.2m Parallel Hose (AA19 HZ570) |
|--------|--|
| 914413 | 2.4m NuFlex Threaded Hose (AA20 HZ900) |
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570) |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900) |
| 601142 | 240mm Crevice Tool |
| 602161 | 152mm Rubber Brush with Soft Bristles |
| 602159 | 38 / 32mm Adaptor |
| 601144 | 65mm Soft Dusting Brush |
| 908229 | Roll of 10 x 120L Waste Bags |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |
| 604116 | Primary PermaTex Filter |

BB19 - 607349 / BB20 - 607350



| 602102 | 2.4m NuFlex Threaded Hose |
|--------|--|
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (BB19 HZD570) |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900) |
| 602161 | 152mm Rubber Brush with Soft Bristles |
| 604144 | 65mm Soft Dusting Brush |
| 908229 | Roll of 10 x 120L Waste Bags |
| 602160 | 305mm ABS Crevice Tool |
| 602923 | 280mm Stainless Steel Gulper / Scraper Tool (38mm) |
| 602159 | 38 / 32mm Adaptor |





FloorCare

Providing professional cleaning results in even the most demanding environments, with innovative, reliable and effective floorcare solutions.

Contents

| Hurricane / NuSpeed Range | 52-53 |
|---------------------------|-------|
| TwinTec Mains Range | 54 |
| Nu-Assist | 55 |
| NX300 FloorCare Range | 56-61 |
| NX1K Lithium Range | 62-65 |
| Brushes & Pad Drives | 66-67 |
| FloorCare Accessories | 68-69 |








"A diverse range delivering leading cleaning results from our latest battery technologies"





Lightweight

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

Polishing

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood*.

Scrubbing

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

Burnishina

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

General Purpose

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood*.

Heavy-Duty Scrubbing

Specialist scrubbing machine with extra weight for heavy-duty situations.

HURRICANES



NUSPEED



| 330MM Deck Size | 400W Motor | | 18KG Weight |
|---------------------------|----------------------|-----------------------|----------------------|
| Power 230V / A 0 | 50Hz | Cleani | ing Range 32m |
| Solution Tank Capacity 4L | | Brush | Speed 200RPM |
| Brush Size 330mm | | Pad Size 330mm | |
| 330x540x1145mm (WxLxH) | | | |



Please note information provided is for guidance only, please consult manufacturers guidance before use. *Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof.

Images may include optional accessories for illustration purposes.

TWINTEC MAINS

The TwinTec 1840 Mains Cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.

TT1840G

- □ Performance of a bigger machine
- Clean, dry and safe floorsEasy brush or pad change
- User-friendly controlsFully adjustable handle

| 18L Tank Capacity | 400W Brush Motor | | 38.5KG Net Weight |
|------------------------|----------------------------|-----------------------|----------------------|
| Power 230V / AC | 50Hz | Cleaning Range 42m | |
| Deck Size 400 | mm | Vac Motor 300W | |
| Brush Size 400 | mm | Pad Size 360mm | |
| 520v880v1132mm | /M/~I ~LI) | Brush Spood 150DDM | |






The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm, 550mm or 650mm scrub width.

TT6650G





TT4045G / TT4055G

| 3 | | | | | |
|--------------------------|-----------------------------|-------------------------|-------------------------|--|--|
| 40L Tank Capacity | 1500W Brush Motor | | 67/68KG Net Weight | | |
| Power 230V / | AC 50Hz | Cle | eaning Range 42m | | |
| Brush Speed | n Speed 150RPM | | ac Motor 1200W | | |
| TT404 | TT4045G | | TT4055G | | |
| Deck Size 450mm | | Deck Size 550mm | | | |
| Brush Size 450mm | | Brush Size 550mm | | | |
| Pad Size 400mm | | Pad Size 500mm | | | |
| 470x890x1100mm (WxLxH) | | 560x93 | 35x1100mm (WxLxH) | | |

Fully adjustable handle
 Tilting deck for easy brush / pad change

| 60L Tank Capacity | 1500W Brush Motor | | 87.6KG Weight |
|-----------------------------|-----------------------------|-----------------|----------------------|
| Power 230V / A 0 | C 50Hz | Clean | ing Range 42m |
| Deck Size 650mm | | Vac Motor 1200W | |
| Brush Size 635mm | | Pad Size 600mm | |
| 970x1260x1230mm (WxLxH) | | Brush | Speed 150RPM |
| | | | - |

- 1 Fully Adjustable Handle (TT4045/4055G)
- 2 Tilting Deck for Easy Brush Change and Storage (TT4045/4055G)
- 3 Easy to Use Controls (TT4045/4055G)





GENUINE `

For Genuine Numatic Brushes, Pads and Accessories See pages 66-69

Pro Cordless Network Increases Productivity NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money. No Cable **Energy Cost** Visit: numatic.com/uk/NX300-pro-cordless ligher ambient temperatures may increase charge time.

Power the Entire Fleet with NX300 Pro Cordless Network.

The NX300 Pro Cordless Network provides the opportunity of continuous cleaning through hot-swapping batteries across a versatile and expanding range.





NX300







70% Labour Saving 80% Lower Water Use

- Up to 80mins Runtime
- 1-Hour Fast Charge
- NX300 36V Lithium Power
- One Fits All Battery
- Minimum 20% Recycled Plastic*

*Time saving of 70% vs mopping / wage £11 per hour, 100sqm 7 days per week. Water use by 80% based on replacing 16L mopping system, cleaning 7 days per week.





- 1-hour fast chargeOne-pass performance
- Centrifugal water delivery
 Made using 20% recycled plastic, including accessories
 Part of NX300 Pro Cordless Network

| 2.2L Tank Capacity | 3L Recovery Tank | 100W Vac Motor | 140RPM Brush Speed | |
|---------------------------|-------------------------------|----------------------|--------------------------|--|
| Pov | Power 36V | | Brush Motor 2x200W | |
| R | echarge Time | 1hr 80% / 2hr | s 100% | |
| Deck Size 440mm | | Runtim | Runtime Up to 80mins | |
| Brush 2x220mm | | Pad | Pad Size 2x220mm | |
| 520x450x1180mm (WxLxH) | | Net ' | Weight 21.3kg | |

Working in partnership with

Charity: water

Since 2021, we have donated over

100 Million

Litres of Water to **Projects Around** the World.

See pages 6-7 for more information or visit: numatic.com/charitywater

The 244NX-RC is by 80%.*











NX300





We engineer many of our products from the highest quality recycled post-industrial and post-consumer plastics using ReFlo Technology. The TTB1840NX-R and TTB3045NX-R are made using a minimum 45% recycled plastic, including accessories.

TTB1840NX-R

□ 70mins runtime

18L

Capacity

1-hour fast charge
Clean, dry, safe and streak-free floors

100W

- Centrifugal water delivery
 Made using 45% recycled plastic, including accessories
 Part of the NX300 Pro Cordless Network
 Folds flat for easy storage

Recharge Time 1hr 80% / 2hrs 100%

520x850x1132mm (WxLxH)

400MM 155RPM

Brush Motor 250W

Runtime Up to 70mins Net Weight **34kg**

Speed

Power 36V

Brush Size 400mm

Pad Size 360mm

1 Easy Brush & Pad Change

2 Easy Battery Removal at the Back

| TTB3045N) | K-R | |
|------------|-------------|---|
| Réflo | NEW PRODUCT | |
| TECHNOLOGY | | • |
| | | |
| | | |
| | | • |
| | | 9 |

- 70mins runtime1-hour fast charge
- Compact machine, big results
 Hot-swapping between batteries
- Made using 45% recycled plastic, including accessories

| □ Part of the | NX300 Pro (| Cord | less Networ | k | |
|-----------------------------------|----------------------|---------|-----------------------------|--------------------------|--|
| 30L Tank Capacity | 210W Vac Motor | 4 | 50MM Deck Size | 100RPM Brush Speed | |
| Power 2x36V | | | Brush Motor 300W | | |
| Recharge Time 1hr 80% / 2hrs 100% | | | | | |
| Brush S | Size 450mm | Runtime | Up to 70mins | | |
| Pad Size 400mm | | | Net W | eight 79.3kg | |
| 470x915x1100mm (WxLxH) | | | | | |

5 TTB3045NX-R 3 Simple to Use Controls

4 TTB1840NX-R





Terrec High-Performance Brushes

"The Ten-Tec brush raises the standard in scrub brush performance."

All ReFlo FloorCare is equipped with Ten-Tec Brushes

- Lasts 10x longer, than a standard brush*
- Replaces up to 100 standard Numatic red pads
- 47% improved cleaning results compared to standard Numatic brushes
- Reduces the need for chemical additives, lowering cleaning results

Available for use across the Numatic Scrubber Dryer range. *Numatic Standard Polyscrub Brush.

*45% represents the minimum use of recycled plastic in TTB180NX-R & TTB3045NX-R, including accessories.



Sustainable Cleaning Our Centrifugal Water System ensures precise distribution across the brush or pad, delivering on cleaning performance

whilst saving water.









NX1K RANGE

Configurable performance that suits you, offering increased runtime of up to 44%*. Ensuring you can keep cleaning when it is most convenient for you.

More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

Fast & Flexible Charging

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged. NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

Extended Long Life Power

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 3-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

Mu-Track Insights

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet.‡



4x Longer Lasting than Lead **Batteries**

arisons used are based on typical usage scenarios, results may differ. nce comparisons use equivalent GelTec models.

†3-Year Warranty subject to terms and market availability, please contact Numatic for more information.

‡ Nu-Track subject to market / model availability.



"Investing in Lithium, compared to routinely replacing lead batteries and associated service costs, provides a positive return on investment across the NX1K Range, therefore saving you money."



NX1K



NX1K battery platform powers commercial grade TwinFlo vacuum and brush motor for unrivalled cleaning performance, even in the most demanding environments.

NX1K Walk-Behind Scrubber Dryers



Compact designPowerful cleaning results □ Fast and flexible charging

| On-board charging | | | | | On-board ch |
|-----------------------------|--|-------------------------|-----------------------|---|-------------------------|
| 40L Tank Capacity | | OW Motor | 140RPM Brush Speed | | 40L Tank Capa |
| Brush Motor 300W | | Deck Size 450mm | | | Brush Mo |
| Pad Size 400mm | | Brush Size 450mm | | 1 | Pad Size |
| 1 x Battery | | 2 x Battery | | 1 | 1 x B |
| Runtime 1hr 40mins | | Runtime 3hrs 10mins | | 1 | Runtime 1 |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | | Recharge Time |
| Net Weight 119.3kg | | Net Weight 130.6kg | | 1 | Net Weigh |



Compact designPowerful cleaning results

Fast and flexible charging
 Configurable battery performance that suits you

| On-board charging | | | | |
|--------------------------------|--------------------------|-------------------------|-----------------------|--|
| 40L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
| Brush Motor 30 | 0W De | | ck Size 550mm | |
| Pad Size 508m | ım | Brush Size 550mm | | |
| 1 x Battery | | 2 x Battery | | |
| Runtime 1hr 38mins | | Runtime 3hrs 9mins | | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 113.9kg | | Net Weight 124.7kg | | |
| 948x1200x1160mm (WxLxH) | | | | |



Compact design

Powerful cleaning resultsFast and flexible charging

Configurable battery performance that suits you
 On-board charging

Traction drive makes cleaning inclines safer and easier

| | | • | |
|-----------------------------|--------------------------|-------------------------|-----------------------|
| 40L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed |
| Brush Motor 30 | 0W Dec | | k Size 550mm |
| Pad Size 508m | ım | Brush Size 550mm | |
| Traction Drive 25 | 60W | Drive Speed 0-4km/h | |
| 1 x Battery | | | 2 x Battery |
| Runtime 1hr 33mins | | Runtime 3hrs 4mins | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | |
| Net Weight 123.8kg | | Net Weight 134.7kg | |
| 9489 | ∩mm (Wyl | νH) | |



805x1155x1160mm (WxLxH)

Big capacity, compact designClean, dry, safe floors in minutes

Fast and flexible chargingStay cleaning for longer with over 3 hours runtime

| On-boarding charging | | | | | | | |
|-----------------------------|--------------------------|---------------------|-----------------------|--|--|--|--|
| 60L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | | | | |
| Brush Motor 30 | OW Dec | | ck Size 550mm | | | | |
| Pad Size 508m | nm Brus | | sh Size 550mm | | | | |
| 1 x Battery | 1 x Battery | | 2 x Battery | | | | |
| Runtime 1hr 40n | Omins Runtir | | me 3hrs 10mins | | | | |
| Recharge Time 2hrs | 30mins | 80mins Recharge Tin | | | | | |
| Net Weight 115.3kg | | Net Weight 126.1kg | | | | | |
| 948x1425x1120mm (WxLxH) | | | | | | | |



□ Big capacity, compact design

Clean, dry, safe floors in minutesFast and flexible charging

Stay cleaning for longer with up to 3 hours runtime

On-boarding charging
 Traction drive makes cleaning inclines safer and easier

| 60L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
|---------------------------|--------------------------|--------------------|-----------------------|--|
| Brush Motor 30 | 0W | Dec | ck Size 550mm | |
| Pad Size 508m | ım Brus | | sh Size 550mm | |
| Traction Drive 25 | 50W Drive | | Speed 0-4km/h | |
| 1 x Battery | | 2 x Battery | | |
| Runtime 1hr 30n | Runtime 1hr 30mins | | Runtime 3hrs | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 141.1kg | | Net Weight 152kg | | |
| 948x1425x1120mm (WxLxH) | | | | |



Dual brush designPowerful cleaning results

Fast and flexible charging Configurable battery performance that suits you

| 85L Tank Capacity | 400W Vac Motor | | 150RPM Brush Speed | |
|-----------------------------|--------------------------|---------------------------|---------------------------|--|
| Brush Motor 600 | 0W De | | eck Size 720mm | |
| Pad Size 2x360n | mm B | | Brush Size 2x370mm | |
| Traction Drive 40 | 0W | Drive Speed 0-4.2km/h | | |
| 2 x Battery | | 3 x Battery | | |
| Runtime 3hrs | | Runtime 4hrs 30mins | | |
| Recharge Time 5hrs | | Recharge Time 7hrs 30mins | | |
| Net Weight 204.1kg | | Net Weight 214.9kg | | |







1 CRL8072

2 TBL4045

3 TBL6055T

NX1K Ride-On Scrubber Dryers



Compact design

Fast and flexible chargingStay cleaning for longer

On-board charging

| 80L Tank Capacity | 400W Vac Motor | | 150RPM Brush Speed |
|-----------------------------|--------------------------|---------------------|-----------------------|
| Brush Motor 60 | 0W Dec | | ck Size 550mm |
| Pad Size 508m | ım Brus | | sh Size 550mm |
| Traction Drive 40 | 0W | Drive Speed 0-6km/h | |
| 1 x Battery | | | 2 x Battery |
| Runtime 1hr 20mins | | Runti | me 2hrs 40mins |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | |
| Net Weight 139.8kg | | Net Weight 150.6kg | |
| 805x1460x1160mm (WxLxH) | | | |

CRL8072



Compact designBest in class scrub width

Fast and flexible chargingStay cleaning for longer

On-board charging

TVL850

User-friendly controls

120L

Tank Capacity

Trio adjustable brush design

Configurable battery performance that suits you

80L 400W 150RPM Tank Capacity Vac Motor Brush Speed Brush Motor 600W Deck Size 720mm Brush Size 2x370mm Pad Size 2x360mm Traction Drive 400W

Drive Speed 0-6km/h 1 x Battery 2 x Battery Runtime 1hr 20mins Runtime 2hrs 40mins Recharge Time 2hrs 30mins Recharge Time 5hrs Net Weight 159.8kg Net Weight 170.6kg

TRL720



User-friendly controls

Dual brush designFast and flexible charging

Configurable battery performance that suits you

120L Tank Capacity Vac Motor Brush Speed Brush Motor 600W Deck Size 720mm Pad Size 2x360mm Brush Size 2x370mm Traction Drive 700W Drive Speed 0-6.5km/h 3 x Battery Runtime 4hrs

948x1676x1425mm (WxLxH)

600W 150RPM Recharge Time 7hrs 30mins Net Weight 282.6kg

Brush Motor 3 x 400W Deck Size 650/750/850mm Pad Size 3x300mm Brush Size 3x300mm Drive Speed 0-6.5km/h 4 x Battery 3 x Battery Runtime 4hrs 10mins echarge Time 7hrs 30mins Net Weight 287.6kg Net Weight 298.4kg 1054x1676x1425mm (WxLxH)

600W

Vac Motor

5 x Battery & 6 x Battery configurations available for TRL720 and TVL850.



numatic.com **65**


212RPM

Brush Speed

FloorCare

Brushes & Pad Drives


Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.



General scrubbing duties, suitable for most floor types.



Suitable for when lighter scrubbing is required. Supplied as pack of 2.



Suitable for when lighter scrubbing is required.



Union Mix Polish Brush Ideal for polishing, uses a well-proven mix of high-quality bristles for optimum results.

"The Ten-Tec brush raises the standard in scrub brush performance."

High Performance Brushes

- Lasts 10x longer than a standard brush*
- Replaces up to 100 standard Numatic pads
- Improve cleaning results compared to Numatic brushes
- Reduces the need for chemical additives, lowering cleaning costs


Available for use across the Numatic Scrubber Dryer range *Numatic Standard Polyscrub Brush




Ten-Tec High Performance Brush (370, 450, 550mm)

Ten-Tec Octo High Performance Brush (300mm)

Suitable for General Scrubbing Suitable for all Floor Types





Long-Life Scrubbing Brush (Green) Can provide extended cleaning life in comparison to standard scrubbing brushes. Suitable for general scrubbing.



Long-Life Heavy-Duty Scrubbing / Stripping Brush (Black) Can provide extended cleaning life in

comparison to alternative heavy-duty scrubbing brushes. Suitable for heavy-duty scrubbing.



244NX PadLoc Drive Board

A simple, effective and easy to use system. Pads are located securely and perfectly centred every time. Supplied as pack of 2.



PadLoc Drive Board

A simple, effective and easy to use system. Pads are located securely and perfectly centred every time. Suitable for general use.



NuLoc2 Drive Board

Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for



NLL Drive Board

Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for



Flexi NuLoc2 Drive Board

Flexi specification provides optimum stability needed for 300rpm speed machines. NuLoc2 offers an alternative to PadLoc.



Porcupine Pad Holder

Can be used as an alternative pad drive board when required.



244NX NuPad Red

General use floor cleaning pad for hard floors. Removes light dirt and scuff marks. Supplied as pack of 10.



244NX NuPad White

Delicate surface cleaning pad for hard floors. Supplied as pack



244NX NuPad Green Heavy-duty cleaning pad for hard

floors. Removes dirt and scuff marks. Supplied as pack of 10.



244NX PU-Pad

High-efficiency floor cleaning pads. Suitable for use on all hard floors. More durable and efficient than a conventional melamine pad. Environmentally friendly. Supplied as pack of 2.



244NX Diamond Twister Pad Specially developed with billions of microscopic diamonds. Suitable for use on hard floors.

Supplied as pack of 2.



Supplied as pack of 5.

NuShine Topline Speed Burnishing Pad Burnishing pad for use with NuShine HNS1550 (500mm).



Heavy-duty cleaning pad for hard floors. Suitable for general daily cleaning jobs. Removes dirt and scuff marks. Supplied as pack of 5.



General use floor cleaning pad for hard floors. Suitable for light and daily cleaning jobs. Removes light dirt and scuff marks. Supplied as pack of 5

Specialised Brushes

Rotary Machines Only.



Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Sandotex Disc Drive

Highly abrasive disc, for use on rotary machine.



Carbon based discs provide high abrasive properties with long-life.



FloorCare

Spirotex 6-Head Heavy-duty scarifying

board fitted with 6 wire Spirotex heads.


| | | | | | Rotary Floor Cleaners | | | | TwinTec | | | | | | Ride-On | | | | |
|-------------|------------|--|---------------------|------------------|-----------------------|-----------|-----------|---------|---------|----------|-----------------------|------------------------------------|---------------------|-----------|---------|---------|---------|--------|--------|
| Туре | Image No. | Description | Brush / Pad Size mm | Part Number | HFM1515-R / HFM1523-R | HFM1530-R | HFM1545-R | HNS1550 | NLL332 | 244NX-RC | TT1840G / TTB1840NX-R | TTB3045NX-R / TT4045G / TBL4045 | TT4055G / TBL4055/T | TBL6055/T | TBL8572 | CRL8055 | CRL8072 | TRL720 | TVL850 |
| | | | 330 | 606033 | | | | | • | | | | | | | | | | |
| | | | 370 | 903449 | | | | | | | | | | | •x2 | | •x2 | • | |
| | 1 | Polyscrub Brush | 400 | 606105 | • | | | | | | • | • | | | | | | | |
| | | | 450 550 | 606203 606028 | • | | | | | | | • | • | • | | | | | |
| | 2 | 244NX Nyloscrub Brush (Pack of 2) | 220 | 911931 | | | | | | •x2 | | | - | | | - | | | |
| | | Nyloscrub Brush | 330 | 606556 | | | | | • | | | | | | | | | | |
| | 3 | | 370 | 903994 | | | | | | | • | | | | • | | • | • | |
| | J | | 450 | 606204 | • | | | | | | | • | | | | | | | |
| | | | 550 | 606550 | | | | | | | | | • | • | | • | | | |
| v) | 4 | Union Mix Polish Brush | 330 400 | 606104 606102 | | | | | • | | • | | | | | | | | |
| Brushes | 4 | | 450 | 606202 | • | | | | | | | | | | | | | | |
| | N/A | Ten-Tec 244NX High Performance Brush (Pack of 2) | 220 | 918296 | | | | | | • | | | | | | | | | |
| | | | 370 | 918293 | | | | | | | • | | | | • | | • | • | |
| | 5 | Ten-Tec High Performance Brush | 450 | 918294 | • | | | | | | | • | | | | | | | |
| | ш | | 550 | 918295 | | | | | | | | | • | • | | • | | | |
| | N/A | Ten-Tec Octo High Performance Brush | 300 | 918292 | | | | | | | | | | | | | | | • |
| | N/A N/A | Octo Polyscrub Brush Octo Nyloscrub Brush | 300 | 606152 606151 | | | | | | | | | | | | | | | • |
| | N/A | Octo Long-Life Brush (Green) | 300 | 606153 | | | | | | | | | | | | | | | • |
| | 14// | Cotto Eorig Elio Erdori (Green) | 370 | 606302 | | | | | | | • | | | | • | | • | • | - |
| | 6 | Long-Life Scrubbing Brush (Green) | 450 | 606306 | • | | | | | | | • | | | | | | | |
| | | | 550 | 606551 | | | | | | | | | • | • | | • | | | |
| | 7 | Long-Life Heavy-Duty Scrubbing / Stripping Brush (Black) | 450 | 606305 | • | | | | | | | | | | | | | | |
| | | 2441/2 2 2 12 1/2 1/2 | 225 | 044044 | | | | | | | | | | | | | | | |
| | 8 N/A | 244NX PadLoc Drive Board (Black) (Pack of 2) Octo PadLoc Drive Board | 225 300 | 911844 606406 | | | | | | • | | | | | | | | | • |
| PadLoc | IN/A | Octo Fauloc Drive Board | 360 | 606400 | | | | | | | • | | | | • | | • | • | |
| Pag | 9 | PadLoc Drive Board (Black) | 400 | 606401 | • | | | | | | | • | | | | | | | |
| | | | 500 | 606403 | | | | | | | | | • | • | | • | | | |
| | | | | | | | | | | , | | | | | | , | | | |
| | N/A | Octo NuLoc2 Drive Board | 300 | 900719 | | | | | | | | | | | | | | | • |
| | 40 | NuLoc2 Drive Board | 360 | 900524 | - | | | | | | • | - | | | • | | • | • | |
| NuLoc2 | 10 | | 400 500 | 900525 900526 | • | | | | | | | • | • | • | | • | | | |
| 3 | 11 | NLL Drive Board | 330 | 606111 | | | | | • | | | | • | • | | | | | |
| | N/A | High Speed Spider NuLoc2 Drive Board (450RPM) (HFM1545) | 400 | 606078 | | | • | | | | | | | | | | | | |
| | 12 | Flexi NuLoc2 Drive Board (300RPM) (HFM) | 400 | 900528 | | • | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| NuPad | 13 | Porcupine Pad Holder | 400 | 606700 | • | | | | | | | | | | | | | | |
| | 19 | NuShine Topline Speed Burnishing Pad (Pack of 5) | 500 | 901622 | | | | • | | | | | | | | | | | |
| | 14 | 244NX NuPad Red (Pack of 10) | 225 | 912353 | | | | | | • | | | | | | | | | |
| | 15 | 244NX NuPad White (Pack of 10) | 225 | 912354 | | | | | | • | | | | | | | | | |
| | 16 | 244NX NuPad Green (Pack of 10) | 225 | 912352 | | | | | | • | | | | | | | | | |
| | 17 | 244NX PU-Pad (Pack of 2) | 225 | 912356 | | | | | | • | | | | | | | | | |
| | 18 | 244NX Diamond Twister Pad (Pack of 2) | 225 | 912355 | | | | | | • | | | | | | | | | |
| | 20 | NuPad Green (Pack of 5) | 355 | 913228 | | | | | | | • | | | | | | | | |
| | | NuPad Red (Pack of 5) | 406 | 606861 913226 | | | | | | | • | • | | | | | | | |
| | 21 | | 355 406 | 606403 | | | | | | | | • | | | | | | | |
| | | | .50 | 000 100 | | | | | | | | | | | | | | | |
| Specialised | 22 | Wire Scarifying Brush | 400 | 606207 | • | | | | | | | | | | | | | | |
| | 23 | Sandotex Disc Drive | 400 | 606209 | • | | | | | | | | | | | | | | |
| | 24 | Carbotex Grinding Disc | 400 | 606208 | • | | | | | | | | | | | | | | |
| | 25 | Heavy-Duty Scarifying Disc Spirotex 6-Head | 400 | 606211 | • | | | | | | | | | | | | | | |

Guidance only - Each application should be assessed before selection of brush / pad. Specification subject to change without prior notice.

Hurricane / NuSpeed


Accessories & TwinTec Blades

Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.



TwinTec

Tools & Accessories





TwinTec Emptying Hose 32mm Emptying Hose Kit PN: 609100

TwinTec Castor Plate

Aluminium Floor Tool Wide Angle Adjustable Castor Plate Upgrade Kit PN: 908028



Wheel Set PN: 919445




Cable Roll Extension for Mains Machines 20m Cable Roll Extension UK PN: 612002



NX300 Charging Dock

NX300 Dual Charging Dock






NX300 Charging Dock

PN: 915748 EURO PN: 915750 PN: 915751 USA S.AFRICA PN: 915752 PN: 915753 PN: 915754

NX300 Dual Charging Dock with Mains Cable

NX300 Dual



CRL Spray Mop Mounting Kit PN: 903182

Look out for the logo to make sure you're getting a Genuine **Numatic Part.**







Versatility, innovation and quality are at the core of our janitorial cleaning systems. Attention to detail and practical engineering ensure complete customer satisfaction in function, operation and convenience.

Contents

| Mop Kits | 72-73 |
|-------------------------------|--------|
| MULTI-Matic Range | 74-77 |
| ECO-Matic Range | 78-81 |
| SERVO-Matic Range | 82-85 |
| PRO-Matic Range | 86-90 |
| SRK Kits | 91 |
| Carousel Range | 93 |
| NuBag Range | 94 |
| Servo-X Range | 95 |
| NuKeeper Range | 96-101 |
| NuKeeper Top Tray & Hood Kits | 102 |
| NuKeeper End Frame Kits | 103 |
| | |





"Raising cleaning standards and productivity with versatility, innovation and quality.."





MINIMUM 50% RECYCLED CONTENT

PRE-CONSUMER

MOP KITS

PCM403 POLYSTATIC **3-PIECE MOP SET**



- C/W 50 x PolyStatic Mop Cloths
- Disposable PolyStatic Mop "Gripper" Pad
- Pad Size 400mm
 PN: 629813

POLYSTATIC GRIPPER PAD

Disposable PolyStat Mop "Gripper" Pad



POLYSTATIC MOP DUSTERS


- Fits on PCM403 PSM400G
- Pack of 50 x PolyStatic Mop Cloths White PN: 629811 Red PN: 902192 Blue PN: 902193 Yellow PN: 902195
- Carton of 400 x PolyStatic Mop Cloths, (8 x 50)
- Carton of 400 x PolyStatic Mop Cloths, (8 x 50) PN: 629844 C/W 2 x "Gripper" Pads

DTK3 HANG-ON MOP SET



- C/W 1 x BluTec Microfibre Mop
- Suitable for Vertical PressHang-on Fixing
- Pad Size 400mm
 PN: 629334

DTK8G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Velcro Mop
- C/W 400ml Bottle Velcro Fixing
- Pad Size 400mm PN: 906195
- **DTK12G WING MOP PUMP ACTION SET**



- C/W 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press. Wide Press
- Pocket Fixing
- Pad Size 400mm PN: 906205

PCT400 POLYSTATIC TELESCOPIC MOP SET



- C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad Velcro Fixing
- Pad Size 400mm PN: 629845
- **DTK1 KENTUCKY MOP SET**



C/W 1 x Kentucky 400g Mop Suitable for Vertical Press PN: 629332

DTK4 VELCRO MOP SET



- C/W 1 x BluTec Microfibre Mop
- Suitable for Wide Press and MopMatic
 Velcro Fixing
- Pad Size 400mm PN: 629335

DTK9 TWIST MOP



C/W 1 x Bactiguard Mop PN: 906460

DTK13G WING MOP



- C/W 1 x BluTec Microfibre Hang-on Mop
- Suitable for Vertical Press Hang-on Fixing
- Pad Size 400mn PN: 909278

PSM400G POLYSTATIC SPRAYMOP SET



- C/W 50 x PolyStatic Mop Cloths
- C/W Disposable PolyStatic Mop "Gripper" Pad C/W 400ml Bottle
- Velcro FixingPad Size 400mm
- PN: 906193

DTK2 POCKET MOP SET







- □ C/W 1 x Sponge □ Folding Press

PRESS CLIPS



- Pack of 10 PN: Red: 915499
- Yellow: 915502





- C/W 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press, Wide Press
- Pocket FixingPad Size 400mm PN: 629333

DTK6G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Pocket Mop
- C/W 400ml Bottle
 Pocket Fixing
- Pad Size 400mm PN: 906194

DTK10 MULTIMOP

- Velcro Fixing Sponge Size 350mm PN: 628119
- **COLOUR-CODED MOP STICK/**



- - □ Folding Press□ Castors: 4 x 50mm Sponge Size 350mm340x475x320mm (WxLxH)

MM30G

□ C/W 1 x Sponge

Velcro Fixing30L Capacity Bucket

HB1812R

The MidMop is always on-hand and easily stored, with a compact

design providing a go-anywhere twin-bucket mopping system.



- □ Vertical Press for Flat or Kentucky/Twist Mop
 □ 18L Clean Capacity / 12L Dirty Capacity
- Optional Mop Kits:
- DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- □ Castors: 4 x 75mm 410x560x800mm (WxLxH)

MMB1616

- Vertical Press for Flat or Kentucky/Twist Mop
- 16L Clean Capacity / 16L Dirty Capacity
 Optional Mop Kits:
 DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- Optional Handle
- Castors: 4 x 75mm
- □ 510x680x1020mm (WxLxH)

MMB1616 shown with Optional Mop Stand and DTK13G Mop Set

purposes only.

MULTI-MATIC





Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.

Nui-Design Bespoke Janitorial





| MODEL | ммо | MM1 | MM2 | ммз | MM4 | MM5 | мм6 | мм7 | MM8 |
|-----------------------|--------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Waste | - | - | 70L | - | 70L | - | 70L | - | 70L |
| Storage Options | - | - | - | - | - | Shelf | Shelf | - | - |
| Castors | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm |
| Dolly Mop Basket | - | Yes | Yes | - | - | - | - | - | - |
| Press | - | - | - | Vertical Press | Vertical Press | - | | - | - |
| Buckets | - | 2 x 5L |
| Mop Bucket | - | 1 x 28L | 1 x 28L | 1 x 15 / 1 x 17L | 1 x 15 / 1 x 17L | - | - | 1 x Dosed, 1 x 28L | 1 x Dosed, 1 x 28L |
| Hooks | - | 1 x Large T-Slot Hook |
| Clips | - | 1 x T-Slot Mopstick Clip |
| Dimensions (WxLxH) | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm | 480x940x1130 mm |

Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

Compact & Versatile Mopping Trolley









MM2











MM5



MM6





8MM



DTK2 POCKET MOP SET

MULTI-Matic Mop Kits & Accessories

5L SWING BUCKET



- 5L Swing Bucket, Red Handle PN: 905225
- 5L Swing Bucket, Blue Handle PN: 905226
 5L Swing Bucket, Green Handle PN: 90522

15L REAR

MOP BUCKET

5L SWING BUCKET LID



Lid for 5L Swing 5L Swing Bucket, Yellow Handle PN: 905228 PN: 902108

5L SWING BUCKET KIT



- 5L Bucket Holder C/W Fixing, Black PN: 629050 5L Swing Bucket Kit, Red Handle PN: 906277 5L Swing Bucket Kit, Blue Handle PN: 906278
- 5L Swing Bucket Kit, Yellow Handle PN: 906280

15L TWINMOP BUCKET



- 15L TwinMop Bucket, Red Handle PN: 905221
- 15L TwinMop Bucket, Blue Handle PN: 905222
 15L TwinMop Bucket, Green Handle PN: 905223 15I TwinMon Bucket Yellow Handle PN: 905224

SECURING MOULDING

MOP BASKET WASTE BAG





Dolly Mop Basket

Used on: MM2 / 4 / 6 / 8

17L FRONT **MOP BUCKET**



1 x 17L Bucket, Blue Handle Used on: MM3 / 4

MB400

MOUNTING

BRACKET

WASTE BIN LID



Used on: MM3 / 4

1 x 15L Bucket, Red Handle



Used on: MM2 / 4 / 6 / 8

Used on: MM1 / 3 / 5 / 7

VERTICAL MOP

PRESS

Flat Mop Press Used on: MM3 / 4 PN: 915326

MID STORAGE TRAY

28L TWINMOP

BUCKET



28L TwinMop Bucket, Red Handle PN: 905217

28L TwinMop Bucket, Blue Handle PN: 905218
28L TwinMop Bucket, Green Handle PN: 905219

28L TwinMop Bucket, Yellow Handle PN: 905220

Used on: MM5 / 6

WHEEL KIT

LID ASSEMBLY



Dosed Mop Bucket Lid

MB400 MOP DOSING MB400 MOP DOSING



Dosed Mop Bucket, Blue Handle Used on: MM7 / 8

PN: 915406 **FABRIC WASTE BAG**



1 x Bag Splitter Kit

Large Wheel Kit PN: 915320

75MM CASTOR X1



Castor x1 204118



Multi-pocket for Convenient Storage PN: 915319

C/W 70L Waste Bags Used on: MM 2/ 4/ 6/ 8 PN: 919813 **WASTE BAGS**



70L Waste Bags (570x1000mm)
 Grey, Roll x 10
 PN: 908230

GREY CADDY HOLDER



Dosed Mop Bucket Bracket Frame
Used on: MM7 / 8
PN: 915613

Carry Cleaning Products PN: 628437

TWIN 1L BOTTLE



Twin 1L Bottle Holder, ReFlo Black

MOP SUPPORT KIT



1 x Mop Support for on-board Mop Storage PN: 915321

LARGE & SMALL T-SLOT HOOK



 A - Large T-Slot Hook (x1) PN: 911936
 A - Large T-Slot Hook (x10) PN: 912547
 B - Small T-Slot Hook (x1) PN: 915171 B - Small T-Slot Hook (x10) PN: 915325

MOP CLAMP & CLIP



- C T-Slot Clamp (x1) PN: 912528 C T-Slot Clamp (x10) PN: 912529
- D Mopstick Clip (x1) PN: 629874 D - Mopstick Clip (x10) PN: 629883



WET FLOOR SIGN

Wet Floor Sign with Trav-Fix Hooks, Yellow A - PN: 629044 Wet Floor Sign, Yellow, EnglishB - PN: 901457

1 x BluTec Microfibre Mop

Suitable for Vertical Press

Hang-on Fixing

Pad Size 400mm

PN: 629334

DTK3 HANG-ON MOP SET

PCM403 POLYSTATIC **3-PIECE MOP SET**



50 x PolyStatic Mop Cloths "Gripper" Pad

DTK9 TWIST MOP

□ 1 x Bactiguard Mop

PN: 906460

- Pad Size 400mm
- PN: 629813

DTK1 KENTUCKY MOP SET



1 x Kentucky 400g MopSuitable for Vertical Press PN: 629332

and MonMatic Pocket Fixing

Pad Size 400mm PN: 629333

DTK12G WING MOP PUMP ACTION SET



1 x BluTec Microfibre Pocket Mop

Suitable for Vertical Press, Wide Press and MopMatic Pocket Fixing Pad Size 400mm

PN: 906205

DTK13G WING MOP PUMP ACTION SET


1 x BluTec Microfibre Pocket Mop



1 x BluTec Microfibre Hang-on Mop

- Suitable for Vertical Press Hang-on Fixing
- Pad Size 400mm PN: 909278







- 1 Compact, convenient and easy to store
- 2 & 3 Open shelf storage for easy access to all your cleaning equipment and supplies on the move

productivity with a choice of janitorial solutions



ECO-MATIC





Made using the highest quality recycled plastic, each model in the **ECO-Matic range benefits** from 100% Structofoam construction, making it tough, easy to clean and built to last.

The best value cleaning trolley range on the market.

- Ergonomically Designed
- Enhanced Sustainability
- Built to Last







Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification.

Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.

Mopping Storage & Waste

EM1



EM2



EM3



EM4



EM5



EM6



| MODEL | EM1 | EM2 | EM3 | EM4 | EM5 | EM6 |
|-----------------------|----------------------|----------------------|-----------------------------------|-------------------|-----------------------------------|-------------------|
| Waste | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 2 x 120 / 4 x 70L | 120 / 2 x 70L | 2 x 120 / 4 x 70L |
| Storage Options | Shelf | 2 x Deep Drawers | Shelf | Shelf | 2 x Deep Drawers | 2 x Deep Drawers |
| Castors | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Kits | SRK14 / 20 / 21 / 22 | SRK14 / 20 / 21 / 22 | SRK15 / 16 / 19 / 20 / 21 / 22 | SRK 20 / 21 / 22 | SRK15 / 16 / 19 / 20 / 21 / 22 | SRK20 / 21 / 22 |
| Optional Security | - | Lockable Drawers | - | - | Lockable Drawers | Lockable Drawers |
| Optional SprayMop | Yes | Yes | - | = | - | - |
| Wall and Door Buffers | Yes | Yes | Yes | Yes | Yes | Yes |
| Dimensions (WxLxH) | 545x900x1000mm | 545x900x1000mm | 545x1160x1000mm | 545x1230x1000mm | 545x1160x1000mm | 545x1230x1000mm |

See page 9

ECO-MATIC





All-In-One, Ready To Go **Compact Solution**



Nu-Design Bespoke Janitorial

See page 9

MODEL EM1-TM EM2-TM 120 / 2 x 70L 120 / 2 x 70L Waste Storage Options Shelf 2 x Deep Drawers 4 x 100mm Castors 4 x 100mm SRK14 / 22 / DTK9 | SRK14 / 22 / DTK9 Kits Optional Securit Lockable Drawers Wall and Door Yes 545x900x1000mm 545x900x1000mm





ECO-Matic Mop Kits & Accessories

KIT SRK14



- 1 x 18L Blue Handle
- Bucket, Grey C/W Mop Basket Used on: EM1 / EM2 PN: 910439

KIT SRK15

- 1 x 34L Blue Handle Bucket, Grey C/W Mop Basket
 - Used on: EM3 / EM5 PN: 910440

KIT SRK22

KIT SRK16 / SRK16K

- Vertical Press for Flat or
- Kentucky/Twist Mop 1 x 17L Red Handle Bucket, Grey 1 x 17L Blue Handle Bucket, Grey Used on: EM3 / EM5

MOP CLIPS

Flat Mop Press PN: 910442 Kentucky Mop Press PN: 910443



- 1 x ReFlo Bag Frame with Fixing Screws1 x ReFlo Bag Securing Frame
- 1 x Grey LidC/W Colour-coded Discs
- Used on: EM3 / EM5

SRK20

Used on: EM Range

KIT SRK21



- 4 x 5L Swing Pails5L Swing Pail Handle,
- Red / Blue / Green / Yellow Used on: EM Range

MOP

KIT

SUPPORT

ZIPPED LAUNDRY

Red / Blue

2 x 10L Buckets, Grey10L Bucket Handle,

Used on: EM Range



1 x Mop Support for On-board Mop Storage Used on: EM Range PN: 915321

BAG



1 x Zipped Laundry Bag Used on: EM Range PN: 909369

- Mopstick Clip (x1)
 ReFlo Black PN: 629874 Mopstick Clip (x10) ReFlo Black PN: 629883
- Used on: EM Range

WET

SIGN

Wet Floor

FLOOR

Sign Assembly, Yellow, English Used on: EM Range PN: 901457

LARGE T-SLOT HOOK, **SMALL T-SLOT HOOK**



- Large (x1) A PN: 911936
- Large (x10) A PN: 912547 Small (x1) B PN: 915171 Small (x10) B - PN: 915325

ECO-MATIC BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste 1 x Bag Trapper Extrusion
- C/W BagsC/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
 Used on: EM Range PN: 910840

TROLLEY BRACKET

NUMATIC QUICK DTK9 TWIST MOP



□ C/W 1 x Bactiguard Mop □ Used on: EM Range PN: 906460



□ 1 x Numatic Quick Trolley Bracket Used on: EM Range PN: 916341

Robust design to protect the Numatic Quick

- Compact in size
- Integrated non-marking door protection





SERVO-MATIC

SERVO-Matic offers an SMO base unit with the opportunity to add extra fixtures and fittings to create the perfect fit for your janitorial needs.

Selecting the perfect fit is easy with SERVO-Matic.

- Increase Productivity
- Exceptionally Tough
- Enhanced Sustainability



- 1 Non-Marking Buffers for Wall & Door Protection
- 2 Integrated Wet Floor Sign Storage
- 3 Open Shelf Storage for Easy Access of Equipment










Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

Compact Storage & Waste Trolley



| MODEL | SMO | SM1 | SM2 | SM3 | SM4 | SM5 |
|--------------------|--|--|--|--|--|--|
| Waste | - | 120L / 2 x 70L |
| Storage Options | Storage Drawer |
| Castors | 4 x 125mm (2 x Braked, 2 x Standard) |
| Kits | Multiple Options |
| Bin Surround | - | - | Yes | Yes | - | - |
| Dimensions (WxLxH) | 580x968x1083mm | 570x1325x1115mm | 570x1325x1115mm | 580x1335x1073mm | 580x1720x1130mm | 570x1120x1115m |



- Select your Trolley Base
- Pick your Storage Options
- Choose your Accessories
- Submit your Configuration

Visit: numaticsupport.com/nu-design

SERVO-Matic SM5


The SM5 comes complete with a more cost-effective and accessible solution to storing your 244NX scrubber dryer.





- **1.** Mount to pivot point
- 2. Lift and click into position
- 3. Retract clip to release

Please note: Ensure brakes are applied on castors before attaching.



SERVO-Matic End Kit Options



SM1 120L WASTE BIN END KIT

- 120L Bag TrayBag Frame & Lid Set
- 120L Waste Bags (Roll of 10)



SM2 WASTE BIN COVER KIT

- Support Frame
- Push Handles



SM3 SWING OUT BIN END KIT

- Kit SRK49 (Swing-out bin)Trolley Extension Tray

 - Push Handles



SM4 240L WASTE SYSTEM KIT

- 1 240L Bag Frame & Lid Set 1 Trolley Extension Tray
- □ 120L Waste Bags (Roll of 10)
- Push Handles

SM5 244NX BRACKET KIT

- Bag Frame & Lid Set
 244NX Bracket Kit
- 120L Waste Bags (Roll of 10) PN: 919423



SMO PUSH HANDLE

919683 Push Handle for SM0 Trolley PN: 906341



- □ 35L Deep Storage Box C/W Divider
 □ Kit SRK30
- □ NI SHA30
 □ 120L Zipped Waste Bag Coverall
 □ Used on: SM1 / 4 / 5

SERVO-Matic Mop Kits & Accessories

KIT SRK1 / SRK1K

Vertical Press for Flat or Kentucky/Twist Mop

1 x Bucket Support Tray
Used on: SM0 / 1 / 2 / 3 / 4

Flat Mop Press PN: 910415 Kentucky/Twist Mop Press

1 x 17L Red Handle Bucket, Grey 1 x 17L Blue Handle Bucket, Grey

KIT SRKO / SRKOK



- Vertical Press for Flat or
- Kentucky/Twist Mop

 1 x 15L Red Handle Bucket, Grey 1 x 15L Blue Handle Bucket, Grey Used on: SM0 / 1 / 2 / 3 / 4

Flat Mop Press PN: 910413 Kentucky/Twist Mop Press PN: 910414



- 1 x MopMatic2 Bucket, Grey C/W Set of Colour-coded Discs
- 1 x 22L Red Handle Bucket, Grey
- 1 x Extension Trav
- C/W 2.5L Dosing Bottle
 Used on: SM0 / 1 / 2 / 3 / 4 PN: 910433

MIDMOP OPTION

MMB1616

PN: 910416 **KIT SRK5**



- 2 x MopMatic2 Bucket, Grey
- C/W Set of Colour-coded Discs
 1 x Extension Tray
- C/W 2.5L Dosing Bottle
 Used on: SM0 / 1 / 2 / 3 / 4 PN: 910435

KIT SRK30



- Vertical Press for Flat or Kentucky/Twist Mop 510x680x1020mm (WxLxH)
- Used on: SM0 / 1 / 2 / 3 / 4

STORAGE BOX

16L SHALLOW



- 2 x 10L Buckets
- 101 Bucket Handle Red / Blue Used on: SM Range PN: 910305

FLOOR SIGN



- Optional Single
- Door and Back
 C/W Locks and Hinges
- Used on: Used on: SM Range SM Range PN: 901457

Wet Floor Sign,

Yellow, English

35L DEEP STORAGE BOX



Deep Storage Box, 35L, without Lids, ReFlo Black, C/W Divider

Used on: SM Range

PN: 910301

NUMATIC QUICK TROLLEY BRACKET

2 x 10L Buckets

Used on: SM Range PN: 911401



- Used on: SM Range PN: 916341
- 1 x Numatic Quick Trolley Bracket



- Speedclean Wide Press
- 1 x 22L Red Handle Bucket, Grey
 1 x 22L Blue Handle Bucket, Grey
- □ 1 x Extension Tray
 □ Used on: SM0 / 1 / 2 / 3 / 4
- PN: 910430

KIT SRK62



- Hood Set
- Lockable
 Used on: SM Range

PN: 910315

BAG SPLITTER KIT



4 x 5L Swing Pails 5L Pail Handle,

PN: 910436

KIT SRK21

Red / Blue / Green / Yellow Used on: SM Range

KIT SRK2 / SRK2K

Vertical Press for Flat or Kentucky/Twist Mop

□ 1 x Extension Tray □ Used on: SM0 / 1 / 2 / 3 / 4

Flat Mop Press PN: 910425 Kentucky/Twist Mop

2 x MopMatic2 Bucket, Grey

C/W 2.5L Dosing Bottle
Used on: SM0 / 1 / 2 / 3 / 4

MopMatic2 Hang-on Frame, Nutex
 1 x Extension Tray

C/W Set of Colour-coded Discs
1 x 22L Red Handle Bucket, Grey, C/W Lid

PN: 910426

KIT SRK6

1 x 22L Red Handle Bucket, Grey

1 x 22L Blue Handle Bucket, Grev

KIT SRK22



10L Bucket Handle, Red / Blue

- 1 x Bag Splitter with Fixing Screws for Dual Waste C/W Roll of 70L Waste Bags

 - C/W Colour-coded Discs
 Used on: SM Range
 PN: 910880
- **MB400 MOUNTING BRACKET**

- Optional Attachment For use with MB400
- Dosed Mop Bucket Used on: SM Range







PRO-MATIC





The PRO-Matic range offers a 100% configurable cleaning system, increasing operator usability and productivity.

Unlimited configuration options with complete versatility.

- Fully Customisable
- Safe & Secure
- Enhanced Sustainability


N**u-Design** Bespoke Janitorial See page 9

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with PRO-Matic; meeting the precise requirements of any user, in any environment, for any application.





1 Safe & Secure Storage 2 Drawer Storage Options



Configurable, Safe & Secure



















| | | 1 | 1 | | | | | | 1 |
|---------------------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| MODEL | PM10 | PM11 | PM12 | PM20 | PM21 | PM22 | РМЗО | PM31 | PM32 |
| Waste | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L |
| Storage Drawers | - | Optional | - | Optional | Optional | Optional | Optional | Optional | Optional |
| Doors | - | Optional | - | Optional | Optional | Optional | Optional | Optional | Optional |
| Castors Size | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Detachable Wheeled Bin | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Dimensions (WxLxH) | 580x972x1073 mm | 580x972x1073 mm | 580x972x1073 mm | 580x1335x1073 mm | 580x1335x1073 mm | 580x1335x1073 mm | 580x1700x1073 mm | 580x1700x1073 mm | 580x1700x1073 mm |



Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification.

Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.

Design

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection.





PRO-Matic Trolley Range

The PM13 provides a lockable and manoeuvrable solution.

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.





The PRO-Matic PM24 and PM34 provide a lockable multi-waste recycling system, offering the options to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.



PM13 OPTIONAL CONFIGURATIONS



- 2 x Deep Storage Drawers4 x Shallow Storage Drawers
- 6 x Storage Box RunnersCastors: 4 x 100mm
- □ 4 x 5L Pails
- Lockable Doors
- 2 x 10L Buckets580x972x1073mm (WxLxH)



- □ 2 x Deep Storage Drawers
- 4 x Shallow Storage Drawers6 x Storage Box Runners
- Castors: 4 x 100mm
 580x972x1073mm (WxLxH)



- 2 x Deep Storage Drawers4 x Shallow Storage Drawers
- 6 x Storage Box RunnersCastors: 4 x 100mm
- Lockable Doors580x972x1073mm (WxLxH)

PM24

PM34 with SRK21 and SRK22 Kits and SRK29 Door Panel Kits.

purposes only.



- Waste 3 x 120L / 6 x 70L
- End Detachable Wheeled Bins and Central Static Bin
- Optional Castors Lockable Doors
- Industry Colour-coding580x1335x1073mm (WxLxH)

PM34



- Waste 4 x 120L / 8 x 70L
- End Detachable Wheeled Bins and Central Static Bins
- Optional CastorsLockable Doors
- Industry Colour-coding580x1700x1073mm (WxLxH)



removal. Colour-coding options available for effective infection control.

Removable

Bin Feature

PRO-Matic Mop Kits & Accessories

KIT SRK1S / SRK1KS



- Vertical Press for Flat or
- Kentucky/Twist Mop 1 x 17L Řed Handle Bucket, Grev
- 1 x 17L Blue Handle Bucket, Grey
- 1 x Bucket Support TrayUsed on: PM10 / 20 / 30
- Flat Mon Press PN: 909523 Kentucky/Twist Mop Press PN: 910348

KIT SRK2S / SRK2KS



- Vertical Press for Flat or Kentucky/Twist Mop
- 1 x 22L Red Handle Bucket, Grev 1 x 22L Blue Handle Bucket, Grey
- □ 1 x Extension Tray □ Used on: PM10 / 20 / 30
- Flat Mon Press PN: 909524 Kentucky/Twist Mop Press PN: 910349

KIT SRK4



- 1 x MopMatic2 Bucket, Grey
- □ C/W Set of Colour-coded Discs C/W 2.5L Dosing Bottle
- □ 1 x 22L Red Handle Bucket, Grey
- 1 x Extension Tray
 Used on: PM10 / 20 / 30 PN: 910433

KIT SRK5



- 2 x MopMatic2 Buckets, Grev
- □ C/W Set of Colour-coded Discs □ C/W 2.5L Dosing Bottle
- 1 x Extension Tray
- □ Used on: PM10 / 20 / 30 PN: 910435

KIT SRK6S



- 2 x MopMatic 2 Buckets, Grey
- C/W Set of Colour-coded DiscsC/W 2.5L Dosing Bottle
- 1 x 22L Red Handle Bucket, Grey, C/W Lid MopMatic2 Hang-on Frame,
- Stainless Steel

 1 x Extension Tray
 Used on: PM10 / 20 / 30
 PN: 909526

MIDMOP OPTION



Speedclean Wide Press with

1 x 22L Red Handle Bucket, Grey

1 x 22L Blue Handle Bucket, Grey ■ 1 x Extension Tray ■ Used on: PM10 / 20 / 30

Stainless Steel Handle

PN: 909525

Vertical Press for Flat or

KIT SRK3S

Kentucky/Twist Mop

510x680x1020mm (WxLxH) Used on: PM10 / 20 / 30

KIT SRK62S



- Hood SetLockableUsed on: PM Range PN: 910316

KIT SRK26



- Optional DoorsC/W Locks
- and Hinges
 Used on:
 PM11 / 13 / 20/21/22/

NUMATIC QUICK

TROLLEY BRACKET

- Door and Back Panel
- C/W Locks

KIT SRK30



- and Hinges
 Used on: PM11 / 13 / 20 / 21 / 22 / 30 / 31 / 32



- Optional Double Doors and 2 x Back Panels

 C/W Locks and Hinges
- Used on: PM13 / 21 / 30 / 31 / 32

KIT SRK31



Swing-out Bin

Used on: PM10 / 11 / 12 / 20 / 21 / 22 / 30

BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste
 C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
- Used on: PM Range

CUSTOMISABLE DOOR PANELS



□ 1 x Numatic Quick Trolley Bracket Used on: PM Range



Door Graphic Set No.2 Big Ben PN: 908173

KIT SRK29

KIT SRK27

Happy Cleaning PN: 908172

KIT SRK28

Door Graphic Set No.3 Sunflowers

get in touch today to find out more.



SRK Kits

| КІТ | PART No. | EM1 | EM2 | EM3 | EM4 | EM5 | EM6 | SIMO | SM1 | SMZ | SMS | SM4 | SM5 | PM10 | PM11 | PM12 | PIM13 | PM20 | PM21 | PM22 | PIM30 | PM31 | PM32 |
|--------|----------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|------|------|-------|------|------|------|-------|------|------|
| SRK0 | 910413 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK0K | 910414 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK1 | 910415 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK1K | 910416 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK1S | 909523 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK1KS | 910348 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK2 | 910425 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK2K | 910426 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK2S | 909524 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK2KS | 910349 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK3 | 910430 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK3S | 909525 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK4 | 910433 | | | | | | | • | • | • | • | • | | • | | | | • | | | • | | |
| SRK5 | 910435 | | | | | | | • | • | • | • | • | | • | | | | • | | | • | | |
| SRK6 | 910436 | | | | | | | • | • | • | • | • | | | | | | | | | | | |
| SRK6S | 909526 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK8 | 911222 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK14 | 910439 | • | • | | | | | | | | | | | | | | | | | | | | |
| SRK15 | 910440 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK16 | 910442 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK16K | 910443 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK19 | 910843 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK20 | 910758 | • | • | • | • | • | • | | | | | | | | | | | | | | | | |
| SRK21 | 910898 | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SRK22 | 911401 | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SRK26 | 908171 | | | | | | | • | • | • | • | • | • | | • | | • | • | • | • | • | • | • |
| SRK27 | 908172 | | | | | | | • | • | • | • | • | • | | • | | • | • | • | • | • | • | • |
| SRK28 | 908173 | | | | | | | • | • | • | • | • | • | | • | | • | • | • | • | • | • | • |
| SRK29 | 908174 | | | | | | | • | • | • | • | • | • | | • | | • | • | • | • | • | • | • |
| SRK30 | 911444 | | | | | | | • | • | • | • | • | • | | • | | • | • | • | • | • | • | • |
| SRK31 | 911447 | | | | | | | | | | | | | | | | • | | • | | • | • | • |
| SRK35S | 909072 | | | | | | | | | | | | | | | | | • | • | • | • | • | • |
| SRK36S | 909073 | | | | | | | | | | | | | | | | | | | | • | • | • |
| SRK42S | 909075 | | | | | | | | | | | | | | • | | | | | | | | |
| SRK43S | 909076 | | | | | | | | | | | | | | | | | | • | | | | |
| SRK44S | 909232 | | | | | | | | | | | | | | | | | | | | | • | |
| SRK49 | 912815 | | | | | | | | | | | | | • | • | • | | • | • | • | • | • | • |
| SRK50 | 912849 | | | | | | | | | | | | | | | | | | | | | | |
| SRK51 | 912853 | | | | | | | | | | | | | | | | | | | | | | |
| SRK62 | 910315 | | | | | | | • | • | • | • | • | • | | | | | | | | | | |
| SRK62S | 910316 | | | | | | | | | | | | | • | • | • | • | • | • | • | • | • | • |



Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



CAROUSEL

The Carousel is, without a doubt, not only an outstanding mobile cleaning module but also a very clever design providing several cleaning facilities in one exceptionally compact and easy to handle, user-friendly package.

NC2R

□ Waste 2 x 70L □ Castors: 4 x 80mm

480x545x890mm (WxLxH)



NC3R

- □ Waste 70L
 □ 2 x 5L Swing Pails
 □ C/W SprayMop Master and Tray
 □ Castors: 4 x 80mm
 □ 480x545x890mm (WxLxH)



- □ Waste 70L □ 1 x 4L Small Caddy □ 1 x 10L Large Caddy □ Castors: 4 x 80mm

NC1R



- □ Waste 70L
 □ 1 x 4L Small Caddy
 □ 14L Bucket and Dolly Mop Basket
 □ Castors: 4 x 80mm
 □ Optional Twist Mop (NC1R-TM)
 □ 480x545x890mm (WxLxH)

NC4R



- 2 x 4L Small Caddy2 x 10L Large CaddyCastors: 4 x 80mm
- □ 480x545x890mm (WxLxH)
- 480x545x890mm (WxLxH)



NUBAG





The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.



Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

Twin waste, linen and laundry modules have always been popular in commercial establishments. The dual-end design can incorporate waste and laundry, linen and laundry or waste and linen.

SAX120PR



NSX240R



LLT200R



NBT200R



NB3002R / AT



| MODEL | SAX120PR | NSX240R | LLT200R | NBT200R | NB3002R / AT | |
|--------------------|---------------|---------------|---------------|---------------|---------------------|--|
| Waste | 1 x 120L | 2 x 120L | 2 x 100L | 2 x 100L | 1 x 100L + 1 x 200L | |
| Castor Size | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 200mm | |
| Dimensions (WxLxH) | 655x550x910mm | 580x780x965mm | 580x780x965mm | 580x780x860mm | 655x1110x1115mm | |

SERVO-X

Big in use, smal in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.









2 X-Fold Design for Compact Storage

3 Integrated Laundry Bag Closure System





NX2401 NX1501 NX2001







| MODEL | NX1001 | NX1002 | NX1501 | NX2001 | NX2401 |
|--------------------|---------------|---------------|---------------|---------------|---------------|
| Waste | 100L | 2 x 100L | 150L | 200L | 240L |
| Castor Size | 4 x 75mm |
| Dimensions (WxLxH) | 390x460x960mm | 460x760x960mm | 460x760x760mm | 460x760x960mm | 550x780x960mm |

NUKEEPER NKS Single & Low Level







Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.



Consumables for illustration purposes only.







- 1 Folding Bag Ends & Heavy-Duty Construction
- 2 Easily Detachable Laundry Bags
- 3 Flexi-Front Enclosure
- 4 Numatic Quick Trolley Bracket

Compact Laundry Flexi-Front

NKS1LLR







NKS1R



NKS2R



| | 1 | T . | r | ı |
|--------------------|----------------|-----------------|----------------|-----------------|
| MODEL | NKS1LLR | NKS2LLR | NKS1R | NKS2R |
| Waste | 1 x 100L | 2 x 100L | 1 x 100L | 2 x 100L |
| Castor Size | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Height | Low Level | Low Level | Full Height | Full Height |
| Storage | 1 x Shelf | 1 x Shelf | 2 x Shelves | 2 x Shelves |
| Dimensions (WxLxH) | 582x998x1026mm | 582x1420x1026mm | 582x998x1352mm | 582x1420x1352mm |

NUKEEPER NKT Twin & Low Level





Compact in size... Big on storage. The NKT range has a Flexi-Front enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.







- 1 Easily Detachable Laundry Bags 2 Rotating Buffers for Wall & Door Protection
- 3 Folding Bag Ends & Heavy-Duty Construction





Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

Compact Laundry Flexi-Front

NKT1LLR





NKTOLLR





NKT2LLR

| MODEL | NKTOR | NKT1R | NKT2R | NKTOLLR | NKT1LLR | NKT2LLR |
|--------------------|------------------|------------------|------------------|----------------|-----------------|-----------------|
| Waste | - | 1 x 100L | 2 x 100L | - | 1 x 100L | 2 x 100L |
| Castor Size | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Height | Full Height | Full Height | Full Height | Low Level | Low Level | Low Level |
| Storage | 2 x Twin Shelves | 2 x Twin Shelves | 2 x Twin Shelves | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf |
| Dimensions (WxLxH) | 582x940x1352mm | 582x1361x1352mm | 582x1783x1352mm | 582x940x1026mm | 582x1361x1026mm | 582x1783x1026mm |

NUKEEPER





NKU Professional Universal

The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.







NKU30RHF



NKU31RFF



NKU31RHF



NKU32RFF



NKU32RHF







Space-Saving Customisable Secure




1 NKU31RHF with Top Kit NKA11R 2 Lockable Tablet Option 3 Flexi-Front System Consumables for illustration purposes only.

| MODEL | NKU30RFF | NKU30RHF | NKU31RFF | NKU31RHF | NKU32RFF | NKU32RHF |
|--------------------|-----------------------|--------------------------|-----------------------|--------------------------|-----------------------|--------------------------|
| Waste | - | - | 1 x 100L | 1 x 100L | 2 x 100L | 2 x 100L |
| Castor Size | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain |
| Closure | Flexi-Front | Hard-Front Bi-fold Doors | Flexi-Front | Hard-Front Bi-fold Doors | Flexi-Front | Hard-Front Bi-fold Doors |
| Security | - | Lockable | - | Lockable | - | Lockable |
| Storage | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf |
| Dimensions (WxLxH) | 667x1116x1205mm | 667x1116x1205mm | 667x1532x1205mm | 667x1532x1205mm | 667x1948x1205mm | 667x1948x1205mm |

NUKEEPER Top Tray & Hood Kits

A complete range of accessory kits provide the specification you need with no compromise.













Used on: All NKS / NKT / NKU Models PN: 913412

are shown in location on trolley.

Optional End Kit 30 Litre Waste Bin Kit, Black Used on: All NKS / NKT / NKU Models PN: 913413





Performance You Can Trust.

Head Office Numatic International Limited Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

TO VIEW OUR SUSTAINABILITY REPORT VISIT OUR WEBSITE HERE

numatic.com/uk/ sustainability



