

We make better products in a better way.

- We select materials and processes that are more sustainable, and manufacturing that has less impact.
- Our products are designed to be more efficient, reducing energy use and carbon impact.
- We make products that are reliable, serviceable and built to last.



In 2024, our customers continue to grapple with a myriad of complex and pressing challenges. Elevating cleaning and hygiene standards for all, achieving heightened productivity, and making substantial strides towards the critical sustainability agenda remaining at the forefront of the cleaning industry. Addressing the needs of today and conquering the challenges of tomorrow requires professional cleaning solutions that deliver

Performance You Can Trust.





Numatic International Limited Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

Contents	Page
Sustainability Sustainability Formula Net Zero by 2035 Sustainability in Action ReFlo Technology charity: water C Level Offsetting	4 5 6 6-7 6-7
Our Services ServiceCare, Numatic Hire Digital Services: Nu-Assist, Nu-Design, Nu-Track The Complete Cleaning Solution	8 9 10-11

CleanCare

Bringing power, performance	
and reliability to our commercial	
cleaning product range.	12-3
CleanCare Kits	34-3

ProCare

Advanced, professional cleaning for	
the collection and control of dust	
and hazardous substances.	36-41
ProCare Kits	42

FloorCare


Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments. FloorCare Brushes/Pads & Accessories 58-61

VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality are at the core of our janitorial cleaning systems.

Building on Sustainability

The NUMATIC SUSTAINABILITY FORMULA is the foundation to all our product development and sustainable initiatives.



INTEGRATED SUSTAINABILITY

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.



Extensive Solar Investment Technologies










Net Zero by 2035

We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

This includes becoming Net Zero by 2035 (for Scope 1 and 2) by setting incremental targets to keep us on track. We have also signed up to the Science Based Targets Initiative (SBTi), setting ambitious emissions reduction targets in line with the latest climate science.

While we work on reducing our emissions, we have taken additional measures to reduce our impact on the planet by carbon balancing our Scope 1 and 2 emissions through our trusted offsetting partner C Level.





Sustainability in Action

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.

Sustainability is broader than just reducing our carbon footprint. True sustainability is helping others to be sustainable in their everyday practices, ensuring the earth and its communities are cared for.





numatic.com/reflo





numatic.com/sustainability



ReFlo Technology

Many of our products are engineered from our innovative, environmentally sustainable ReFlo Technology. We use the highest quality, recycled, post-industrial plastics, which are diverted from landfill.



OUR TEAMS ARE WORKING HARD TO EXPAND THE USE OF SUSTAINABLE MATERIALS **ACROSS THE NUMATIC** PRODUCT RANGE. WHEREVER POSSIBLE.



Made from the highest quality, recycled plastic.





The Bigger Picture

We've partnered with **charity: water** to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water.



charity: water

OUR INITIAL PROJECT TOOK PLACE IN MADAGASCAR. **RECEIVING 100% OF** THE DONATIONS.



85 MILLION Litres of water funded since launch in 2021.



58% of the population currently lack safe drinking water.

22.8 Million do not have a decent toilet.

8.5K

of children under 5 die each year from diarrhoea.



Not Just Any Offsetting

We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level.

WORKING IN PARTNERSHIP WITH:





CARBON OFFSETTING GLOBAL

BAG SALES SINCE 2020.

Our offsetting has drawn **11.350** tonnes of CO2 down to Earth.

Projects we work with: CommuniTree, Trees for Global Benefit and Hadza Hunters.

Numatic are working with us to take things even further, with more Carbon Balancing and looking at long term future goals.

Daren Howarth | CEO & Founder C Level | change culture not climate



Our Services

We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.

Numatio ServiceCare

Cleaning Productivity Made Simple

We work with you at every turn, equipping you with all you need to maintain the highest cleaning standards.

For extra peace of mind, our full-service contracts cover you for any accidental damage or breakdowns, including two visits every year to service your machine.

- Servicing, Breakdown and Health Checks
- Digital Training, Maintenance and Guides
- Site Survey
- On-site Demo
- Refresher Operator Training
- Installation and Training

Get in touch... numatic.co.uk/servicecare



Numate Hire

Simplicity & Performance

The latest in professional cleaning equipment when you need it, direct from UK manufacturer.

Hiring provides the ultimate flexibility with the latest cleaning equipment when you need it. Whether you need equipment for a week, 6 months or longer, we can flex around you.

- The Kit You Need, from Vacuums to Scrubber Dryers
- Short to Long-term Hire
- Switch Equipment if Needed
- ServiceCare Hire Cover Included
- Online and In-person Training*
- Option to Extend or Purchase

*In-person training for floor machines and scrubber dryers only.



Digital Services

"Increase cleaning productivity with training and support at your fingertips."





Nu-Design

Bespoke Trolley Configurator

Nu-Design guides you through the product to configuration process, providing a visual output and configuration breakdown at each selection. The result; a reliable, functional and innovative cleaning system that meets your needs precisely.







My-Track

Intelligent Fleet Management

Understand how, when and where your cleaning fleet is operating. Each asset automatically uploads status, location and usage reports to portal.





The Complete Cleaning Solution

The UK's most comprehensive range of cleaning solutions, serving customers in all industries.





Healthcare

Working closely with the Healthcare industry, raising cleaning standards

of cleanliness and hygiene can be challenging, when working against the demands and pressures of a busy and diverse hospital, clinic or care home. You need cleaning equipment that meets your needs completely.





Education

Creating clean environments to work, learn and play.

Clean environments don't only deliver increased hygiene and safety, but also more positive, creative and comfortable environments for their users.





Logistics & Handling

Increasing cleaning performance and productivity for the Logistics & Handling industry around the clock.





Hospitality

You don't get a second chance at a first impression.





Construction

Robust and reliable equipment that has the power and performance to tackle whatever you throw at it.

Offering industrial-grade construction, advanced filtration to H-Class and equipment for every eventuality, ready to withstand the drops, bangs and scrapes that can happen frequently in the professional trade environment.





Facilities Management

Collaborating with the Facilities Management industry delivering on high-quality, bespoke cleaning equipment for every sector.

Customers are seeking to overcome to clean large shopping centres, busy supermarkets, compact store floors or open office spaces, our cleaning solutions deliver advanced cleaning results with maximum cleaning productivity.



CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

CleanCare Contents

Eco ReFlo Range	14-15
ProLine Range	16-17
Numatic Quick	18-19
Sanitise Pro Sprayers	20
NX300 Pro Cordless Network	21-23
Mains Cable Backpacks	24
Steel Tops	25
MicroLine	25
Aircraft Line	26
Dry Big Capacity Vacuums	27
Wet or Dry Vacuums	28
Wet Vacuums	29
Wet & Dry Vacuums	30
Carpet Extraction Vacuums	31-33
CleanCare Kits & Accessories	34-35









Eco ReFlo Range

WORKS HARDER LASTS LONGER **BUILT SMARTER**




Using our 420W high-efficiency motor, the Eco ReFlo Range delivers powerful cleaning while reducing energy usage and cost.*



Made from the highest quality, recycled plastic.



- 2 Cable Tidy and Carry Handle
- 3 Powerful Cleaning on Carpets and Hard-floors







Calculate Your Savings

Find out how much money you could save every year by switching to an Eco ReFlo Vacuum by visiting numatic.co.uk/ERP180 or scanning the QR Code

*1 Potential savings provided for guidance only, actual savings may differ dependent on usage and energy cost. Based on using 4 hours per day, over 260 days and £0.286kWh (as of 10/23 UK).

Annual Energy Usage

£267.70

£124.92





ERP180



- □ High-efficiency, economical cleaning
- Sustainably engineered from a minimum
 45% recycled plastic, including accessories
 Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- = 340x365x360mm (WxLxH)

8L Capacity		OW otor	6.0KG Weight	
Power 230V / AC 50/60Hz				
Power Cord 10.0m		Cleanin	ng Range 26.4m	
Suction H ₂ 0 175	0mm	Kit AS	0 (see page 34)	

EPR170*



- Carpets, hard-floors, cars, stairs, DIY
 Extra reach 12.5m cable with trouble-free rewind
- and additional on-board tool storage

 Sustainably engineered from a minimum 20% recycled plastic, including accessories
- Plugged cable
 Emptying with no dust and no mess
 360y370y390mm (Myl yH)

u 300x370x39011111	(VVXLXI I)		
7.2L Capacity	420W Motor		8.1KG Weight
Power 230V / AC 50/60Hz			
Power Cord 12.5m		Cleanin	ig Range 31.4m
Suction H ₂ 0 1750mm		Kit AS	0 (see page 34)
	7.2L Capacity Pover Cord 12.	Capacity M Power 230V Power Cord 12.5m	7.2L 420W Motor Power 230V / AC 50/60H Power Cord 12.5m Cleaning

EPR170 HEPA*



- Equipped with our highest efficiency motor yet
 Carpets, hard-floors, cars, stairs, DIY
- Certified HEPA13 filtration down to
 0.3 microns at 99.95% efficiency
- Sustainably engineered from a minimum 20% recycled plastic, including accessories
 Plugged cable
 Emptying with no dust and no mess

- □ 360x370x390mm (WxLxH)

7.2L Capacity	420W Motor		8.3KG Weight	
Power 230V / AC 50/60Hz				
Power Cord 12.5m		Cleanir	ng Range 31.4m	
Suction H ₂ 0 1750mm		Kit AS	0 (see page 34)	

*Note: Not standard UK model, please contact your Numatic representative for information.

ProLine Range

The ProLine Plugged Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of sizes.

PSP180

Cable Management & Plugged Cable



- □ Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storageProfessional accessory kit
- Plugged cable
- □ 340x365x360mm (WxLxH)

	(,		
8L Capacity	620W Motor		6.0KG Weight
Power 230V / AC 50/60Hz			
Power Cord 10.0m Cleaning Range 26.4m		ng Range 26.4m	
Suction H 0 2300mm		Kit AS	(see page 34)

PSP240



- Bumper for wall and door protectionHandy on-board tool storage
- Plugged cable
- 360x370x415mm (WxLxH)

9L Capacity	620W Motor		8.0KG Weight	
Power 230V / AC 50/60Hz				
Power Cord 10.0m		Cleani	ng Range 26.4m	
Suction H ₂ 0 2300mm		Kit AS	60 (see page 34)	

PSP370



□ 360x370x510mm (WxLxH)							
G t		15L Capacity	620W Motor		9.0KG Weight		
		Pov	ver 230V /	AC 50/60H	łz		
ŀm	Power Cord 10.0m			Cleanir	ng Range 26.4m		

PRP180



- Sustainably engineered from a minimum 45% recycled plastic, including accessories
- □ Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- Professional accessory kit

= 340x365x360mm	(WxLxH)			0		
8L Capacity	620		6.0KG Weight			
Power 230V / AC 50/60Hz						
Power Cord 10).0m	Cleani	ng Range 26.4m			
Suction H ₂ 0 230	00mm	Kit AS	73 (see page 34)			

PPR170*



- Easy replacement plugged cable systemBumper for wall and door protection
- Compact and convenientEmptying with no dust and no mess
- 360x370x390mm (Wxl xH)

7.2L Capacity	620W Motor		8.1KG Weight		
Power 230V / AC 50/60Hz					
Power Cord 12	2.5m	Cleani	ng Range 31.4m		
	_				

PPR170 HEPA*



- Easy replacement plugged cable systemBumper for wall and door protection
- Compact and convenientEmptying with no dust and no mess
- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency 360x370x390mm (Wxl xH)
- 8.3KG 7.2L 620W Capacity Motor Weight Power Cord 12.5m Cleaning Range 31.4m

*Note: Not standard UK model, please contact your Numatic representative for information.





- Bumper for wall and door protectionHandy on-board tool storage
- □ Plugged cable

J JOONG TONG TOTTITT (WALAIT)						
15L Capacity	620W Motor		9.0KG Weight			
Power 230V / AC 50/60Hz						
Power Cord 10.0m		Cleaning Range 26.4m				
Suction H ₂ 0 2300mm		Kit AS	60 (see page 34)			

PPR240/ PPR370

"Professional, tough and versatile workhorse full of innovative features."



Contractors' Choice

- Professional accessory kit
- Bumper for wall and door protection
 Long cleaning reach
- Emptying with no dust and no messPlugged cable rewind
- □ 360x370x415mm (WxLxH) PPR240
- □ 360x370x510mm (WxLxH) PPR370

0	Handy on-board to	ool storage dust and n				= 360x370x415m = 360x370x510m	nm (WxLxH) F		
	360x370x415mm 9.0L Capacity	620 Mo		9.0KG Weight		9L/15L Capacity 240/370	620W Motor	/	9.0/10.0I Weight 240/370
	Po	wer 230V /	AC 50/60	Hz			Power 230V /	AC	50/60Hz
	Power Cord 12.5m Cleaning		ng Range 31.8m		Power Cord 12.5m		Cleaning Range 31		
	Suction H ₂ 0 230	00mm	Kit N	S1 (see page 34)		Suction H ₂ 0 2	2300mm		Kit AS0 (see page

PPT220/ PPT390



- □ Convenient, lift-off storage caddy
- Telescopic handle for ease of transit and storage
 Large rear wheels for ease of use on stairways

- Plugged cable rewind
 355x355x615mm (WxLxH) PPT220
 355x355x655mm (WxLxH) PPT390

9L/15L Capacity 220/390	620W Motor	12.3/12.6KG Weight 220/390
1	Power 230V / /	AC 50/60Hz
Power Cord 12.5m		Cleaning Range 31.4m

Suction H₂0 2300mm Kit AS0 (see page 34) Kit **AS0** (see page 34)

Contractors' Choice

Carpets, hard-floors, cars, stairs, DIYBumper for wall and door protection

NRV240

Kit AS0 (see page 34)

Numado

NUMATIC QUICK NQ100



- Up to 120mins of powerful cordless cleaning
 1L pod capacity
 Advanced user comfort
 Interchangeable Lithium-lon battery
 Clean dirt disposal
 1 Year Warranty for Commercial use
 240x270x1220mm (WxLxH)


1L Capacity	300W Motor		3.2KG Weight
Power 25.2V		Runtime 120mins (60mins per battery)	
Charge Time 2hrs 30mins (per battery)			ccessories ee page 34)






Bigger Capacity
Compacts dust inside the pod for more capacity than most leading vacuums.

Visit: numatic.com/quick






POWERFUL CORDLESS DUST-FREE







1 & 2 Motorised Brush Head 3 Ergonomic Handle for Extra Comfort 4 Handy Tools

Sanitise Pro Sprayers



HIGH-PRESSURE MISTING **DISINFECTION SYSTEM**

The Sanitise Pro Sprayers deliver 99.999% efficiency in inactivating and destroying pathogens.

NSU370

High-performance pump and large capacity for extended users 360x370x510mm (WxLxH)						
5L Capacity	45 Mc	ot or	7.2KG Weight			
Max Pump Pressure 15Bar/217PSI						
Opti		/ Distance	1.0m			
Dro	oplet Size 6	65-75 M icro	ons			
Power Cord 10.0m Cleaning Range 12.0m						
Flow 150ml/ı			e Length 2.2m			



5L	6HRS		13.0KG
Capacity	Battery Life		Weight
Optimum Spray Distance /		Max Pump Pressure	
Max 1.0 / 2.0m		15Bar / 217PSI	
Droplet Size 60-70Microns		Tank Empty 31mins	
Flow 140ml/min		Ho	se Length 1.5m



99% effective in inactivating and destroying pathogens when using complete Sanitise Pro Syste on comprises NSU370 / RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution.

1 & 2 Precision High-Pressure Misting System 3 Stay Cleaning for Longer with 6hrs Runtime







Pro Cordless Wet Vacuum

CORDLESS, CLEAN, SAFE

Eliminate the risk of slips, trips and falls with no cable, perfect for cleaning up spills in high-traffic areas.

Numatile Ass

- Entrance Lobbies
- Washrooms & Toilets




WBV370NX




- Perfect for High-Traffic Areas
 All-Hours Cleaning
 1-Hour Fast Charge
 NX300 Pro Cordless Network
 Continuous 40 Minute Runtime

9L/15L Capacity Wet/Dry	4	HOOW Motor	9.3KG Weight		
Power L	ithiur	m Battery 36V	1		
Runtime 40mins	Runtime 40mins		Charge 1hr 80% / 2hrs 100%		
Max Airflow 49L/Sec	Max Airflow 49L/Sec		Max Pressure 145mBar		
Suction H ₂ 0 2200mm		Kit A11/8	5 (see page 35)		

- 1 ProFlo Wet Floor Tool
- 2 Easy Battery Change
- 3 Battery Level Indicator









Pro Cordless Network

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless increases productivity levels, saving time and money.

Visit: numatic.com/NX300



1hr 80% / 2hrs 100% 2.0KG 300Wh Up to 2500





NBV190NX





- Newly developed high-performance digital motor Part of NX300 Pro Cordless Network
 80mins runtime and 1 hour fast charge
- 340x340x340mm (Wxl xH)

8L Capacity		OW otor	7.7KG Weight
Power Lithium Battery 36V			
Runtime Hi 50 / Lo 80mins		Charge 1hr 80% / 2hrs 100%	
Suction H ₂ 0 1896mm		Kit AS	55 (see page 34)

NBV240NX



- Newly developed high-performance digital motor
- Part of NX300 Pro Cordless Network
- Bumper for wall and door protection

9L 350W 8.1KG Capacity Weight Power Lithium Battery 36V Runtime **Hi 50 / Lo 80mins** | Charge **1hr 80% / 2hrs 100%** Kit AS55 (see page 34)

PBT230NX

- Newly developed high-performance digital motor
- Part of NX300 Pro Cordless Network
 80mins runtime and 1 hour fast charge
- Convenient lift-off storage caddy
- Telescopic handle for ease of transit and storage 400x450x615mm (WxLxH)

9L Capacity		OW otor	10.5KG Weight	
Power Lithium Battery 36V				
Runtime Hi 50 / Lo	80mins	Charge 1h	r 80% / 2hrs 100%	
Suction H ₂ 0 1896mm		Kit AS55 (see page 34)		
1				

RSB150NX





- Newly developed, high-performance digital motor
 Part of NX300 Pro Cordless Network
- 80mins runtime and 1 hour fast charge User comfort with ergonomic harness
- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (HEPA Model Only)

= 330x330x570mm (WxLxH)							
5L 350W 8.2/8.6KG Capacity Motor Weight 150NX/150NXH							
Power Lithium Battery 36V							
Runtime Hi 50 / Lo 80mins Charge 1hr 80% / 2hrs 100%							
Suction H ₂ 0 1896mm		Kit AAT30E (see page 35)					

Why use NX300 Pro Cordless Network?

















Energy Cost

Cleaning

Note: Higher ambient temperatures may increase charge time.

Mains Cable Backpacks

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.









Available as a standard or HEPA model

- 1 Breathable Mesh Panel
- 2 Integrated Hand Control
- 3 Adjustable Cushioned Shoulder Straps

RSV150



RSV150 HEPA



Increase Cleaning Productivity

- Compact, comfortable and convenient design
- Generous 5L capacity
- Extra-long 15.0m cable
- User comfort with ergonomic harness
- Emptying with no dust and no mess
 Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only) a 330x330x570mm (WxLxH)

5L Capacity	620W Motor				7.4/7.8KG Weight 150/150H
	Power 230V /	AC	50/60Hz		
Power Cord 15.0m		Cleaning Range 36.4m			
Suction H ₂ 0 2300mm		n H ₂ 0 2300mm Kit AAT			

Steel Tops

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.



NQS250 / NQS250B All-steel construction, tough and hard-wearing

Blower facility and diffuser attachment (NQS250B)

Quick and easy cable replacement

Suction H₂0 2350mm

9L 780W 10.0KG

Capacity Power Cord 10.0m Cleaning Range 26.4m

Kit AS0 (see page 34)

NVQ240



- Heavy-duty, all-steel power head
- Quick and easy cable replacement
- g 360x370x415mm (Wxl xH)

9L Capacity		OW otor	9.65KG Weight
Pow	/er 230V /	AC 50/60	Hz
Power Cord 10.0m		Cleanir	ng Range 26.4m
Suction H ₂ 0 2350mm		Kit AS	0 (see page 34)

NVQ370



- Quick and easy cable replacement
- g 355x355x485mm (Wxl xH)

15L Capacity	780W Motor		10.0KG Weight
Por	wer 230V /	AC 50/60	Hz
Power Cord 10.0m		Cleanir	ng Range 26.4m

NVQ380



- Heavy-duty, all-steel power head
- Tough Structofoam construction
 Quick and easy cable replacement
- Plugged cable
- g 355x355x485mm (Wxl xH)

15L Capacity		DW otor	11.35KG Weight		
Power 230V / AC 50/60 Hz					
Power Cord 10	.0m	Clean	ing Range 26.4m		
0 " 110 005		100	20/		

MicroLine

CRQ370



- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- Quick and easy cable replacement Emptying with no dust and no mess
- Plugged cable rewind
 355x355x465mm (WxLxH)

12L

Capacity	IVIOLOI	vveignit		
Powe	r 230V / AC 50/60	Hz		
Power Cord 12.5	m Cleanir	Cleaning Range 31.4m		
Suction H.O 2300n	nm Kit AS	(see nage 34)		

620W

10.0KG



- □ Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- Advanced 5-Stage filtration system Quick and easy cable replacement
 Conforms to ISO 14644-1 Class 5 classification
- Emptying with no dust and no mes
 355x355x485mm (WxLxH)

ì	10L Capacity	960W Motor	11.5KG Weight		
	Pow	ver 230V / AC 50/60	/ AC 50/60 Hz		
	Power Cord 10.	.0m Cleani	Cleaning Range 26.4m		
	Suction H 0 2200	Omm Kit A	1 (ann page 24)		

High-efficiency 5-stage pre and post-motor HEPA13 filtration conforming to ISO 14644-1 Class 5 cleanroom classification.

ADVANCED FILTRATION



mumatic.com +44 (0)1460 68600 25

Aircraft Line

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.

RSAV130

- User comfort with ergonomically designed harness
- High-efficiency filtration

250x360x440mm (WxLxH)				
6L Capacity	960W Motor		7.37KG Weight	
Power 110V / AC 400Hz				
Power Cord 18.2m		Cleanir	ng Range 43.2m	
Suction H ₂ 0 2400mm		Kit A30A (see page 35)		





1 High-efficiency Hard Floor Tool 2 Easily Remove Bags and Filters

AVQ250



- All-steel construction, tough and hard-wearing
 Patented MicroTec noise reduction system
- Aircraft specification
- 40x340x395mm (Wxl xH)

9L Capacity	960W Motor		10.62KG Weight	
Po	wer 110V	/ AC 400	Hz	
Power Cord 18.2m		Cleaning Range 43.2m		
Suction H ₂ 0 250 0	0mm	Kit A	S4 (see page 34)	

AVQ380



- Heavy-duty, all-steel power headPatented MicroTec noise reduction system
- Aircraft specification
- g 355x355x485mm (Wxl xH)

	15L Capacity	96 0	DW otor	11.82KG Weight
	Po	łz		
	Power Cord 18.2m		Cleanin	ig Range 43.2mm
	Suction H ₂ 0 250	0mm	Kit A S	S4 (see page 34)

Dry Big Capacity Vacuums

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

"The NVQs are ideal for numerous trades where they must frequently be moved from one place to another, while still requiring a large and generous working capacity."

NVQ570/ NVDQ570



- Tough Structofoam construction
- Directional castors for ease of transit Quick and easy cable replacement
 415x415x645mm (WxLxH)

23L Capacity	960W Motor (NVQ		960Wx2 Motor (NVDQ)	
P	ower 230V /	AC 50/6	60 Hz	
Weight 16.5kg	(NVQ)	Weight 18.7kg (NVDQ)		
Power Cord 10.0m		Cleaning Range 26.8m		
Suction H₂0 23	300mm	Kit	BS2 (see page 35)	





- Pull handle for ease of transit Large rear wheels provide excellent mobility
- 490x800x880mm (Wxl xH)

40L Capacity	960W Motor (NVQ)		960Wx2 Motor (NVDQ)
P			/60 Hz
Weight 25.2kg	(NVQ)	Weight 27.7kg (NVDQ)	
Power Cord	10.0m	Cleaning Range 26.8m	
Suction H ₂ 0 23	on H ₂ 0 2300mm		3S2 (see page 35)






1 Large Rear Wheels for Excellent Mobility 2 High-efficiency ProFlo Dry Floor Tool

STRUCTOFOAM Cellular structure provides strength and flexibility

- Incredibly tough and long-lasting
- Hard-wearing and chemical-resistant
- Exceptional strength-to-weight ratio
- Lightweight and ergonomic structure



Wet or Dry Vacuums

Professional power and performance in either mode.

- Ready for Wet or Dry
- Built to Last
- Powerful & Professional Performance

WV370



- Wet or dryCompact and easy to store
- Lightweight with easy carry handle
 Convenient emptying
- 360x370x510mm (WxLxH)

15L Capacity Dry	9 Capac	L city Wet	1000W Motor
Power 230V / AC 5	60/60Hz	W	eight 9.0kg
Power Cord 10.0m		Cleanir	ng Range 26.8m



- Wet or dryCompact and capable
- Convenient folding transit handle
 Large rear wheels for ease of movement
- 360x370x710mm (WxLxH)

Wet	1000W Motor		27L Capacity Dry	_	OL city Wet	1000W Motor	
Weight 9.0kg			Power 230V / AC 50/60Hz		Weight 9.6kg		
Cleanin	ng Range 26.8m	e 26.8m Power Cord		.0m	Cleanir	ng Range 26.8m	
Kit A11 (see page 35)		Suction H ₂ 0 2400mm		Kit A1	1 (see page 35)		

WV570/ **WVD570**




- Wet or dry
- Easy emptyingHeavy-duty Structofoam construction
- Convenient cable replacement system 415x415x645mm (WxLxH)

		,		
	23L/15L Capacity Dry/Wet			1000Wx2 Motor (WVD)
	Power	230V /	AC 50/60)Hz
	Weight 16.3kg (W	Weig	ht 18.5kg (WVD)	
	Power Cord 10.0n	1	Clean	ing Range 26.8m
	Suction H ₂ 0 2400m	m	Kit B	S8 (see page 35)

WV900 / **WVD900**

- Wet or dryEasy empty tip handle
- Heavy-duty Structofoam construction
 Convenient cable replacement system
- 490x800x880mm (WxLxH)

40L/32L Capacity Dry/Wet			1000Wx2 Motor (WVD)
Power 230V / AC 50/60Hz)Hz	
Weight 25.2kg (WV)		Weig	ht 28.0kg (WVD)
Power Cord 10.0m		Cleaning Range 26.8m	
Suction H ₂ 0 2400mm		Kit B	S8 (see page 35)



Wet Vacuums

Enhanced with increased efficiency in wet pick-up.

- Unrivalled Performance
- Huge Capacity
- Easy, Clean & Safe Emptying







- Easy emptying with rear dump hose
 Heavy-duty Structofoam construction
- Rear Auto Pump for continuous water extraction
- (AP model only) Convenient cable replacement system

	U 004X700X90011111 (WXLXII)			
	70L Capacity	1000W Motor (WV)		1000Wx2 Motor (WVD)
ŀ	Power 230V / A	C 50/60Hz	Weigh	t 31.5kg (WV1800DH)
	Weight 34.0kg (W	/VD1800DH)	Weight	40.4kg (WVD1800AF
	Power Cord	10.0m	Clea	aning Range 26.8m
i	Suction H ₂ 0 2	400mm	Kit	BS7 (see page 35)

WVD2000DH / WVD2000AP



- Wet use only
- Bobust steel chassis for ease of transit
- Easy emptying with rear dump hose
 Heavy-duty Structofoam head construction
- Convenient cable replacement system
 Rear Auto Pump for continuous water extraction
- (AP model only)

 640x530x970mm (WxLxH)

70L Capacity	1000Wx2 Motor
Power 230V /	AC 50/60Hz
Weight 28.9kg (WVD2000DH)	Weight 36.4kg (WVD2000AP)
Power Cord 10.0m	Cleaning Range 26.8m
Suction H ₂ 0 2400mm	Kit BS7 (see page 35)

- 1 Auto Pump for Continuous Water Extraction
- 2 High-efficiency ProFlo Wet Floor Tool



mumatic.com +44 (0)1460 68600 29

Wet & Dry Vacuums

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.

Effortlessly switch from dry to wet with no hassle.

- Wet & Dry System
- High-efficiency
- A Tool for Every Job










- Wet and dry pick-up
- Washable lifer system
 Heavy-duty Structofoam construction
 415x415x645mm (WxLxH)

13L Capacity	1000W Motor (CV)		1000Wx2 Motor (CVD)
Power 230V /		AC 50/	60Hz
Weight 16.3kg (CV)		We	eight 18.5kg (CVD)
Power Cord 10.0m		Clea	aning Range 26.8m



- Wet and dry pick-upWashable filter systemHeavy-duty Structofoam construction
- Convenient emptying
 490x800x880mm (WxLxH)

30L Capacity	1000 Motor (1000Wx2 Motor (CVD)
P	Power 230V /		60Hz
Weight 25.2kg	Weight 25.2kg (CV)		eight 27.7kg (CVD)
Power Cord 1	Power Cord 10.0m		aning Range 26.8m
Suction H ₂ 0 2400mm		Kit	BS8 (see page 35)



- 1 Dry Floor Tool Pick-up
- 2 Clean, Dry Floors Again and Again
- 3 Colonic Wet and Dry System
- 4 Easy Emptying





Tipping Handle for Easy Emptying

Carpet Extraction Vacuums

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

CT370



- Wet, spray extraction carpet cleaning. upholstery cleaning and car valeting
- Compact and easy to store
- 360x370x510mm (WxLxH)

15L Capacity Dry	9L Capacity Wet		1000W Motor	
Power 230V / AC 5	ower 230V / AC 50/60Hz		Weight 11.23kg	
Power Cord 10.0m		Cleanir	ng Range 26.8m	

Kit **A40A** (see page 35)





- Wet, spray extraction carpet cleaning
- upholstery cleaning and car valeting

 Compact and easy to store

 Large rear wheels and folding handle for ease of transit
- 360x370x710mm (WxLxH)

27L Capacity Dry	20L Capacity Wet		1000W Motor
Power 230V / AC 5			eight 14.4kg
Power Cord 10	.0m	Cleaning Range 26.8n	
Suction H ₂ 0 240	0mm	Kit A40	A (see page 35)



Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.

1 Upholstery Extraction Tool 2 Fishtail Extraction Tool 3 Convenient Carry Handle









Carpet Extraction Vacuums

The CleanTec range provides powerful cleaning results with tough construction, huge capacity and long-life TwinFlo bypass motors so it is easy to store, always on hand and ready for anything.

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

CT570 / **CTD570**



- upholstery cleaning and car valeting

 Heavy-duty Structofoam construction
- Convenient cable replacement system
 A45:445:0645-rape AAA ad II)

415X415X645MM (WXLXH)			
23L/15L Capacity Dry/Wet			1000Wx2 Motor (CTD)
Power 230V / AC 50/60Hz)Hz	
Weight 18.98kg (CT)		Weig	ht 20.0kg (CTD)
Power Cord 10.0m		Clean	ing Range 26.8m
Suction H ₂ 0 2400m	m	Kit A4	11A (see page 35)



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- Easy emptying with tip handle
- Heavy-duty Structofoam construction
 490x800x880mm (Wxl xH)

Suction H₂0 2400mm

	1 490X000X000IIIII (VV)	KLXIII)		
	40L/32L Capacity Dry/Wet	1000W Motor (CT)		1000Wx2 Motor (CTD)
	Power	230V /	AC 50/60)Hz
	Weight 25.28kg (CT)		Weight 27.78kg (CTD)	
Power Cord 10 0m		Clean	ing Range 26 8m	

Kit A41A (see page 35)



"The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle."

> 1 Ideal for Car Valeting 2 Upholstery Extraction Tool



TRIJET CARPET CLEANING

- Uniform fluid distribution
- Easy pull-back movement
- construction



- Carpet cleaning and upholstery / spot cleaning tools
 Uniform fluid distribution with TriJet carpet extraction
- □ Hi-Lo system for pressure when you need it
 □ 435x425x725mm (WxLxH)

15L Capacity	1000W Motor		35.0KG Weight
Power 230V / AC 50/60Hz		Hz	
Power Cord 10.0m		Clean	ing Range 26.8m

Kit **BS27** (see page 35)





1 & 2 High-performance, TriJet Carpet Extraction Tool 3 Upholstery and Spot Cleaning Extraction Tool











CleanCare Kits

Dry Kits



Stainless Steel Extension Tube (x2)
Stainless Steel Tube Bend with NPC Volume Control
2.2m FloMax Conical Hose
280mm ProFlo Combination Floor Tool
Double Taper Hose / Tool Adaptor
240mm Crevice Tool
65mm Dusting Tool
150mm Upholstery Tool
150mm Slide-on Brush for Upholstery Tool

KIT NS1 - 607365 601008 601142

601144

601008	Stainless Steel Extension Tube (x2)
601027	Stainless Steel Bend with (Black) Volume Control
601107	1.9m NuFlex Threaded Hose
902070	300mm Combination Floor Tool
601142	240mm Crevice Tool
601144	65mm Soft Dusting Brush

KIT A1 - 607301



601052	Stainless Steel Tube Bend with NPC Volume Contro
915907	2.2m Parallel Hose
902071	300mm Combination Floor Tool
601141	Double Taper Hose / Tool Adaptor
601142	240mm Crevice Tool
601144	65mm Soft Dusting Brush
601145	150mm Upholstery Tool
601146	150mm Slide-on Brush for Upholstery Tool

Specialised Kits



914979	1.2m NuFlex RSAV Threaded Hose
601008	Stainless Steel Extension Tube (x2)
601052	Stainless Steel Tube Bend with NPC Volume Control
902071	300mm Combination Floor Tool
601141	Double Taper Hose / Tool Adaptor
601144	65mm Soft Dusting Brush
	•

KIT AAT30E - 915883

		602102	2 2.4m NuFlex Threaded Hos
914980	1.2m RSB / RSV150 Hose	602931	Aluminium Tube Bend
915195	Aluminium Tube Bend with NPC Volume Control	602920	Aluminium Extension Tube (
914759	Aluminium Telescopic Wand	602384	400mm ProFlo Brush / Rub
902923	270mm ProFlo Combination Floor Tool	601144	65mm Soft Dusting Brush
601141	Double Taper Hose / Tool Adaptor	602159	38/32mm Adaptor
601144	65mm Soft Dusting Brush	602160	305mm ABS Crevice Tool



NUMATIC QUICK BOXED ACCESSORIES

915242	UK Plug and Cable	915170	9153	352	0	915351
915243	EURO Plug and Cable	450		// A	915	356
915170	Quick Battery	1		0.19		200
915351	Wall Mount			-37		
915353	Extension Handle	915358	-	•	-	1
914744	Floor Tool	-			Pode 6	1
915352	Crevice & Combi Tool Pack	Ann.	4	15	400	~ 4
915358	Brush Bar	915527	915243		2 88	~//
915527	Mini Motorised Tool	910021	313240	90	2	A-1556
915356	Wand	GAR.	91524	2 1		
915632	Handheld Unit			4	914592	914744
914592	Quick Pods (Pack of 10 UK)	1		7	- 0	(Proper
914593	Vanilla Scent Pods (Pack of 10)		,	w /		
915350	Passion Fruit Scent Pods (Pack of 10)	915357	Scent Pods	-	-	
915674	Rose Scent Pods (Pack of 10)		00	-		11-11
915357	Scent Pod Cap		0	915353		915632





Wet Kits



915907	2.2m Parallel Hose
601027	Stainless Steel Bend with (Black) Volume Control
601008	Stainless Steel Extension Tube (x2)
900954	300mm MultiFlo Wet Pick-up Tool
900918	300mm MultiFlo Dry Brush Tool

KIT BS7 - 607249



602102	2.4m NuFlex Threaded Hose
602919	Stainless Steel Tube Bend
602920	Stainless Steel Extension Tube (x2)
602380	400mm ProFlo Wet Pick-up Floor Tool

KIT BS8 - 607241

602102	2.4m NuFlex Threaded Hose
602919	Stainless Steel Tube Bend
602920	Stainless Steel Extension Tube (x2)
602380	400mm ProFlo Wet Pick-up Floor Tool
602381	400mm ProFlo Dry Pick-up Floor Tool

NX300

915753 S.AFRICA 915754 JPN

Specialised Kits

NX300 ACCESSORIES



NX300 Dual

KIT AS55 - 916028



	601145
914413	2.0m Parallel Hose
601008	Stainless Steel Extension Tube (x2)
601052	Stainless Steel Tube Bend with NPC Volume Control
912358	280mm ProFlo Combination Floor Tool
601141	Double Taper Hose / Tool Adaptor
601142	240mm Crevice Tool
601144	65mm Soft Dusting Brush
601145	150mm Upholstery Tool
601146	150mm Slide-on Brush for Upholstery Tool

KIT AS4 - 900961



601008	Stainless Steel Extension Tube (x2)	
601052	Stainless Steel Tube Bend with NPC Volume Control	
914411	2.2m FloMax Conical Hose	
601430	290mm FreeFlo Floor Tool	
601141	Double Taper Hose / Tool Adaptor	
601142	240mm Crevice Tool	
601144	65mm Dusting Tool	
601145	150mm Upholstery Tool	
601146	150mm Slide-on Brush for Upholstery Tool	

Extraction Kits

KIT A40A - 607147



4.0m CleanTec Extraction Hose
Stainless Steel Extraction Trigger Bend Tube
Stainless Steel Lower Tool Extraction Tube
Stainless Steel Extension Tube
275mm Fishtail Extraction Tool
100mm Upholstery Extraction Tool
CleanTec Trigger Valve and Spray Tube

KIT A41A - 607148



601399	4.0m CleanTec Extraction Hose
601009	Stainless Steel Extraction Trigger Bend Tube
601006	Stainless Steel Lower Tool Extraction Tube
601008	Stainless Steel Extension Tube
601423	275mm Aluminium Extraction Tool
601225	100mm Upholstery Extraction Tool
601968	CleanTec Trigger Valve and Spray Tube
	•

KIT BS27 - 607248



602399	4.0m Clean lec Extraction Hose
602922	Stainless Steel Extraction Tube Bend
602920	Stainless Steel Extension Tube (x2)
602937	145mm Stainless Steel Extension Tube
602200	CleanTec TriJet Extraction Floor Tool
602300	CleanTec TriJet Trigger and Solution Tube
602225	100mm Upholstery Extraction Tool

ProCare

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

ProCare Contents

NuTec Industrial	38
Anti-Static	38
Dustcare	38
M-Class	39
TradeLine	39
H-Class	40-41
ProCare Kits	42









NuTec Industrial

NTD750



- □ TwinFlo 2-motor Structofoam power head Industrial vacuum suitable for many applications including; boiler cleaning, floor cleaning, metalworking dirt, dust or debris, and more
- 510x510x960mm (WxLxH)

HAS750

CLASS

35L Capacity	1000Wx2 Motor		20.8KG Weight		
Power 230V / AC 50/60Hz					
Power Cord 10.0m		Cleanir	ng Range 26.8m		
Suction H ₂ 0 2400mm		Kit BS	5 (see page 42)		

NTD2003



- □ Big capacity machine with TwinFlo 2-motor Structofoam power head
- Stainless Steel container with heavy-duty chassis 560x660x1145mm (WxLxH)

60L Capacity	1000Wx2 Motor		33.0KG Weight		
Power 230V / AC 50/60Hz					
Power Cord 10.0m		Cleaning Range 26.8m			
Suction H.O 2400mm		Kit BS	5 (see nage 42)		

NTT2003



- □ Triplex power head in all-steel construction Mounted on an all-steel heavy-duty chassis,

casily acriticalities for criptying
560x660x1075mm (WxLxH)

60L Capacity	1000Wx3 Motor		36.0KG Weight
Po	z		
Power Cord 10	0.0m	Cleaning	g Range 26.8m
Suction H ₂ 0 2400mm		Kit BS5	s (see page 42)

M-Class



- □ M-Class Compliant IEC/EN 60335-2-69 High-efficiency internal AirFlo system with Low flo
- and bag full indicator TriTex filtration and HepaFlo filter bag
- Plugged easy cable replacement system
- Optional Auto Operation Power Outlet Socket
- 415x415x780mm (WxLxH)

23L Capacity	620W Motor (MES)		620Wx2 Motor (MED)
Power Outlet Socke (MES570A/ME		Weight 19.2/20.8kg (MES/MED)	
Power 230V / AC 50/60Hz		Weight 19.3/20.9kg (MES(A)/MED(A)	
Power Cord 10.0m		Cleaning Range 30.0m	
Suction H ₂ 0 2300mm		Kit BS	35 (see page 42)



- □ M-Class Compliant IEC/EN 60335-2-69 High-efficiency internal AirFlo system with
- Low flo and bag full indicator

 TriTex filtration and HepaFlo filter bag
- Plugged easy cable replacement system Optional Auto Operation Power Outlet Socket

40L Capacity	620W Motor (MES)		620Wx2 Motor (MED)
Power Outlet Socket Optional (MES900A/MED900A)		Weight 25.1/27.6kg (MES/MED)	
Power 230V / AC 50/60Hz		_	nt 25.2/27.7kg ES(A)/MED(A)
Power Cord 10.0m		Cleaning Range 30.0m	
Suction H ₂ 0 2300mm		Kit BS	5 (see page 42)

L-CLASS H-CLASS

What type of vacuum extractor do you need?



General dust. mixed dust, gypsum



Soft / hardwood, silica, masonry, paint, plastic,



Asbestos

For guidance only. Find out more at www.hse.gov.uk/constructio

TradeLine

Compact, tough and highly mobile, the TradeLine vacuum combines a specialist on tool extractor with a big clean-up machine to cover almost any application.

TEL390S



- □ L-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.9m hose I arge rear wheels for ease of transit
- 400x450x600mm (Wxl xH)

18L Capacity		OW otor	10.8KG Weight
Pov	wer 230V /	AC 50/60I	-lz
Power Cord 10	.0m	Cleanir	ng Range 28.0m
Suction H ₂ 0 230	0mm	Kit AS	10 (see page 42)

TEM390A



- □ M-Class Compliant IEC/EN 60335-2-69 Huge cleaning reach, with 10m cable and 2.9m hose
- Large rear wheels and extending pull handle for ease of transit 2200W Automatic power take-off
- 400x450x1010mm (Wxl xH)
- 14.3KG 18L 620W Capacity Motor Weight Power 230V / AC 50/60Hz Power Cord 10.0m Cleaning Range 28.0m





1 Specialist FreeFlo Tool for Hard Floors 2 Long 10m Cable



Capacity Weight Power 230V / AC 50/60Hz Power Cord 8.5m Cleaning Range 25.6m

Full anti-static specification in machine and accessories

The non-conductive specification continually discharges

960W

23.0KG

the static build up during use 510x510x960mm (WxLxH)

35L

NES570/A / **NED570/A**

Anti-Static Dustcare



- Ontional Auto Operation Power Outlet Socket
- Low flow and bag full indicator
- High-efficiency internal AirFlo system

Suction H₂0 2300mm

	,		
23L Capacity	620W Motor (NES)		620Wx2 Motor (NED)
Power Outlet	Socket Optio	onal (NES5	70A/NED570A)
Power 230V / AC 50/60Hz		Weight 18/20kg (NES/NED)	
Power Cord 10.0m		Cleani	ng Range 26.8m

Kit BS5 (see page 42)

NES900/A / NED900/A



- Ontional Auto Operation Power Outlet Socket
- Low flow and bag full indicator High-efficiency internal AirFlo system

40L Capacity	620W Motor (NES)		Motor (NED)	
Power Outlet S	Socket Optional (NES900A/NED900A)			
Power 230V / AC	/er 230V / AC 50/60Hz		7/29kg (NES/NED)	
Power Cord 10.0m		Cleanir	ng Range 26.8m	
Suction H ₂ 0 2300mm		Kit BS	5 (see page 42)	
'		'		

H-Class

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous dusts and materials, including asbestos.

HZC CARTRIDGE

All dust is safely contained within a sealed, HEPA13 filter cartridge, so you can breathe easy.

Watch the full video at: numatic.co.uk



HZ370




- □ H-Class Compliant IEC/EN 60335-2-69
- TriTex filtration and HepaFlo filter bags
- Compact and ready to go
- Powerful, long-life 960W motor
 355x355x570mm (WxLxH)

	15L Capacity	960W Motor		11.0KG Weight		
	Po	wer 230V	AC 50/60H	z		
	Power Cord 10.0m		Cleaning	g Range 26.0m		
			Kit AA1	8 (see page 42)		



- □ H-Class Compliant IEC/EN 60335-2-69
 □ TriTex filtration and HepaFlo filter bags
- Compact and ready to go
- Large rear wheels and pull handle
- HZ390S 400x450x600mm (WxLxH)
 HZ390L 400x450x1010mm (WxLxH)

18L Capacity	960W Motor	-	1.2KG Weight (S)	12.6KG Weight (L)		
Power 230V / AC 50/60Hz						
Power Cord 10.0m			Cleaning F	Range 26.0m		
Suction H ₂ 0 2500mm		Kit AA18	see page 42)			







HZD570

HZ570 /



- □ H-Class Compliant IEC/EN 60335-2-69
- All-steel head construction
 Plugged easy cable replacement system
- п 415х415х746mm (Wxl хH)

23L Capacity	960W Motor (HZ)		960Wx2 Motor (HZD)	
Power 230V / AC	Power 230V / AC 50/60Hz		Weight 18/20kg (HZ/HZD)	
Power Cord 10.0m		Sucti	on H ₂ 0 2500mm	
Cleaning Range (HZ) 26.0m		Cleaning	Range (HZD) 26.8m	
Kit AA19 (HZ) (see page 44)		Kit BB19	(HZD) (see page 42)	



- □ H-Class Compliant IEC/EN 60335-2-69 All-steel head constructionPlugged easy cable replacement system
- g 490x800x880mm (Wxl xH)

ı	40L	960)W	960WX2
	Capacity	Motor (HZ)		Motor (HZD)
	Power 230V / AC 50/60Hz		Weight 28/30kg (HZ/HZD)	
Power Cord 10.0m		Suction H ₂ 0 2500mm		
	Cleaning Range (HZ) 26.0m		Cleaning Range (HZD) 26.8m	
	Kit AA20 (HZ) (see page 44)		Kit BB20 (HZD) (see page 42)	



1 Easy, Clean and Safe Emptying 2 All-terrain Large Rear Wheels 3 Stainless Steel Gulper / Scraper Tool 4 Transit Safety Cap

Designed, engineered and built with the tradesman in mind, the HZC390 offers a safe and convenient solution for those whose work brings them into infrequent contact with hazardous dusts and materials.





Heavy-duty power head.

HZC Disposable Cartridge

HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

Robust Drum

Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

HZC390S / HZC390L

- □ H-Class Compliant IEC/EN 60335-2-69
- Disposable filter cartridge
- Quick, simple and safe emptying
- Compact and ready to go
 HZ390S 400x450x600mm (WxLxH)
 HZ390L 400x450x1010mm (WxLxH)

13L Capacity	1000W Motor	12.2KG Weight (S)	13.0KG Weight (L)
Power 230V		/ / AC 50/60Hz	
Power Cord 10.0m		Cleaning Range 26.0m	
Suction H ₂ 0 2500mm		Kit AA16 (s	see page 42)



HZC DISPOSABLE CARTRIDGE



- □ HEPA H13 Filter Conforms to EN1822
 □ Fits all HZC machines
 □ 345x321x283mm (WxLxH)

13L Capacity 1.75KG Weight



mumatic.com +44 (0)1460 68600 41

ProCare Kits



استورتنا	900918 601146				
601008	08 Stainless Steel Extension Tube (x2)				
601052	Stainless Steel Tube Bend with NPC Volume Control				
914762	2.8m NuFlex Threaded Hose				
900918	300mm MultiFlo Dry Brush Tool				
601430	290mm FreeFlo Floor Tool				
601141	Double Taper Hose / Tool Adaptor				
601142	240mm Crevice Tool				
601144	65mm Soft Dusting Brush				
601145	150mm Upholstery Tool				
601146	150mm Slide-on Brush for Upholstery Tool				
601176	Multi Size Power Tool Adaptor				

KIT AA16 - 909539



915907	2.2m Parallel Hose	
601142	240mm Crevice Tool	
602161	152mm Rubber Brush with Soft Bristles	
602159	38 / 32mm Adaptor	
601144	65mm Soft Dusting Brush	
601141	Double Taper Hose / Tool Adaptor	
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)	

KIT AA18 - 902756



915907	2.2m Parallel Hose	
601142	240mm Crevice Tool	
602161	152mm Rubber Brush with Soft Bristles	
602159	38 / 32mm Adaptor	
601144	65mm Soft Dusting Brush	
601141	Double Taper Hose / Tool Adaptor	
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)	
908229	Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey	

KIT AA19 - 902757 / AA20 - 902758



915907	2.2m Parallel Hose (AA19 HZ570)	
601101	2.4m NuFlex Threaded Hose (AA20 HZ900)	
604017	10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570)	
604019	10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900)	
601142	240mm Crevice Tool	
602161	152mm Rubber Brush with Soft Bristles	
602159	38 / 32mm Adaptor	
601144	65mm Soft Dusting Brush	
908229	Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey	
601141	Double Taper Hose / Tool Adaptor	
601917	280mm Stainless Steel Gulper / Scraper Tool (32mm)	
604116	Primary PermaTex Filter for 356mm Machine	

KIT BB19 - 607349 / BB20 - 607350




602102 2.4m NuFlex Threaded Hose		2.4m NuFlex Threaded Hose
	604017	10 x (NVM-3BH) HepaFlo Dust Bags (BB19 HZD570)
	604019	10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900)
	602161 152mm Rubber Brush with Soft Bristles	
	604144	65mm Soft Dusting Brush
	908229 Roll of 10 x 120L Waste Bags (700mm x 1100mm)	
	602160 305mm ABS Crevice Tool	
	602923 280mm Stainless Steel Gulper / Scraper Tool (38mr	
	602159	38 / 32mm Adaptor

KIT BS5 - 607335

KIT HAS - 607661



602929 602929 602919			
602125	604019 908229 602112		
602111	2.6m ATX Hose		
602112	ATX 400mm Widetrack Brush Tool		
602919	Stainless Steel Tube Bend		
602929	ATX Stainless Steel Extension Tube (x2)		
909185	Conductive Dusting Brush		
602125	ATX 130mm Conductive Rubber Gulper Tool		
604019	10 x (NVB-4BH) HepaFlo Dust Bags		
602923	280mm Stainless Steel Gulper / Scraper Tool		
908229	Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey		



FloorCare

Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments.

FloorCare Contents

Hurricane / NuSpeed Range	46-47
TwinTec Mains Range	48
Nu-Assist	49
NX300 FloorCare Range	50-53
NX1K Lithium Range	54-57
Brushes & Pad Drives	58-59
FloorCare Accessories	60-61











Lightweight

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

Polishing

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood.

Scrubbing

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

Burnishing

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

General Purpose

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood.

Heavy-Duty Scrubbing

Specialist scrubbing machine with extra weight for heavy-duty situations.

Please note information provided is for guidance only, please consult manufacturers guidance before use. *Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof.

Hurricane Range



- Fully adjustable handle Optional solution tankOptional 10kg weight

450MM Deck Size	1500W Motor		32.0KG Weight	
Power 230V / AC 50/60Hz - 1515G / 1523G / 1530G				
Power 230V / AC 50Hz - 1545G				
Vacuum Dry - Optional		Cleanin	Cleaning Range 32.0m	
Brush Size 450mm		Pad Size 400mm		
Brush Speed RDM				

1515G - **150** | 1523G - **230** | 1530G - **300** | 1545G - **450**





560x740x1260mm (WxLxH) 500MM 1500W 35.0KG Weight Deck Size Power 230V / AC 50Hz Cleaning Range 32.0m Pad Size 500mm Pad Pressure - Variable Brush Speed 1500rpm Vacuum Dry - Optional





- Folds flat for easy storage
- Full range of brushes and pads
- 330x540x1145mm (WxLxH)

330MM Deck Size		OW otor	18.0KG Weight
Power 230V / AC	50Hz	Cleanir	ng Range 32.0m
Tank Capacity 4.0L		Brush	Speed 200rpm
Brush Size 330mm		Pad Size 330mm	



The TwinTec 1840 Mains Cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.

TT1840G

- □ Performance of a bigger machine
- Clean, dry and safe floorsEasy brush or pad change
- User-friendly controls
 Fully adjustable handle
 520x880x1132mm (WxL)

b 520x000x1152Hill (WXLXH)				
18L Tank Capacity			38.5KG Weight	
F	Power 230V / AC 50Hz			
Deck Size 400mm		Cleanin	g Range 42.0m	
Brush Size 400mm		Pad Size 360mm		
Vac Motor 300W		Brush	Speed 150rpm	





Sustainable Cleaning

The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm or 550mm scrub width.







TT4045G



- Simple controls
- Fully adjustable handle
 Tilting deck for easy brush / pad change

40L Tank Capacity	1500W Brush Motor		67.0KG Weight
F	Power 230V	/ AC 50Hz	2
Deck Size 450mm		Cleanir	ng Range 42.0m
Brush Size 450mm		Pad Size 400mm	

TT4055G



- Simple controls
- Fully adjustable handle
 Tilting deck for easy brush / pad change
 560x935x1100mm (WxLxH)

i	40L Tank Capacity		OW Motor	68.0KG Weight
	F	ower 230V	/ AC 50Hz	
	Deck Size 550mm		Cleaning	g Range 42.0m
	Brush Size 550mm		Pad S	Size 500mm
	Vac Motor 1200W		Brush S	Speed 150rpm

- Fully Adjustable Handle
- 2 Tilting Deck for Easy Brush Change and Storage

No.Assist

Training & Support Around the Clock

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.

- □ 24/7 Access to Multilingual Training
- On hand Troubleshooting and Maintenance
- Increased Cleaning Productivity
- □ Product Training

How it works

- 1. Scan the QR Code on Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- **5.** Complete Operation Training
















NX300 FloorCare Range

Power the Entire Fleet with NX300 Pro Cordless Network.

The NX300 Pro Cordless Network provides the opportunity of continuous cleaning through hot-swapping batteries across a versatile and expanding range.

- Enhanced Energy Storage
- One Fits All Productivity
- Cost Effective
- 1-Hour Fast Charge
- NX300 Pro Cordless Network





1 TTB1840NX Battery Replacement 2 TTB3045NX Battery Replacement

NEW 244NX-R



- □ 80mins runtime
- 1 hour fast charge
- One-pass performanceCentrifugal water delivery
- Sustainably engineered from a minimum 20% recycled plastic, including accessories
- Part of NX300 Pro Cordless Network
- □ 520x450x1180mm (WxLxH)

2.2L	3L	1	00W	140RPM
Tank	Recovery		Vac	Brush
Capacity	Tank		Motor	Speed
Power 36V		Brush	Motor 2x200W	
F	Recharge Time 1hi			s 100%
Deck Size 440mm		Runtim	e Up to 80mins	
Brush/Pad Size 2x220mm		Net \	Weight 21.3kg	
'			'	

NEW TTB1840NX-R



- □ 60mins runtime
- 1 hour fast chargeClean, dry, safe and streak-free floors
- Centrifugal water delivery
 Sustainably engineered from a minimum
- 45% recycled plastic, including accessories Part of the NX300 Pro Cordless Network
- Folds flat for easy storage
 520x850x1132mm (WxLxH)

18L Tank	Vac	40	Deck	150RPM Brush	
Capacity	Motor		Size	Speed	
Power 36V			Brush Motor 175W		
Recharge Time 1hr			80% / 2hrs	100%	
Brush Size 400mm			Runtime	Up to 60mins	
Pad Size 360mm			Net W	eight 34.0kg	
•					

NEW TTB3045NX-R



- □ 70mins runtime
- 1-hour fast charge
- Compact machine, big resultsHot-swapping between batteries
- Sustainably engineered from a minimum 45% recycled plastic, including accessories
- Part of the NX300 Pro Cordless Network

□ 470x890x1100mm ((WxLxH)
--------------------	---------

30L	210W	45	50MM	100RPM
Tank	Vac		Deck	Brush
Capacity	Motor		Size	Speed
Power 2x36V			Brush	Motor 300W
F	Recharge Time	80% / 2hrs	100%	
Brush Size 450mm			Runtime	Up to 70mins
Pad Size 400mm			Net W	eight 79.0kg


Note: Subject to region availability, please contact your Numatic representative for information.



NEW 244NX-R REFO

70% LABOUR SAVING 80% LOWER WATER USE

The 244NX-R is lightweight and easy to use, leaving floors clean, dry, safe and streak-free, whilst reducing labour costs by 70% and water use by 80%.*





Watch the full video at: numatic.com/244NX

Easy to Use Simple to set up and easy to use



Removable clean tank with "No-Spill" Cap



Adjustable Water Flow Easily adjustable water flow to suit cleaning needs



Foot-operated Brush Deck Simple and easy to engage brush deck



Working in partnership with

Charity: water

EVERY 244NX FUNDS 5000L OF WATER TO **COMMUNITIES WHO** NEED IT.

Since 2021, we have donated

Litres of Water to Projects Around the World.

See pages 6-7 for more information or visit: numatic.com/charitywater



4x Longer Lasting than Lead Batteries

Runs Longer

Configurable performance that suits you, offering increased runtime of up to 44%*. Ensuring you can keep cleaning when it is most convenient for you.

More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

Fast & Flexible Charging

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged. NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

Extended Long Life Power

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 3-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

Mu-Track Insights

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet. ‡



parisons used are based on typical usage scenarios, results may differ. nce comparisons use equivalent GelTec models.

†3-Year Warranty subject to terms and market availability, please contact Numatic for more information.

‡ Nu-Track subject to market / model availability.





NX1K Lithium Range



TBL4045



- Compact design
- Powerful cleaning results
 Fast & flexible charging
- Configurable battery performance that suits you
 On-board charging
- □ 805x1155x1160mm (WxLxH)

40L Tank Capacity	400W Vac Motor		140RPM Brush Speed
Brush Motor 30	ow	Deck Size 450mm	
Pad Size 400m	ım	Brush Size 450mm	
1 x Battery		2 x Battery	
Runtime 1hr 40mins		Runtime 3hrs 10mins	
Recharge Time 2hrs 30mins		Recharge Time 5hrs	
Net Weight 119.3kg		Net Weight 136.6kg	

TBL4055



- Compact design
- Powerful cleaning results
 Fast & flexible charging
- Configurable battery performance that suits you
 On-board charging
- 948x1200x1160mm (WxLxH)

40L Tank Capacity	400W Vac Motor		140RPM Brush Speed
Brush Motor 30	0W Dec		ck Size 550mm
Pad Size 508m	ım	Brush Size 550mm	
1 x Battery			2 x Battery
Runtime 1hr 38mins		Runtime 3hrs 9mins	
Recharge Time 2hrs	30mins	Recharge Time 5hrs	
Net Weight 113.	Net Weight 113.9kg		Weight 124.7kg

TBL4055T



- Compact designPowerful cleaning results
- Fast & flexible charging
 Configurable battery performance that suits you
- On-board charging
 Traction drive makes cleaning inclines safer and easier
 948x1200x1160mm (WxLxH)

	40L Tank Capacity		OW Motor	140RPM Brush Speed
	Brush Motor 300W Pad Size 508mm Traction Drive 250W		Dec	k Size 550mm
			Brush Size 550mm	
			Drive Speed 0-4km/h	
	1 x Battery		2 x Battery	
	Runtime 1hr 33mins		Runtime 3hrs 4mins	
	Recharge Time 2hrs 30mins		Recharge Time 5hrs	
	Net Weight 123 8	Rka	Net 1	Weight 134 7kg

TBL6055



- Big capacity, compact design
- Clean, dry, safe floors in minutes
 Fast and flexible charging
 Stay cleaning for longer with over 3 hours runtime

Net Weight 115.3kg

- On-boarding charging948x1425x1120mm (WxLxH)
- 60L 400W 140RPM Tank Capacity Brush Speed Brush Motor 300W Deck Size 550mm Pad Size 508mm Brush Size 550mm 2 x Battery 1 x Battery Runtime 3hrs 10mins Runtime 1hr 40mins Recharge Time 2hrs 30mins Recharge Time 5hrs

Net Weight 126.1kg

TBL6055T



- Big capacity, compact design

- Clean, dry, safe floors in minutes
 Fast and flexible charging
 Stay cleaning for longer with up to 3 hours runtime
 On-boarding charging
- □ Traction drive makes cleaning inclines safer and easier □ 948x1425x1120mm (WxLxH)

60L Tank Capacity	400W Vac Motor		140RPM Brush Speed	
Brush Motor 30	DW De		ck Size 550mm	
Pad Size 508mm		Brush Size 550mm		
Traction Drive 250W		Drive Speed 0-4km/h		
1 x Battery		2 x Battery		
Runtime 1hr 30mins		Runtime 3hrs		
Recharge Time 2hrs 30mins		Recharge Time 5hrs		
Net Weight 141.1kg		Net	Weight 152.0kg	

TBL8572



- Dual brush design
- Powerful cleaning results
- Fast & flexible charging Configurable battery performance that suits you

948x1513x1144mm (WxLxH)					
85L Tank Capacity	400W Vac Motor		150RPM Brush Speed		
Brush Motor 60	0W	De	eck Size 720mm		
Pad Size 2x360	e 2x360mm		Brush Size 2x370mm		
Traction Drive 400W		Drive Speed 0-4.2km/h			
2 x Battery			3 x Battery		
Runtime 3hrs		Runtime 4hrs 30mins			
Recharge Time 5hrs		Recharge Time 7hrs 30mins			
Net Weight 204.1kg		Net	Weight 214.9kg		

1 CRL8072 2 TBL4045 3 TBL6055T platform powers

NX1K battery

commercial

grade TwinFlo vacuum and

brush motor for

performance,

demanding

environments.

unrivaled cleaning

even in the most

CRL8055



- Powerful cleaning results
 Fast and flexible charging
 Stay cleaning for longer

On-board charging	
805x1460x1160mm (WxLxH)	

80L Tank Capacity		OW Motor	150RPM Brush Speed
Brush Motor 60	0W	Dec	ck Size 550mm
		_	

Brush Motor 60044	Deck Size 55011111
Pad Size 508mm	Brush Size 550mm
Traction Drive 400W	Drive Speed 0-6km/h
1 x Battery	2 x Battery
Runtime 1hr 20mins	Runtime 2hrs 40mins
Recharge Time 2hrs 30mins	Recharge Time 5hrs
Net Weight 139.8kg	Net Weight 150.6kg

CRL8072



- Compact design
 Best in class scrub width
 Fast and flexible charging
 Stay cleaning for longer

- On-board charging
 948x1450x1160mm (WxLxH)

Net Weight 159.8kg

80L Tank Capacity	_	OW Motor	150RPM Brush Speed				
Brush Motor 600	ow	Dec	k Size 720mm				
Pad Size 2x360r	nm	Brush Size 2x370mm					
Traction Drive 40	0W	Drive Speed 0-6km/h					
1 x Battery			2 x Battery				
Runtime 1hr 20n	nins	Runtir	me 2hrs 40mins				
Becharge Time 2hrs	30mins	Rech	narge Time 5hrs				

Net Weight 170.6kg

TRL720



- User-friendly controlsDual brush design

- Fast and flexible charging
 Configurable battery performance that suits you

	- O TOX TOT OXT TEOTH						
	120L Tank Capacity		OW Motor	150RPM Brush Speed			
	Brush Motor 60	ow	Dec	ck Size 720mm			
П	Pad Size 2x360r	mm	Brush Size 2x370mm				
	Traction Drive 70	ow	Drive Speed 0-6.5km/h				
	3 x Battery			4 x Battery			
	Runtime 4hrs	3	Runtime 5hrs 20mins				
	Recharge Time 7hrs	30mins	Recharge Time 10hrs				
	Not Woight 202 (el. a	Not Words 202 Alex				

TVL850



- User-friendly controls
- Trio adjustable brush design
 Configurable battery performance that suits you

120L Tank Capacity		OW Motor	212RPM Brush Speed			
Brush Motor 3 x 4	00W	Deck Siz	e 650/750/850mm			
Pad Size 3x300r	nm	Brush Size 3x300mm				
Traction Drive 70	0W	Drive Speed 0-6.5km/h				
3 x Battery		4 x Battery				
Runtime 3hrs 5n	nins	Runtime 4hrs 10mins				
Recharge Time 7hrs	30mins	Recharge Time 10hrs				
Net Weight 287.0)kg	Net Weight 298.4kg				

5 x Battery & 6 x Battery configurations available for TRL720 and TVL850

Brushes & Pad Drives

Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.



General scrubbing duties. suitable for most floor types.



Suitable for when lighter scrubbing is required. Supplied as pack of 2.



Suitable for when lighter scrubbing is required.



Union Mix Polish Brush Ideal for polishing, uses a well-proven mix of high-quality bristles for optimum results.

"New for 2024, the Ten-Tec brush raises the standard in scrub brush performance."

High Performance Brushes

- Lasts 10x longer than a standard polyscrub brush
- Replaces up to 100 standard red pads
- Improve cleaning results compared to standard brushes
- Reduces the need for chemical additives, lowering cleaning costs

Available for use across the Numatic Scrubber Dryer range

Ten-Tec 244NX High Performance Brush Supplied as pack of 2.

Ten-Tec High Performance Brush (370, 450, 550mm)

Ten-Tec Octo High Performance Brush

Suitable for General Scrubbing Suitable for all Floor Types





Long-Life Scrubbing Brush (Green) Can provide extended cleaning life in comparison to standard scrubbing brushes. Suitable for general scrubbing.



Long-Life Heavy-Duty Scrubb Stripping Brush (Black) Can provide extended cleaning life in

comparison to alternative heavy-duty scrubbing brushes. Suitable for heavy-duty scrubbina



244NX PadLoc Drive Board A simple, effective and easy to use

system. Pads are located securely and perfectly centred every time. Supplied as pack of 2.



PadLoc Drive Board

A simple, effective and easy to use system. Pads are located securely and perfectly centred every time. Suitable for general use.



NuLoc2 Drive Board

Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for



NLL Drive Board

Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for



Flexi NuLoc2 Drive Board

Flexi specification provides optimum stability needed for 300rpm speed machines. NuLoc2 offers an alternative to PadLoc



Porcupine Pad Holder

Can be used as an alternative pad drive board when required.



244NX NuPad Red

General use floor cleaning pad for hard floors. Removes light dirt and scuff marks. Supplied as pack of 10.



244NX NuPad White

Delicate surface cleaning pad for hard floors. Supplied as pack



244NX NuPad Green

Heavy-duty cleaning pad for hard floors. Removes dirt and scuff marks. Supplied as pack of 10.



244NX PU-Pad

High-efficiency floor cleaning pads. Suitable for use on all hard floors. More durable and efficient than a conventional melamine pad. Environmentally friendly. Supplied as pack of 2.



244NX Diamond Twister Pad

Specially developed with billions of microscopic diamonds. Suitable for use on hard floors. Supplied as pack of 2.



NuShine Topline Speed Burnishing Pad

Burnishing pad for use with NuShine HNS1550 (500mm). Supplied as pack of 5.



NuPad Green

Heavy-duty cleaning pad for hard floors. Suitable for general daily cleaning jobs. Removes dirt and scuff marks. Supplied as pack of 5.



NuPad Red

General use floor cleaning pad for hard floors. Suitable for light and daily cleaning jobs. Removes light dirt and scuff marks. Supplied as pack of 5.

Specialised Brushes (Rotary Machines Only)



Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Sandotex Disc Drive

Highly abrasive disc, for use on rotary machine.



Carbon based discs provide high abrasive properties with long-life.



Spirotex 6-Head

Heavy-duty scarifying board fitted with 6 wire Spirotex heads.

					R	otary I	Floor C	Cleane	rs			Twin	Tec				Ride	-On	
Туре	Image No.	Description		Part Number	HFM1515 / HFM1523	HFM1530	HFM1545	HNS1550	NLL332	244NX	TT1840G / TTB1840NX	TTB3045NX / TT4045G / TBL4045	TT4055G / TBL4055/T	TBL6055/T	TBL8572	CRL8055	CRL8072	TRL720	TVL850
			330	606033					•										
			370	903449											•x2		•x2	•	
	1	Polyscrub Brush	400	606105							٠								
			450	606203	•							•							
	2	244NX Nyloscrub Brush (Pack of 2)	550 220	606028 911931						•x2			•	•		•			
	-	244IVA INVIOSCIUD BIUSII (FACK OI 2)	330	606556					•	·X2									
	١		370	903994					-						•		•	•	
	3	Nyloscrub Brush	450	606204	•							•							
			550	606550									•	•		•			
			330	606104					•										
hes	4	Union Mix Polish Brush	400	606102							•								
Brushes	╙		450	606202	•	•	•												
ā	N/A	Ten-Tec 244NX High Performance Brush (Pack of 2)	220	918296						•									
	۱,	Ten-Tec High Performance Brush	370 450	918293 918294	•						•	•			•		•	•	
	5	Teri-Tec High Performance Brush	550	918294	•							•				•			
	N/A	Ten-Tec Octo High Performance Brush	300	918292									_						•
	N/A	Octo Polyscrub Brush	300	606152															•
	N/A	Octo Nyloscrub Brush	300	606151															•
	N/A	Octo Long-life Brush (Green)	300	606153															•
			370	606302							•				•		•	•	
	6	Long-Life Scrubbing Brush (Green)	450	606306	•							•							
	_		550	606551									•	•		•			
	7	Long-Life Heavy-Duty Scrubbing / Stripping Brush (Black)	450	606305	•														
	8	244NX PadLoc Drive Board (Black) (Pack of 2)	225	911844						•									
U	N/A	Octo PadLoc Drive Board	300	606406															•
PadLoc	1071	0001 44200 5.110 2044	360	606400							•				•		•	•	
e e	9	PadLoc Drive Board (Black)	400	606401	•							•							
		, ,	500	606403									•	•		•			
	N/A	Octo NuLuc Drive Board	300	900719															•
	10	Nul as 0 Drive Desard	360	900524							•				•		•	•	
NuLoc2	10	NuLoc2 Drive Board	400 500	900525 900526	•							•	•	•		•			
1 1	11	NLL Drive Board	330	606111					•										
	N/A	High Speed Spider NuLoc2 Drive Board (450rpm) (HFM1545)	400	606078			•												
	12	Flexi NuLoc2 Drive Board (300rpm) (HFM)	400	900528		•													
Other	13	Porcupine Pad Holder	400	606700	•														
ð	19	NuShine Topline Speed Burnishing Pad (Pack of 5)	500	901622				•											
		OMANYAL-David David (Davids of 40)	005	040050			1			_									
	14	244NX NuPad Red (Pack of 10) 244NX NuPad White (Pack of 10)	225 225	912353 912354						•									
	16	244NX NuPad White (Pack of 10) 244NX NuPad Green (Pack of 10)	225	912354						•									
NuPad	17	244NX PU-Pad (Pack of 10)	225	912352						•									
Z	18	244NX Diamond Twister Pad (Pack of 2)	225	912355						•									
	20	NuPad Green (Pack of 5)	355	913228							•								
	21	NuPad Red (Pack of 5)	355	913226							•								
B	22	Wire Scarifying Brush	400	606207	•														
ecialisec	23	Sandotex Disc Drive	400	606209	•														
Deci	24	Carbotex Grinding Disc	400	606208	•														
S	25	Heavy-Duty Scarifying Disc Spirotex 6-Head	400	606211	•														


Guidance only - Each application should be assessed before selection of brush / pad. Specification subject to change without prior notice.



Hurricane / NuSpeed

Accessories & TwinTec Blades

Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.



Replacement Blade Set (2-Pieces)

PN: 903531

(944mm) PN: 900519 (1053mm) PN: 900520

Replacement Polyurethane Blade Set

TwinTec

CRL Spray Mop Mounting Kit

PN: 903182

Tools & Accessories



Numatic Part.

GENUINE

P A R T

CRL Caddy Kit (Red)

Replacement Blade Set (2-Pieces)

PN: 913810

VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality.


VersaCare Contents

Mop Kits	64-65
MULTI-Matic Range	66-69
ECO-Matic Range	70-73
SERVO-Matic Range	74-77
PRO-Matic Range	78-82
SRK Kits	83
Carousel Range	85
NuBag Range	86-87
NuKeeper Range	88-93
NuKeeper Top Tray & Hood Kits	94
NuKeeper End Frame Kits	95









Mop Kits

PCM403 POLYSTATIC **3-PIECE MOP SET**



- C/W 50 x PolyStatic Mon Cloths Disposable PolyStatic Mop "Gripper" Pad
- Velcro Fixing

PSM400G POLYSTATIC SPRAYMOP SET



- C/W 50 x PolyStatic Mop Cloths
 C/W Disposable PolyStatic Mop "Gripper" Pad
 C/W 400ml Bottle

- □ Pad Size 400mm

DTK3 HANG-ON MOP SET DTK4 VELCRO MOP SET



- C/W 1 x BluTec Microfibre Mop
- Suitable for Vertical Press
- Hang-on Fixing

DTK8G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Velcro Mop
- C/W 400ml Bottle

DTK12G WING MOP

PUMP ACTION SET

- Velcro Fixing
- Pad Size 400mm

□ C/W 1 x Bactiguard Mop **DTK13G WING MOP**

Suitable for Vertical PressHang-on Fixing

□ Pad Size 400mm



□ C/W 1 x BluTec Microfibre Hang-on Mop

- C/W 1 x BluTec Microfibre Pocket Mop

- □ Pad Size 400mm
- Suitable for Vertical Press, Wide Press and MopMatic □ Pocket Fixina

COLOUR-CODED MOP PRESS CLIPS

- 4 Colour Options
- For Use on Mops and Presses Easy to Attach & Remove
- Available in Packs of 10

PCM401 POLYSTATIC 1-PIECE MOP SET



- C/W 50 x PolyStatic Mon Cloths Disposable PolyStatic Mop "Gripper" Pad

DTK1 KENTUCKY MOP SET



C/W 1 x Kentucky 400g Mop Suitable for Vertical Press

C/W 1 x BluTec Microfibre Mop

Pad Size 400mm

DTK9 TWIST MOP

Suitable for Wide Press and MopMatic

DTK2 POCKET MOP SET

C/W 50 x PolyStatic Mon Cloths

Disposable PolyStatic Mop "Gripper" Pad

PCT400 POLYSTATIC

TELESCOPIC MOP SET



- C/W 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press, Wide Press
- and MopMatic
- □ Pad Size 400mm

DTK6G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Pocket Mop
- C/W 400ml Bottle
 Pocket Fixing
- Pad Size 400mm

DTK10 MULTIMOP



- C/W 1 x Sponge Folding Press
- Velcro FixingSponge Size 350mm

POLYSTATIC GRIPPER PAD



Disposable PolyStatic Mop "Gripper" Pad

POLYSTATIC MOP DUSTERS



- Fits on PCM403, PSM400G
 Pack of 50 x PolyStatic Mop Cloths
- (White / Red / Blue / Green / Yellow)
 Carton of 400 x PolyStatic Mop Cloths, (8 x 50)
- (White / Red / Blue / Green / Yellow)
- C/W 2 x "Gripper" Pads

The MidMop is always on-hand and easily stored, with a compact design providing a go-anywhere twin-bucket mopping system.







MM30G



- □ C/W 1 x Sponge □ Velcro Fixing □
- 30L Capacity Bucket
- □ Folding Press □ Castors: 4 x 50mm
- □ 340x475x320mm (WxLxH)

- Optional Mop Kits:
 DTK1 / DTK2 / DTK3 / DTK12G / DTK13G

HB1812R

□ Castors: 4 x 75mm □ 410x560x800mm (WxLxH)

Vertical Press for Flat or Kentucky/Twist Mop

18L Clean Capacity / 12L Dirty Capacity

MMB1616




- Vertical Press for Flat or Kentucky/Twist Mop
 16L Clean Capacity / 16L Dirty Capacity
- Optional Mop Kits:
 DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- Optional Handle
- □ 510x680x1020mm (WxLxH)

MULTI-Matic Trolley Range

Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.

Design Bespoke Janitorial





MODEL	ммо	MM1	MM2	ММЗ	ММ4	мм5	мм6	ММ7	мм8
Waste	-	-	70L	-	70L	-	70L	-	70L
Storage Options	-	-	-	-	-	Shelf	Shelf	-	-
Castors	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm
Dolly Mop Basket	-	Yes	Yes	-	=	-	-	-	-
Press	-	-	-	Vertical Press	Vertical Press	-		-	-
Buckets	-	2 x 5L							
Mop Bucket	-	1 x 28L	1 x 28L	1 x 15 / 1 x 17L	1 x 15 / 1 x 17L	-	-	1 x Dosed, 1 x 28L	1 x Dosed, 1 x 28L
Hooks	-	1 x Large T-Slot Hook							
Clips	-	1 x T-Slot Mopstick Clip							
Dimensions (WxLxH) (MM)	480x940x1130	480x940x1130	480x940x1130	480x940x1130	480x940x1130	480x940x1130	480x940x1130	480x940x1130	480x940x1130

Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT & VERSATILE MOPPING TROLLEY



















MULTI-Matic Mop Kits & Accessories

5L SWING BUCKET



- 5L Swing Bucket, Red Handle PN: 905225 5L Swing Bucket, Blue Handle PN: 905226
- 5L Swing Bucket, Green Handle PN: 905227 51 Swing Bucket, Yellow Handle PN: 905228

5L SWING BUCKET LID



Lid for 5L Swing PN: 902108

5L SWING BUCKET KIT



51 Bucket Holder C/W Fixing Black PN: 629050 5L Swing Bucket Kit, Red Handle PN: 906277 5 Swing Bucket Kit. Blue Handle PN: 906278. 5L Swing Bucket Kit, Green Handle PN: 906279

51 Swing Bucket Kit, Yellow Handle PN: 906280.

15L TWINMOP BUCKET



- 15L TwinMop Bucket, Red Handle PN: 905221 15I TwinMon Bucket, Blue Handle PN: 905222 15L TwinMop Bucket, Green Handle PN: 905223
- 15I TwinMon Bucket, Yellow Handle PN: 905224

17L FRONT **MOP BUCKET**



1 x 17L Bucket, Blue Handle
Used on: MM3 / 4 PN: 915058

15L REAR MOP BUCKET



□ 1 x 15L Bucket, Red Handle □ Used on: MM3 / 4

28L TWINMOP BUCKET



- 28L TwinMop Bucket, Red Handle PN: 905217 28L TwinMon Bucket, Blue Handle PN: 905218
- 28L TwinMop Bucket, Green Handle PN: 905219
 28L TwinMop Bucket, Yellow Handle PN: 905220 Used on: MM1 / 2 / 7 / 8

MOP BASKET



WASTE BAG

SECURING **MOULDING**

Dolly Mop Basket PN: 906729

Used on: MM2 / 4 / 6 / 8 PN: 913978

WASTE BIN LID



Used on: MM2 / 4 / 6 / 8



□ Used on: MM1 / 3 / 5 / 7

TOP STORAGE TRAY | MID STORAGE TRAY



Used on: MM5 / 6

MB400 MOP DOSING LID ASSEMBLY



Dosed Mop Bucket Lid Used on: MM7 / 8 PN: 915406

MB400 MOP DOSING BUCKET



Dosed Mop Bucket, Blue Handle Used on: MM7 / 8 PN: 915407

75MM CASTOR X1

MB400 MOUNTING BRACKET



Dosed Mop Bucket Bracket Frame
Used on: MM7 / 8

PRESS



Used on: MM3 / 4 PN: 915326 Kentucky/Twist Mop Press
Used on: MM3 / 4 PN: 915237

VERTICAL MOP WHEEL KIT



I arge Wheel Kit

FABRIC WASTE BAG



WASTE BAGS

Castor x1 204118

Multi-pocket for Convenient Storage PN: 915319

LARGE & SMALL

70L Waste Bags (570x1000mm) Grey, Roll x 10 PN: 908230

GREY CADDY TWIN 1L BOTTLE

Twin 1L Bottle Holder



Carry Cleaning Products

MOP SUPPORT HOLDER KIT



1 x Mop Support for on-board Mop Storage

T-SLOT HOOK



A - Large T-Slot Hook (x1) PN: 911936 A - Large T-Slot Hook (x10) PN: 912547
 B - Small T-Slot Hook (x1) PN: 915171 B - Small T-Slot Hook (x10) PN: 915325

MOP CLAMP & CLIP





C - T-Slot Clamp (x1) PN: 912528 C - T-Slot Clamp (x10) PN: 912529
 D - Mopstick Clip (x1) PN: 629874 D - Mopstick Clip (x10) PN: 629883

WET FLOOR SIGN



Wet Floor Sign with Tray-Fix Hooks, Yellow A - PN: 629044

Wet Floor Sign, Yellow, EnglishB - PN: 901457

PN: 629813 **DTK3 HANG-ON MOP SET DTK9 TWIST MOP**



- 1 x BluTec Microfibre Mop Suitable for Vertical Press
- Hang-on Fixing
 Pad Size 400mm
- PN: 629334

Pad Size 400mm

50 x PolyStatic Mop Cloths

Disposable PolyStatic Mop "Gripper" Pad



PCM403 POLYSTATIC

3-PIECE MOP SET

1 x Bactiguard Mop PN: 906460

DTK1 KENTUCKY MOP SET



1 x Kentucky 400g Mop Suitable for Vertical Press PN: 629332



DTK12G WING MOP

PUMP ACTION SET

1 x BluTec Microfibre Pocket Mop

Suitable for Vertical Press, Wide Press and MopMatic

Pocket Fixing
Pad Size 400mm

PN: 906205

1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press, Wide Press and MopMatic Pocket Fixing

DTK2 POCKET MOP SET

Pad Size 400mm PN: 629333

DTK13G WING MOP PUMP ACTION SET



- 1 x BluTec Microfibre Hang-on Mop
 Suitable for Vertical Press
- Hang-on Fixing
 Pad Size 400mm
- PN: 909278

A compact and versatile trolley range, ensuring productivity with a choice of janitorial solutions and mopping options to suit all environments.





1 Compact, convenient and easy to store when not in use

2 & 3 Open shelf storage for easy access to all your cleaning equipment and supplies on the move





ECO-Matic Trolley Range



Sustainably engineered using the highest quality recycled plastic, each model in the ECO-Matic range benefits from 100% Structofoam construction, making it tough, easy to clean and built to last.

The best value cleaning trolley range on the market.

- Ergonomically Designed
- Sustainably Engineered
- Built to Last









Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

MOPPING STORAGE & WASTE













MODEL	EM1	EM2	EM3	EM4	EM5	EM6
Waste	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	2 x 120 / 4 x 70L	120 / 2 x 70L	2 x 120 / 4 x 70L
Storage Options	Shelf	2 x Deep Drawers	Shelf	Shelf	2 x Deep Drawers	2 x Deep Drawers
Castors	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Kits	SRK14 / 20 / 21 / 22	SRK14/20/21/22	SRK15 / 16 / 19 / 20 / 21 / 22	SRK 20 / 21 / 22	SRK15 / 16 / 19 / 20 / 21 / 22	SRK20 / 21 / 22
Optional Security	-	Lockable Drawers	-	-	Lockable Drawers	Lockable Drawers
Optional SprayMop	Yes	Yes	-	-	-	-
Wall and Door Buffers	Yes	Yes	Yes	Yes	Yes	Yes
Dimensions (WxLxH) (MM)	545x900x1000	545x900x1000	545x1160x1000	545x1230x1000	545x1160x1000	545x1230x1000

ECO-Matic Trolley Range



ALL-IN-ONE READY TO GO COMPACT SOLUTION

Offers an all-in-one. ready to go compact solution

- Compact Design
- Convenient Storage
- Sustainably Engineered



PRF-CONSUMER





MODEL EM2-TM EM1-TM 120 / 2 x 70L 120 / 2 x 70L Storage Options Shelf 2 x Deep Drawers Castors 4 x 100mm SRK14 / 22 / DTK9 SRK14 / 22 / DTK9 Optional Security Lockable Drawers Wall and Door Buffers 545x900x1000 545x900x1000 (WxLxH) (MM)

ECO-Matic Mop Kits & Accessories

KIT SRK14



- 1 x 18l Blue Handle Bucket, Grey

 C/W Mop Basket
- Used on: EM1 / EM2 PN: 910439

KIT SRK15



1 x 34L Blue Handle Bucket, Grey

C/W Mop Basket

KIT SRK22

Used on: EM3 / EM5 PN: 910440

KIT SRK16 / SRK16K



Vertical Press for Flat or

MOP CLIPS

- Kentucky/Twist Mop 1 x 17L Red Handle Bucket, Grey 1 x 17L Blue Handle Bucket, Grev
- Used on: EM3 / EM5 Flat Mon Press PN: 910442 Kentucky Mop Press PN: 910443

KIT SRK19 BAG FRAME KIT



- 1 x ReFlo Bag Frame with Fixing Screws
- □ 1 x ReFlo Bag Securing Frame□ 1 x Grey Lid C/W Colour-coded Discs
- Used on: EM3 / EM5 PN: 910843



Rear Wheel Assembly Used on: EM Range PN: 910758

KIT SRK21



- 4 x 5L Swing Pails
 5L Swing Pail Handle, Red / Blue / Green / Yellow
 Used on: EM Range
- PN: 910898

MOP

KIT

SUPPORT

Red / Blue Used on: EM Range PN: 911401 **ZIPPED**

2 x 10L Buckets, Grey

10L Bucket Handle.



1 x Mop Support for On-board Mop Storage Used on: EM Range

LAUNDRY **BAG**



1 x Zipped Laundry Bag Used on: EM Range PN: 909369

- Mopstick Clip (x1) ReFlo Black PN: 629874
- Mopstick Clip (x10) ReFlo Black PN: 629883 Used on: EM Range
- WET **FLOOR SIGN**
- Wet Floor Sign Assembly, Yellow, English Used on: EM Range

PN: 901457

LARGE T-SLOT HOOK, SMALL T-SLOT HOOK



- Large (x1) A PN: 911936
- Large (x10) A PN: 912547 Small (x1) B PN: 915171 Small (x10) B - PN: 915325



C/W 1 x Bactiguard Mop used on: EM Řange PN: 906460

ECO-MATIC BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste
 1 x Bag Trapper Extrusion
- C/W Bags
 C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
 Used on: EM Range PN: 910840

TROLLEY BRACKET

DTK9 TWIST MOP NUMATIC QUICK





- 1 x Numatic Quick Trolley Bracket Used on: EM Range
- Robust design to protect the Numatic Quick
- Compact in size
- Intergrated non-marking buffers for wall and door protection





SERVO-Matic Trolley Range





Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT STORAGE & WASTE TROLLEY





SM RANGE









SMX RANGE







1	1	I	I	I		1	1
MODEL	SM1405	SM1415	SM1705	SMX1405	SMX1415	SMX1705	SM5
Waste	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L
Storage Option	s -	Divided Tray	Storage Drawer	-	Divided Tray	Storage Drawer	Storage Drawer
Optional Castor	rs 100 / 125mm & Braked	100 / 125 / 200mm & Braked	100 / 125 / 200mm & Braked	100 / 125mm & Braked	100 / 125 / 200mm & Braked	100 / 125 / 200mm & Braked	125mm
Kits	Multiple Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options	-
Buckets	2 x 5L	2 x 6L	4 x 5L or 2 x 10L	2 x 5L	2 x 6L	4 x 5L or 2 x 10L	-
Bin Surround	-	-	-	Yes	Yes	Yes	-
Dimensions (WxLxH) (MM)	570x835x970	570x1090x1115	570x1325x1115	570x835x970	570x1090x1115	570x1325x1115	570x1120x1115



- Select your Trolley Base
- Pick your Storage Options
- Choose your Accessories
- Submit your Configuration

Visit: numaticsupport.com/nu-design

SERVO-Matic Mop Kits & Accessories

KIT SRKO / SRKOK



- Vertical Press for Flat or
- Kentucky/Twist Mop

 1 x 15L Red Handle Bucket, Grey
- 1 x 15L Blue Handle Bucket, Grey Used on: SM/SMX Range Flat Mop Press PN: 910413 Kentucky/Twist Mop Press PN: 910414

KIT SRK1 / SRK1K

- Vertical Press for Flat or Kentucky/Twist Mop
- 1 x 17L Red Handle Bucket, Grey
 1 x 17L Blue Handle Bucket, Grey
- 1 x 17L Blue Handle Bucket, Grey
 1 x Bucket Support Tray
 Used on: SM/SMX Range
 Flat Mop Press PN: 910415
 Kentucky/Twist Mop Press PN: 910416

KIT SRK3



- Speedclean Wide Press
- □ 1 x 22L Red Handle Bucket, Grey
 □ 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension Tray
 Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910430

KIT SRK4



- 1 x MopMatic2 Bucket, Grey
- C/W Set of Colour-coded Discs
 1 x 22L Red Handle Bucket, Grey
- 1 x Extension Trav
- □ C/W 2.5L Dosing Bottle
 □ Used on: SM1415 / 1705 /
- PN: 910433

KIT SRK5



- 2 x MopMatic2 Bucket, GreyC/W Set of Colour-coded Discs
- □ 1 x Extension Trav
- □ C/W 2.5L Dosing Bottle
 □ Used on: SM1415 / 1705 /

PN: 910435

KIT SRK26

KIT SRK6

1 x Extension Trav

KIT SRK2 / SRK2K

Vertical Press for Flat or

Kentucky/Twist Mop

1 x 22L Red Handle Bucket, Grey
1 x 22L Blue Handle Bucket, Grey

Used on: SM1415 / 1705 /
 SMX1415 / 1705 /
 SMX1415 / 1705
 Flat Mop Press PN: 910425
 Kentucky/Twist Mop PN: 910426



- 2 x MopMatic2 Bucket, Grey C/W Set of Colour-coded Discs
- 1 x 22L Red Handle Bucket, Grey, C/W Lid MopMatic2 Hang-on Frame, Nutex
- 1 x Extension Trav
- C/W 2.5L Dosing Bottle
 Used on: SM1415 / 1705 /
- PN: 910436

KIT SRK62



- Lockable
- Used on: SM1705 / SMX1705 PN: 910315

MIDMOP OPTION



- Vertical Press for Flat or
- Kentucky/Twist Mop 510x680x1020mm (WxLxH) SMX1415 / 1705

NUMATIC QUICK

TROLLEY BRACKET

n 1 x Numatic Quick

Trolley Bracket

SM / SMX Range

PN: 916341



- Optional Doors C/W Locks
- and Hinges
 Used on: SM1705 / SMX1705 PN: 90817

BRACKET



- Door and BackC/W Locks
- SM1705 / SMX1705 PN: 911444

MB400 MOUNTING

KIT SRK30



- Optional Single
- and Hinges
 Used on:

KIT SRK50 / 51



- Optional Bin Surround Kit
- 912849

SRK50 Used on: SMX1405

SRK51 Used on: SMX1415 PN: 912853



Door Graphic Set No.1 Happy Cleaning PN: 908172

KIT SRK28

Big Ben PN: 908173

MB400 Dosed

Mop Bucket Used on: SM / SMX Range PN: 916646

Ontional

Attachment For use with



KIT SRK27

Door Graphic Set No.2


KIT SRK29

CUSTOMISABLE DOOR PANELS





Door Graphic Set No.3 Sunflowers





- Hood Set

BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
 Used on: SM / SMX Range









PRO-Matic Trolley Range

The PRO-Matic range offers a 100% configurable cleaning system, increasing operator usability and productivity.

Unlimited configuration options with complete versatility.

- Fully Customisable
- Safe & Secure
- Sustainably Engineered

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with PRO-Matic; meeting the precise requirements of any


user, in any environment,

for any application.





- 1 Safe and Secure Storage
- 2 Drawer Storage Options



Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.





PM10

















MODEL	PM10	PM11	PM12	PM20	PM21	PM22	PM30	PM31	PM32
Waste	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L
Storage Drawers	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Doors	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Castors Size	Optional								
Detachable Wheeled Bin	Yes								
Kits	Multiple Options								
Dimensions (WxLxH) (MM)	580x972x1073	580x972x1073	580x972x1073	580x1335x1073	580x1335x1073	580x1335x1073	580x1700x1073	580x1700x1073	580x1700x1073

Nu-Design

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection.



See page 9

Visit: numaticsupport.com/nu-design

PRO-Matic Trolley Range

The PM13 provides a lockable and manoeuvrable solution.

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.



- Optional Castors Optional Doors
- Optional Storage Drawers
 580x972x1073mm (WxLxH)

PM13 with SRK21 and SRK22 Kits, 2 x Deep Storage Drawers and 4 x Shallow Storage Drawers and Lockable Doors.

PM13 OPTIONAL CONFIGURATIONS



- □ 2 x Deep Storage Drawers
- 4 x Shallow Storage Drawers6 x Storage Box Runners
- Castors: 4 x 100mm
- □ Lockable Doors
- □ 580x972x1073mm (Wxl xH)



- 2 x Deep Storage Drawers4 x Shallow Storage Drawers
- □ 6 x Storage Box Runners
- Castors: 4 x 100mm
 580x972x1073mm (WxLxH)



- □ 2 x Deep Storage Drawers
- 4 x Shallow Storage Drawers6 x Storage Box Runners
- Castors: 4 x 100mm
- Lockable Doors
- □ 580x972x1073mm (WxLxH)

The PRO-Matic PM24 and PM34 provide a lockable multi-waste recycling system, offering the options to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.







PM24

- Waste 3 x 120L / 6 x 70LEnd Detachable Wheeled Bins
- and Central Static Bin
- Lockable Doors
- Industry Colour-coding
 580x1335x1073mm (WxLxH)
- Waste 4 x 120L / 8 x 70L □ End Detachable Wheeled Bins
- and Central Static Bins

 Optional Castors
- Lockable Doors
- Industry Colour-coding
 580x1700x1073mm (WxLxH)



Completely detachable and manoeuvrable swing-out bin for convenient waste removal. Colour-coding options available for effective infection control.

PRO-Matic Mop Kits & Accessories

KIT SRK1S / SRK1KS



- Vertical Press for Flat or
- Kentucky/Twist Mop

 1 x 17L Red Handle Bucket, Grey
 1 x 17L Blue Handle Bucket, Grey 1 x Bucket Support Trav
- Used on: PM10 / 20 / 30 Flat Mop Press PN: 909523

Kentucky/Twist Mop Press PN: 910348

KIT SRK2S / SRK2KS



- Vertical Press for Flat or
- Kentucky/Twist Mop

 1 x 22L Red Handle Bucket, Grey
 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension TrayUsed on: PM10 / 20 / 30Flat Mop Press PN: 909524 Kentucky/Twist Mop Press PN: 910349

KIT SRK4



- 1 x MopMatic2 Bucket, Grey
 C/W Set of Colour-coded Discs
 C/W 2.5L Dosing Bottle
 1 x 22L Red Handle Bucket, Grey
- 1 x Extension Tray Used on: PM10 / 20 / 30 PN: 910433

KIT SRK5



- 2 x MopMatic2 Buckets, Grey
 C/W Set of Colour-coded Discs
- C/W 2.5L Dosing Bottle
- 1 x Extension Trav
- Used on: PM10 / 20 / 30 PN: 910435

KIT SRK6S



- 2 x MopMatic 2 Buckets, Grey C/W Set of Colour-coded Discs
- C/W 2.5L Dosing Bottle
 1 x 22L Red Handle Bucket, Grey, C/W Lid
 MopMatic2 Hang-on Frame,
- Stainless Steel
- □ 1 x Extension Tray
 □ Used on: PM10 / 20 / 30
 PN: 909526

MIDMOP OPTION **MMB1616**

Used on: PM10 / 20 / 30 PN: 909525

1 x Extension Trav

Speedclean Wide Press with Stainless Steel Handle
 1 x 22L Red Handle Bucket, Grey
 1 x 22L Blue Handle Bucket, Grey

KIT SRK3S



- Vertical Press for Flat or
- Kentucky/Twist Mop
 510x680x1020mm (WxLxH)
 Used on: PM10 / 20 / 30

KIT SRK62S



- Hood Set
- □ Lockable □ Used on: PM Range PN: 910316

KIT SRK26 KIT SRK30



Optional Doors C/W Locks and Hinges

PN: 908171

Used on: PM11 / 13 / 20 / 21 / 22 / 30 / 31 / 32



- Optional Single Door and Back Panel C/W Locks
- and Hinges
 Used on: PM11 / 13 / 20 / 21 / 22 / 30 / 31 / 32 PN: 911444

KIT SRK31



- Optional Double Doors and 2 x Back Panels
- C/W Locks and Hinges
 Used on: PM13 / 21 / 30 / 31 / 32 PN: 911447

KIT SRK49



Swing-out Bin Used on: PM10 / 11 / 12 / 20 / 21 / 22 / 30 PN: 912815

BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
 Used on: PM Range
- PN: 912817

NUMATIC QUICK TROLLEY BRACKET



 1 x Numatic Quick Trolley Bracket

Used on: PM Range PN: 916341



KIT SRK27

Door Graphic Set No.1 Happy Cleaning PN: 908172

KIT SRK28

Door Graphic Set No.2 Big Ben PN: 908173

KIT SRK29

Door Graphic Set No.3 Sunflowers



SRK Kits

KIT	PART No.	EM1	EM2	EM3	EM4	EM5	EM6	SM1405	SM1415	SM1705	SMX1405	SMX1415	SMX1705	PM10	PM11	PM12	PM13	PM20	PM21	PM22	PM30	PM31	PM32
SRK0	910413							•	•	•	•	•	•										
SRK0K	910414							•	•	•	•	•	•										
SRK1	910415							•	•	•	•	•	•										
SRK1K	910416							•	•	•	•	•	•										
SRK1S	909523													•				•			•		
SRK1KS	910348													•				•			•		
SRK2	910425								•	•		•	•										
SRK2K	910426								•	•		•	•										
SRK2S	909524													•				•			•		
SRK2KS	910349													•				•			•		
SRK3	910430								•	•		•	•										
SRK3S	909525													•				•			•		
SRK4	910433								•	•		•	•	•				•			•		
SRK5	910435								•	•		•	•	•				•			•		
SRK6	910436								•	•		•	•										
SRK6S	909526													•				•			•		
SRK8	911222								•	•		•	•	•				•			•		
SRK14	910439	•	•																				
SRK15	910440			•		•																	
SRK16	910442			•		•																	
SRK16K	910443			•		•																	
SRK19	910843			•		•																	
SRK20	910758	•	•	•	•	•	•																
SRK21	910898	•	•	•	•	•	•			•			•	•	•	•	•	•	•	•	•	•	•
SRK22	911401	•	•	•	•	•	•			•			•	•	•	•	•	•	•	•	•	•	•
SRK26	908171									•			•		•		•	•	•	•	•	•	•
SRK27	908172									•			•		•		•	•	•	•	•	•	•
SRK28	908173									•			•		•		•	•	•	•	•	•	•
SRK29	908174									•			•		•		•	•	•	•	•	•	•
SRK30	911444									•			•		•		•	•	•	•	•	•	•
SRK31	911447																•		•		•	•	•
SRK35S	909072																	•	•	•	•	•	•
SRK36S	909073																				•	•	•
SRK42S	909075														•								
SRK43S	909076																		•				
SRK44S	909232																					•	
SRK49	912815													•	•	•		•	•	•	•	•	•
SRK50	912849								•														
SRK51	912853									•													
SRK62	910315									•			•										
SRK62S	910316												•	•	•	•	•	•	•	•	•	•	•



Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



Carousel Range

The Carousel Range features removeable caddy storage and verstatile waste for everyday cleaning solutions.



- Waste 70L
 2 x 5L Swing Pails
 C/W SprayMop Master and Tray
 Castors: 4 x 80mm
 480x545x890mm (WxLxH)

NC1R

- □ Waste 70L
 □ 1 x 4L Small Caddy
 □ 14L Bucket and Dolly Mop Basket
 □ Castors: 4 x 80mm
 □ Optional Twist Mop (NC1R-TM)
 □ 480x545x890mm (WxLxH)

NC2R



- □ Waste 2 x 70L□ Castors: 4 x 80mm 480x545x890mm (WxLxH)

NC3R



- □ Waste 70L
 □ 1 x 4L Small Caddy
 □ 1 x 10L Large Caddy
 □ Castors: 4 x 80mm
- □ 480x545x890mm (WxLxH)

NC4R



- 2 x 10L Large Caddy
 Castors: 4 x 80mm
- □ 480x545x890mm (WxLxH)





Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

NuBag Range

The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.



Twin waste, linen and laundry modules have always been popular in commercial establishments. The dual-end design can incorporate waste and laundry, linen and laundry or waste and linen.





NSX240R



LLT200R



NBT200R






SAX120PR NSX240R LLT200R NBT200R NB3002R / AT **MODEL** 2 x 120L 2 x 100L 2 x 100L 1 x 100L + 1 x 200L Waste 1 x 120L Castor Size 4 x 75mm 4 x 75mm 4 x 75mm 4 x 75mm 4 x 200mm Dimensions (WxLxH) (MM) 655x550x910 580x780x965 580x780x965 580x780x860 655x1110x1115

Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.



NX1001









3 Integrated Laundry Bag Closure System

NX1501













MODEL	NX1001	NX1002	NX1501	NX2001	NX2401
Waste	100L	2 x 100L	150L	200L	240L
Castor Size	4 x 75mm				
Dimensions (WxLxH) (MM)	390x460x960	460x760x960	460x760x760	460x760x960	550x780x960

NuKeeper Range



Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.







COMPACT LAUNDRY FLEXI-FRONT

NKS1LLR







NKS1R



NKS2R



Consumables for illustration purposes only.









- 1 Folding Bag Ends and Heavy-duty Construction
- 2 Easily Detachable Laundry Bags
- 3 Flexi-Front Enclosure
- 4 Numatic Quick Trolley Bracket



MODEL	NKS1LLR	NKS2LLR	NKS1R	NKS2R
Waste	1 x 100L	2 x 100L	1 x 100L	2 x 100L
Castor Size	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Height	Low Level	Low Level	Full Height	Full Height
Storage	1 x Shelf	1 x Shelf	2 x Shelves	2 x Shelves
Dimensions (WxLxH) (MM)	582x998x1026	582x1420x1026	582x998x1352	582x1420x1352

NuKeeper Range

NKT Twin & Low Level

Compact in size... Big on storage. The NKT range has a Flexi-Front enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.





Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT LAUNDRY FLEXI-FRONT









NKTOLLR



Bespoke Janitorial

MODEL	NKTOR	NKT1R	NKT2R	NKTOLLR	NKT1LLR	NKT2LLR
Waste	-	1 x 100L	2 x 100L	-	1 x 100L	2 x 100L
Castor Size	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Height	Full Height	Full Height	Full Height	Low Level	Low Level	Low Level
Storage	2 x Twin Shelves	2 x Twin Shelves	2 x Twin Shelves	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH) (MM)	582x940x1352	582x1361x1352	582x1783x1352	582x940x1026	582x1361x1026	582x1783x1026

Easily Detachable Laundry Bags



NKT1LLR



NKT2LLR



NuKeeper Range

NKU Professional Universal



The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.



NKU30RFF



NKU30RHF



NKU31RFF



NKU31RHF



NKU32RFF



NKU32RHF











SPACE-SAVING CUSTOMISABLE **SECURE**



1 NKU31RHF with Top Kit NKA11R 2 Lockable Tablet Option 3 Flexi-Front System Consumables for illustration purposes only.

MODEL	NKU30RFF	NKU30RHF	NKU31RFF	NKU31RHF	NKU32RFF	NKU32RHF
Waste	-	-	1 x 100L	1 x 100L	2 x 100L	2 x 100L
Castor Size	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain
Closure	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors
Security	÷	Lockable	-	Lockable	e	Lockable
Storage	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH) (MM)	667x1116x1205	667x1116x1205	667x1532x1205	667x1532x1205	667x1948x1205	667x1948x1205

Nukeeper Top Tray & Hood Kits

A complete range of accessory kits provide the specification you need with no compromise.



Nukeeper End Frame Kits





Performance You Can Trust.

Head Office Numatic International Limited Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

TO VIEW OUR SUSTAINABILITY REPORT VISIT OUR WEBSITE HERE

numatic.co.uk/ sustainability

